CONTENTS BY TOPIC INDEX TO VOLUME 7

This table is a cumulative topical listing of all the articles contained in Volume 7. The topics are arranged in alphabetical order so that papers dealing with the same subjects are grouped together. Each article may be listed under a maximum of three topics.

Ab initio calculation

Electronic structure and total energy of diamond/BeO interfaces . . . . . Walter R. L. Lambrecht *et al.* 696
Analysis of extended dislocation faults . . . . . Arun M. Kumar *et al.* 1718
Electronic structure of planar faults in TiAl . . . . . C. Woodward *et al.* 1735
On the electronic basis of the phosphorus intergranular embrittlement of iron . . . . . Ruqian Wu *et al.* 2403

Ablation

Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region . . . . . Brian W. Yates *et al.* 520
Expanding heat source model for thermal spalling of TiB_2 in electrical discharge machining . . . . . A. M. Gadalla *et al.* 2853

Acoustic properties

Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test . . . . . Shuji Yamamoto *et al.* 2240

Adhesion

Finite element simulation of exfoliation experiments . . . . . Gerald L. Nutt 203
Microscratch analysis of the work of adhesion for Pt thin films on NiO . . . . . S. Venkataraman *et al.* 1126

Adhesives

Subcritical crack growth along epoxy/glass interfaces . . . . . K. M. Conley *et al.* 2621

Agglomeration

Partial agglomeration during Co silicide film formation . . . . . Z. G. Xiao *et al.* 269
Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. 7, 269 (1992)] . . . . . Z. G. Xiao *et al.* 3159

Alloys, intermetallic

Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy . . . . . N. P. Lalla *et al.* 53
NMR studies on amorphous, icosahedral, and crystalline phases . . . . . T. Shinohara *et al.* 62
Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl . . . . . T. Hong *et al.* 68
Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K . . . . . Katsuya Honda *et al.* 80
Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation . . . . . B. X. Liu *et al.* 85
Phase formation and stability in sputter deposited Be–Nb compounds . . . . . J. L. Brimhall *et al.* 89
Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti . . . . . D. G. Morris 303
The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy . . . . . G. M. Camus *et al.* 313
Initial stage Fe-clustering in the Au–Fe spin-glass system . . . . . Chen-Chia Chou *et al.* 321
Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl . . . . . W. Lin *et al.* 592
The effect of strain rate and temperature on the tensile properties of NiAl . . . . . R. D. Noebe *et al.* 605
Ion irradiation induced phase formation in Al–Ni . . . . . K. Kyllesbech Larsen *et al.* 861
The crystallography of cleavage fracture in Al_3Sc . . . . . J. H. Schneibel *et al.* 868
A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy . . . . . L. Potez *et al.* 876
Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling . . . . . M. Sherif El-Eskandarany *et al.* 888
Modeling of crack tip dislocation emission in B2 intermetallic alloys . . . . . Michael F. Bartholomeusz *et al.* 919
Kinetics of short- and long-range B2 ordering in ternary alloys . . . . . B. Fultz 946
Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$ . . . . . K. S. Kumar *et al.* 1043
Shock-induced reaction synthesis (SRS) of nickel aluminides . . . . . N. N. Thadhani *et al.* 1063
Investigation of the heat-affected zone fracture in Ni_3Al welds . . . . . G. H. Chen *et al.* 1076
Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys . . . . . J. Rawers *et al.* 1083
An $Al_{13}Co_4$ phase in the Al–Cu–Co alloy system . . . . . B. Grushko *et al.* 1100
Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition . . . . . P. B. Barna *et al.* 1115
The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys . . . . . R. T. Haasch *et al.* 1341
Metastable copper-chromium alloy films . . . . . A. P. Payne *et al.* 1370
The formation of intermetallics in Cu/In thin films . . . . . Rita Roy *et al.* 1377
Elastic moduli of $MoSi_2$-based materials . . . . . S. R. Srinivasan *et al.* 1610
Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys . . . . . C. T. Lee *et al.* 1690
Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy . . . . . Mohan G. Hebsur *et al.* 1696
Determination of grain boundary geometry using TEM . . . . . H. Jang *et al.* 1707
Analysis of extended dislocation faults . . . . . Arun M. Kumar *et al.* 1718
Laser processed Al_3Ti-based intermetallics: $Al_{5\pm X}Ti_{2\pm Y}$(Fe, Ni, or Cu)$_{1\pm Z}$ . . . . . Y. Ma *et al.* 1722
Electronic structure of planar faults in TiAl . . . . . C. Woodward *et al.* 1735

Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$ . . . . . L. Rabenberg *et al.* 1762
Comment on "Plastic deformation and fracture behavior of a Fe-modified Al_3Ti-base $L1_2$ intermetallic alloy" [J. Mater. Res. 6, 957 (1991)]: The importance of specimen length-to-width ratios and end constraints in compression testing of brittle and semibrittle materials . . . . . David H. Zeuch 1956
Reply to comments of D. H. Zeuch . . . . . Hu Gengxiang *et al.* 1959
^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os) . . . . . T. Shinohara *et al.* 1970
Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys . . . . . J. Eckert *et al.* 1980
Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm X}Ti_{25-Y}$(Fe, Ni, or Cu)$_{12.5-Z}$ using ALCHEMI . . . . . Y. Ma *et al.* 2049
A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments . . . . . K. J. Hemker *et al.* 2059
Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al . . . . . C. G. McKamey *et al.* 2089
Grain size effects in nanocrystalline materials . . . . . C. Suryanarayana *et al.* 2114
Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds . . . . . P. R. Munroe *et al.* 2119
Determination of size and distribution of second phases using nuclear microscopy . . . M. B. H. Breese *et al.* 2373
Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression . . . . . P. Ancrenaz *et al.* 2387
Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study . . . . . Antonino Scandurra *et al.* 2395
The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system . . . . . A. Van Neste *et al.* 2412
Structural studies of Al-based powders prepared by chemical methods . . . . . M. Lenarda *et al.* 2418
Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems . . . . . J. S. Reid *et al.* 2424
Fabrication of Ni–Al thin films by the pulsed laser deposition technique . . . . . R. K. Singh *et al.* 2639
On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys . . . . . B. Grushko *et al.* 2713
Elevated temperature compressive properties of reaction milled NiAl–AlN and Zr-doped NiAl–AlN composites . . . . . J. Daniel Whittenberger *et al.* 2724
Combustion synthesis of cubic Al_3Ti alloys . . . . . R. N. Wright *et al.* 2733
Environmental embrittlement of γ titanium aluminide . . . . . T. Takasugi *et al.* 2739
A study of pest oxidation in polycrystalline $MoSi_2$ . . . . . C. G. McKamey *et al.* 2747
Characteristics of nanophase TiAl produced by inert gas condensation . . . . . H. Chang *et al.* 2962
Disordering and amorphization of $L1_2$-type alloys by mechanical attrition . . . . . T. Benameur *et al.* 2971
Vacancies and antisite defects in ordered alloys . . . . . R. A. Johnson *et al.* 3213
Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures . . . . . S. V. Raj *et al.* 3219
TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys . . . . . Y. F. Cheng *et al.* 3235

Alloys, semiconductor
Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys . . . . . J. D. Patterson *et al.* 2211

Amorphous
The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$ . . . . . J. Rankin *et al.* 717

Annealing
Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix . . . . . R. Dal Maschio *et al.* 435
The influence of water vapor on thermal transformations of boehmite . . . . . Zdenek Hrabe *et al.* 444
Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films . . . . . X. D. Wu *et al.* 531
Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries . . . . . J. P. Zhang *et al.* 572
The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$ . . . . . J. Rankin *et al.* 717
Metal-insulator transition in highly disordered carbon fibers . . . . . K. Kuriyama *et al.* 940
Kinetics of short- and long-range B2 ordering in ternary alloys . . . . . B. Fultz 946
The effect of Cu on morphological instabilities in thin Al/Pt films . . . . . E. G. Colgan *et al.* 1093
Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC . . . . . T. C. Chou *et al.* 1253
Phase relationships in the Ti–Si–C system at high pressures . . . . . S. Sambasivan *et al.* 1473
Determination of grain boundary geometry using TEM . . . . . H. Jang *et al.* 1707
Structural characterization of heat-treated activated carbon fibers . . . . . A. M. Rao *et al.* 1788
Hydrogen, nitrogen, and oxygen behavior in boron . . . . . P. J. Kervalishvili *et al.* 1822
Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films . . . . . Sangeeta Chaudhry *et al.* 2027
Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition . . . . . B. Molnar *et al.* 2186
Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$ . . . . . Nan Chen *et al.* 2308
Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression . . . . . P. Ancrenaz *et al.* 2387
Kinetics of interfacial reaction between borosilicate glass and sapphire substrate . . . . . Jau-Ho Jean *et al.* 2514
Morphological studies of nanoclusters on grid-supported polymer thin films . . . . . Richard J. Spontak *et al.* 2593
Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$ . . . . . B. C. Sales *et al.* 2646

Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation . . . Julia M. Phillips *et al.* 2650
Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process . . . M. P. Siegal *et al.* 2658
Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites . . . Gerald S. Rellick *et al.* 2798
Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures . . . Hung-Ye Lin *et al.* 2833
Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders . . . C. Gomez-Aleixandre *et al.* 2864
Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments . . . R. Allem *et al.* 2936
Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment . . . B. Heeb *et al.* 2948
$Bi_2Sr_2CaCu_2O_{8+x}$ films prepared by fluorinated precursors in dry ambient . . . L. S. Hung 2956
Effect of crystalline and amorphous phases on the transfer of polytetrafluoroethylene (PTFE) onto metallic substrates . . . E-L. Yang 3139
Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process . . . Yuan-Liang Wang *et al.* 3175
Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor . . . M. W. Shin *et al.* 3194
Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures . . . S. V. Raj *et al.* 3219
TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys . . . Y. F. Cheng *et al.* 3235

Atomic diffusion
On the role of diffusion in phase selection during reactions at interfaces . . . C. V. Thompson 367
Mechanisms for nonthermal effects on ionic mobility during microwave processing of crystalline solids . . . John H. Booske *et al.* 495
On the atomic interdiffusion in Co/Pt superlattices . . . X. Yan *et al.* 1309
The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys . . . R. T. Haasch *et al.* 1341
Self-diffusion along twist grain boundaries in Cu . . . Miki Nomura *et al.* 3202

Attrition
A microstructural study of mechanical alloying of Fe and Sn powders . . . Gérard Le Caër *et al.* 1387
Milling and mechanical alloying of inorganic nonmetallics . . . T. Kosmac *et al.* 1519

Biomedical materials
Fabrication of porous hydroxyapatite ceramics by microwave processing . . . Yi Fang *et al.* 490
Ultrasonically accelerated synthesis of hydroxyapatite . . . Y. Fang *et al.* 2294

Bonding
Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures . . . C-D. Qin *et al.* 1480
Dynamic consolidation of superhard materials . . . Wenbo Yang *et al.* 1501

Calcining
Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of $Fe^0-Al_2O_3$ metal-ceramic composites . . . M. Verelst *et al.* 3072

Casting
Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy . . . Mohan G. Hebsur *et al.* 1696
Growth of noncrystallographic dendrites . . . L. M. Fabietti *et al.* 1987
Bi-based high T_c superconducting fibers by melt extraction . . . J. J. Chang *et al.* 2365

Catalytic materials
Preparation of molybdenum nitride thin films by N^+ ion implantation . . . J-G. Choi *et al.* 374
New evidence for supported metals in the reaction of KC_8 with metal chlorides . . . A. Messaoudi *et al.* 418
Determination of particle size distribution in an Fe_2O_3-based catalyst using magnetometry and x-ray diffraction . . . Manjula M. Ibrahim *et al.* 1856
The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system . . . A. Van Neste *et al.* 2412
Transmission electron microscopy of C_{70} single crystals at room temperature . . . Vinayak P. Dravid *et al.* 2440
The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide . . . Donald D. Beck *et al.* 2840
Laser synthesis of vanadium-titanium oxide catalysts . . . M. Musci *et al.* 2846
Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study . . . R. Debnath *et al.* 3348

Ceramics
Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system . . . A. García-Ruiz *et al.* 24
CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface . . . O. Unal *et al.* 136
Synthesis and characterization of SiC whiskers . . . L. Wang *et al.* 148
Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route . . . S-J. Ting *et al.* 164
Structure, mechanical, and tribological properties of titanium implanted alumina . . . S. M. M. Ramos *et al.* 178
Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder . . . Toshimi Fukui *et al.* 192

TEM studies of microstructure and composition of low-firing lead-magnesium-niobate ceramics . . . S. Yegnasubramanian *et al.* 197
Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films . . . Bharat Bhushan *et al.* 404
Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates . . . R. Bacsa *et al.* 423
Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders . . . H. S. Potdar *et al.* 429
Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix . . . R. Dal Maschio *et al.* 435
The influence of water vapor on thermal transformations of boehmite . . . Zdenek Hrabe *et al.* 444
The deformation behavior of ceramic crystals subjected to very low load (nano)indentations . . . Trevor F. Page *et al.* 450
Flat interfaces in zinc oxide-based varistor ceramics . . . Gun Yong Sung *et al.* 474
Crystallographic changes in $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites: XPS and XAES investigations . . . S. Myhra *et al.* 482
Fabrication of porous hydroxyapatite ceramics by microwave processing . . . Yi Fang *et al.* 490
Mechanisms for nonthermal effects on ionic mobility during microwave processing of crystalline solids . . . John H. Booske *et al.* 495
Modified resin–intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors . . . Lone-Wen Tai *et al.* 502
Modified resin–intermediate processing of perovskite powders: Part II. Processing for fine, nonagglomerated Sr-doped lanthanum chromite powders . . . Lone-Wen Tai *et al.* 511
Sol-gel processing of varistor powders . . . Gert Hohenberger *et al.* 546
Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_7$ . . . R. J. Barham *et al.* 565
Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation . . . S. R. Nishitani *et al.* 725
Copper vanadates as candidate materials for phase change optical memory . . . D. P. Birnie, III *et al.* 741
The effect of crack growth stability induced by residual compressive stresses on strength variability . . . Rajan Tandon *et al.* 765
Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)] . . . R. A. Youngman *et al.* 772
Slow crack growth of CVD diamond . . . M. D. Drory *et al.* 781
Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization . . . Toshimi Fukui *et al.* 791
Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate . . . Myung Jin Kim *et al.* 912
Nanoindentation of nanocrystalline ZnO . . . M. J. Mayo *et al.* 973
On controlled solidification studies of some TiO_2 binary alloys . . . C. T. Yen *et al.* 980
Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers . . . Ulagaraj Selvaraj *et al.* 992
Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders . . . Gian Domenico Sorarù *et al.* 1266
Direct observation of nucleation embryos during $NiFe_2O_4$ precipitation in NiO . . . Scott R. Summerfelt *et al.* 1271
Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$ . . . Ming Xu *et al.* 1283
Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures . . . C-D. Qin *et al.* 1480
The sintering behavior of ultrafine alumina particles . . . John E. Bonevich *et al.* 1489
Dynamic consolidation of superhard materials . . . Wenbo Yang *et al.* 1501
Milling and mechanical alloying of inorganic nonmetallics . . . T. Kosmac *et al.* 1519
Repulsive interaction between coplanar cracks in the double-cantilever geometry . . . Kai-tak Wan *et al.* 1584
Formation of mixed oxide powders in flames: Part I. TiO_2–SiO_2 . . . Cheng-Hung Hung *et al.* 1861
Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2 . . . Cheng-Hung Hung *et al.* 1870
Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition . . . B. A. Tuttle *et al.* 1876
Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route . . . Toshimi Fukui *et al.* 1883
Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test . . . Shuji Yamamoto *et al.* 2240
Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices . . . Jin O. Kim *et al.* 2248
Composite Si/C/N powder production by laser induced gas phase reactions . . . E. Borsella *et al.* 2257
Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics . . . Y-S. Her *et al.* 2269
Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels . . . Hyun M. Jang *et al.* 2273
Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder . . . Masahiko Okuyama *et al.* 2281
Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders . . . C. T. Lin *et al.* 2546
A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania . . . Vincent A. Hackley *et al.* 2555
Particle size effects on colloidal processing of oxide powders . . . Yoshihiro Hirata *et al.* 2572

Topographic/structure changes of implanted Si_3N_4 . . . D. W. Oblas *et al.* 2579
Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes . . . Joanna R. Groza *et al.* 2643
The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide . . . Donald D. Beck *et al.* 2840
Expanding heat source model for thermal spalling of TiB_2 in electrical discharge machining . . . A. M. Gadalla *et al.* 2853
Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$ . . . A. V. Prasadarao *et al.* 2859
Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders . . . C. Gomez-Aleixandre *et al.* 2864
Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite . . . Takayuki Suzuki *et al.* 2869
Interaction between atomic hydrogen and $YBa_2Cu_3O_7$ . . . Angel L. G. Ponce *et al.* 2908
Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates . . . Peir-Yung Chu *et al.* 3065
Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic . . . Tapan K. Gupta 3280
Pyroelectric characteristics of modified barium titanate ceramics . . . K. K. Deb *et al.* 3296
Hydrotalcite formation on aluminum sheet and powder . . . A. J. Perrotta *et al.* 3306
Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation . . . David H. Zeuch *et al.* 3314
Role of particle evaporation during synthesis of lead oxide by aerosol decomposition . . . Shirley W. Lyons *et al.* 3333

Cermets
Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of $Fe^0-Al_2O_3$ metal-ceramic composites . . . M. Verelst *et al.* 3072

Chemical reaction
Preparation and characterization of $NH_4Bi_3F_{10}$ . . . D. Niznansky *et al.* 2511

Chemical substitution
Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$ . . . D. C. Sinclair *et al.* 43

Chemical synthesis
Synthesis and characterization of SiC whiskers . . . L. Wang *et al.* 148
Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide . . . Koji Sugioka *et al.* 185
Observations on the role of Mg and Si in the directed oxidation of Al–Mg–Si alloys . . . Alan S. Nagelberg 265
New evidence for supported metals in the reaction of KC_8 with metal chlorides . . . A. Messaoudi *et al.* 418
Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders . . . H. S. Potdar *et al.* 429
Modified resin–intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors . . . Lone-Wen Tai *et al.* 502
Modified resin–intermediate processing of perovskite powders: Part II. Processing for fine, nonagglomerated Sr-doped lanthanum chromite powders . . . Lone-Wen Tai *et al.* 511
Compositional homogeneity in processing precursor powders to the $Ba_2YCu_3O_{7-x}$ high T_c superconductor . . . James F. Kelly *et al.* 580
Synthesis of yttrium aluminum garnet by reverse strike precipitation . . . Prasad Apte *et al.* 706
Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate . . . Myung Jin Kim *et al.* 912
Polymer-derived $Si_3N_4-ZrO_2$ nanocomposite powders . . . Gian Domenico Sorarù *et al.* 1266
Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route . . . Toshimi Fukui *et al.* 1883
Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics . . . Y-S. Her *et al.* 2269
Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder . . . Masahiko Okuyama *et al.* 2281
Ultrasonically accelerated synthesis of hydroxyapatite . . . Y. Fang *et al.* 2294
Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor . . . D. H. Chen *et al.* 2317
Structural studies of Al-based powders prepared by chemical methods . . . M. Lenarda *et al.* 2418
Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution . . . Osamu Yamamoto *et al.* 2488
The formation of $\alpha-Fe_2O_3$ monodispersed particles in solution . . . M. P. Morales *et al.* 2538
Synthesis of nanocomposites: Organoceramics . . . Phillip B. Messersmith *et al.* 2599
Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method . . . Yasumasa Takao *et al.* 2942
Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of $Fe^0-Al_2O_3$ metal-ceramic composites . . . M. Verelst *et al.* 3072
Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite . . . Masanobu Awano *et al.* 3185
Hydrotalcite formation on aluminum sheet and powder . . . A. J. Perrotta *et al.* 3306
Role of particle evaporation during synthesis of lead oxide by aerosol decomposition . . . Shirley W. Lyons *et al.* 3333

Chemical vapor deposition (CVD)

The interfacial structure and composition of diamond films grown on various substrates . . . C. P. Sung *et al.* 105
CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface . . . O. Unal *et al.* 136
Prospects for device implementation of wide band gap semiconductors . . . J. H. Edgar 235
In situ growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond . . . B. R. Stoner *et al.* 257
Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I), (hfac)Cu(1,5-COD) . . . A. Jain *et al.* 261
Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition . . . Satoshi Nishikawa *et al.* 345
Diamond growth with locally supplied methane and acetylene . . . W. A. Yarbrough *et al.* 379
Morphological instabilities in the low pressure synthesis of diamond . . . K. V. Ravi 384
Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles . . . Lawrence H. Robins *et al.* 394
Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films . . . Bharat Bhushan *et al.* 404
Absorption coefficient of β–SiC grown by chemical vapor deposition . . . Attaullah Solangi *et al.* 539
Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films . . . Peter C. Van Buskirk *et al.* 542
Slow crack growth of CVD diamond . . . M. D. Drory *et al.* 781
Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation . . . R. Ramesham *et al.* 1144
Selective growth of diamond crystals on the apex of silicon pyramids . . . R. Ramesham *et al.* 1189
Diamond growth using carbon monoxide as a carbon source . . . F. M. Cerio *et al.* 1195
On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films . . . R. Fantoni *et al.* 1204
Chemical stability of CVD source materials for high-T_c superconducting films . . . Takuya Hashimoto *et al.* 1336
Efficiency of methane and acetylene in forming diamond by microwave plasma assisted chemical vapor deposition . . . Curtis E. Johnson *et al.* 1427
Fracture strength measurement of filament assisted CVD polycrystalline diamond films . . . G. F. Cardinale *et al.* 1432
Investigation of growth rates and morphology for diamond growth by chemical vapor deposition . . . M. P. Everson *et al.* 1438
CVD Si_3N_4 on single crystal SiC: Part II. High resolution electron microscopy and atomic models of the interface . . . O. Unal *et al.* 1445
Growth of (100) oriented diamond thin films on ball structure diamond-like particles . . . Lee Chow *et al.* 1606
Chemical vapor deposition of aluminum nitride thin films . . . Roy G. Gordon *et al.* 1679
Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition . . . M. Kohzaki *et al.* 1769
Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase . . . E. Molinari *et al.* 1778
Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films . . . Yoshihisa Watanabe *et al.* 1805
Selective nucleation of silicon clusters in CVD . . . Frank G. Shi *et al.* 1809
Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111) . . . S. H. Tan *et al.* 1816
Formation of mixed oxide powders in flames: Part I. TiO_2–SiO_2 . . . Cheng-Hung Hung *et al.* 1861
Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2 . . . Cheng-Hung Hung *et al.* 1870
Improved uniformity and selected area deposition of diamond by the oxy-acetylene flame method . . . Jesko A. von Windheim *et al.* 2144
Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces . . . T. P. Ong *et al.* 2429
Pulsed-power volume-heating chemical vapor infiltration . . . José I. Morell *et al.* 2447
Structural properties of epitaxial TiO_2 films grown on sapphire ($11\bar{2}0$) by MOCVD . . . H. L. M. Chang *et al.* 2495
Synthesis of diamond films on Hastelloy . . . V. P. Godbole *et al.* 2785
Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film . . . Herman Lock *et al.* 2791
The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide . . . Donald D. Beck *et al.* 2840
Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders . . . C. Gomez-Aleixandre *et al.* 2864
Twinning and faceting in early stages of diamond growth by chemical vapor deposition . . . John C. Angus *et al.* 3001
Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method . . . Munehiro Ishioka *et al.* 3019
Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties . . . S. A. Gökoğlu *et al.* 3023
Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. 7, 1805 (1992)] . . . Yoshihisa Watanabe *et al.* 3160

Coating

Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide . . . Koji Sugioka *et al.* 185

Diamond growth with locally supplied methane and acetylene . . . W. A. Yarbrough *et al.* 379
Zirconia and organotitanate film formation on graphite fiber reinforcement for metal matrix composites . . . R. V. Subramanian *et al.* 677
Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials . . . Yoshio Masuda *et al.* 819
Two different low friction mechanisms of diamond-like carbon with silicon coatings formed by plasma-assisted chemical vapor deposition . . . K. Oguri *et al.* 1313
Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition . . . M. Kohzaki *et al.* 1769
Metal reinforced thermal plasma diamond coatings . . . C. Tsai *et al.* 1967
Characterization of tungsten-carbon layers deposited on stainless steel by reactive magnetron sputtering . . . Y. Pauleau *et al.* 2070
Diamond film nucleation and interface characterization . . . P. Bou *et al.* 2151
Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test . . . Shuji Yamamoto *et al.* 2240
Development of suspensions of rod-shaped β–FeOOH particles in infrared transmitting solvents for use as artificial Kerr media . . . D. L. Naylor 2288
The determination of film hardness from the composite response of film and substrate to nanometer scale indentations . . . B. D. Fabes *et al.* 3056
Hydrotalcite formation on aluminum sheet and powder . . . A. J. Perrotta *et al.* 3306

Colloidal

Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate . . . Myung Jin Kim *et al.* 912
Development of suspensions of rod-shaped β–FeOOH particles in infrared transmitting solvents for use as artificial Kerr media . . . D. L. Naylor 2288
The direct observation of structural development during vanadium pentoxide gelation . . . J. K. Bailey *et al.* 2530
The formation of α–Fe_2O_3 monodispersed particles in solution . . . M. P. Morales *et al.* 2538
A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania . . . Vincent A. Hackley *et al.* 2555
Particle size effects on colloidal processing of oxide powders . . . Yoshihiro Hirata *et al.* 2572

Combustion synthesis

Combustion synthesis of cubic Al_3Ti alloys . . . R. N. Wright *et al.* 2733

Composites

Temperature and pressure dependence of the conductivity anisotropy of unidirectional short carbon fiber filled polymers . . . F. Carmona *et al.* 117
Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films . . . K. M. Unruh *et al.* 214
Observations on the role of Mg and Si in the directed oxidation of Al–Mg–Si alloys . . . Alan S. Nagelberg 265
Zirconia and organotitanate film formation on graphite fiber reinforcement for metal matrix composites . . . R. V. Subramanian *et al.* 677
Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system . . . T. S. Moss *et al.* 754
Processing of TiAl–Ti_2AlN composites and their compressive properties . . . H. Mabuchi *et al.* 894
Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples . . . M. J. Godbole *et al.* 1004
An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite . . . P. E. Dyer *et al.* 1152
Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC . . . T. C. Chou *et al.* 1253
CVD Si_3N_4 on single crystal SiC: Part II. High resolution electron microscopy and atomic models of the interface . . . O. Unal *et al.* 1445
The properties of W–C:H films deposited by reactive rf sputtering . . . M. Wang *et al.* 1465
Phase relationships in the Ti–Si–C system at high pressures . . . S. Sambasivan *et al.* 1473
Interfacial structure and chemistry in a ceramic/polymer composite material . . . Oludele O. Popoola *et al.* 1545
The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites . . . Arthur J. Lucchesi *et al.* 1795
Metal reinforced thermal plasma diamond coatings . . . C. Tsai *et al.* 1967
Growth of noncrystallographic dendrites . . . L. M. Fabietti *et al.* 1987
A new class of composite materials: Matrix auto-reinforced organic material–MARIOM . . . A. Wyler *et al.* 1990
Plasma production of metallic nanoparticles . . . ChinHao Chou *et al.* 2107
Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature . . . Eric M. Taleff *et al.* 2131
Pulsed-power volume-heating chemical vapor infiltration . . . José I. Morell *et al.* 2447
High temperature reactions within SiC–Al_2O_3 composites . . . Ahmed Gadalla *et al.* 2585
Morphological studies of nanoclusters on grid-supported polymer thin films . . . Richard J. Spontak *et al.* 2593
Synthesis of nanocomposites: Organoceramics . . . Phillip B. Messersmith *et al.* 2599
Erratum: "Interfacial structure and chemistry in a ceramic/polymer composite material" [J. Mater. Res. 7, 1545 (1992)] . . . Oludele O. Popoola *et al.* 2630
Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites . . . Gerald S. Rellick *et al.* 2798
A Mössbauer spectroscopy study of nanoscale Ge–Sn dispersions prepared by ball milling . . . P. Boolchand *et al.* 2876

	Effective dispersants for concentrated, nonaqueous suspensions	I. Sushumna *et al.*	2884
	Processing of diamond/alumina composites for low wear applications	May-Ying Chu *et al.*	3010
	Fracture behavior of short-fiber reinforced materials	Michael Murat *et al.*	3120
	Role of interface properties on the toughness of brittle matrix composites reinforced with ductile fibers	H. E. Dève *et al.*	3132
	Isothermal and nonisothermal sintering kinetics of glass-filled ceramics	Jau-Ho Jean *et al.*	3342
	Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study	R. Debnath *et al.*	3348
Compound semiconductors	Prospects for device implementation of wide band gap semiconductors	J. H. Edgar	235
	Absorption coefficient of β–SiC grown by chemical vapor deposition	Attaullah Solangi *et al.*	539
	Phase equilibria and ternary phase formation in the In–Ni–P system	S. E. Mohney *et al.*	955
	Surface migration and volume diffusion in the $AgGaSe_2$–Ag_2Se system	N-H. Kim *et al.*	1215
	MBE growth of compound semiconductors: Part I. Stochastic modeling	R. Venkatasubramanian	1221
	Optical properties of polycrystalline CdSe films	Tapan K. Gupta *et al.*	1243
	Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates	A. K. Ballal *et al.*	1618
	Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111)	S. H. Tan *et al.*	1816
	The microstructure and stoichiometry of pyrite FeS_{2-x}	S. Fiechter *et al.*	1829
	Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition	B. Molnar *et al.*	2186
	Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon	Alexandros Georgakilas *et al.*	2194
	InP under high pressures	M-H. Tsai *et al.*	2205
	Observations on the electrical characterization of the heteroepitaxially grown cubic SiC	B. Molnar	2465
	A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations	E. Gat *et al.*	2478
	Suppression of dislocation accumulation in GaAs film on Si substrate by combination of impurity doping and selective area growth	Tetsuya Ohashi	3032
Computer simulation	Finite element simulation of exfoliation experiments	Gerald L. Nutt	203
	A study of the mechanics of microindentation using finite elements	T. A. Laursen *et al.*	618
	The application of the analytic embedded atom method to bcc metals and alloys	A. M. Guellil *et al.*	639
	Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system	T. S. Moss *et al.*	754
	Stability of tight-packed metals with the embedded-atom method	R. A. Johnson	883
	Rate limitation in low pressure diamond growth	Hans Rau *et al.*	934
	Computer modeling of thermal shock-induced crack growth in brittle materials	S. Shimamura *et al.*	1286
	Analysis of the accuracy of the bulge test in determining the mechanical properties of thin films	Martha K. Small *et al.*	1553
	An atomic simulation of the influence of hydrogen on the fracture behavior of nickel	R. G. Hoagland *et al.*	2080
	Epitaxial growth of $Si_{1-x}Ge_x$ on Si(100)2 × 1: A molecular-dynamics study	Stéphane Ethier *et al.*	2817
	Twinning and faceting in early stages of diamond growth by chemical vapor deposition	John C. Angus *et al.*	3001
	Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties	S. A. Gökoğlu *et al.*	3023
	Suppression of dislocation accumulation in GaAs film on Si substrate by combination of impurity doping and selective area growth	Tetsuya Ohashi	3032
	Fracture behavior of short-fiber reinforced materials	Michael Murat *et al.*	3120
	Vacancies and antisite defects in ordered alloys	R. A. Johnson *et al.*	3213
Conductors	Interaction between atomic hydrogen and $YBa_2Cu_3O_7$	Angel L. G. Ponce *et al.*	2908
Corrosion	Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K	Katsuya Honda *et al.*	80
	Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide	Koji Sugioka *et al.*	185
Coulometric titration	Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$	T. Kawano *et al.*	299
Cryomilling	Elevated temperature compressive properties of reaction milled NiAl–AlN and Zr-doped NiAl–AlN composites	J. Daniel Whittenberger *et al.*	2724
Crystal (single)	Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure	Takayuki Miyatake *et al.*	5
	Identification of a growth defect in solid C_{60} by electron diffraction	D. E. Luzzi *et al.*	335

Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy . . . S. R. Snyder *et al.* 341
Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_7$ . . . R. J. Barham *et al.* 565
Hydrogen binding and diffusion in diamond . . . S. P. Mehandru *et al.* 689
Epitaxial growth of C_{60} thin films on mica . . . W. Krakow *et al.* 784
On controlled solidification studies of some TiO_2 binary alloys . . . C. T. Yen *et al.* 980
Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212 . . . Kazuto Ikeda *et al.* 1060
On diamond-hexagonal germanium . . . S-Q. Xiao *et al.* 1406
Repulsive interaction between coplanar cracks in the double-cantilever geometry . . . Kai-tak Wan *et al.* 1584
Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase . . . E. Molinari *et al.* 1778
The microstructure and stoichiometry of pyrite FeS_{2-x} . . . S. Fiechter *et al.* 1829
Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals . . . Gong-Da Yao *et al.* 1847
InP under high pressures . . . M-H. Tsai *et al.* 2205
Transmission electron microscopy of C_{70} single crystals at room temperature . . . Vinayak P. Dravid *et al.* 2440
Thermal conductivity of high temperature superconductor substrate materials: Lanthanum aluminate and neodymium aluminate . . . Donald T. Morelli 2492
Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy . . . B. C. Beard *et al.* 3266
In situ observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique . . . Li Lian *et al.* 3275

Crystal growth

Growth mechanism of $YBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method . . . Teruo Izumi *et al.* 16
Reaction mechanism of Y-system superconductors in the MPMG method . . . Teruo Izumi *et al.* 801
Diffusion solidification model on Y-system superconductors . . . Teruo Izumi *et al.* 1621
On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals . . . N. B. Singh *et al.* 2507

Crystallographic structure

Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system . . . A. García-Ruiz *et al.* 24
Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$ . . . D. C. Sinclair *et al.* 43
Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy . . . N. P. Lalla *et al.* 53
The interfacial structure and composition of diamond films grown on various substrates . . . C. P. Sung *et al.* 105
Structure, mechanical, and tribological properties of titanium implanted alumina . . . S. M. M. Ramos *et al.* 178
Initial stage Fe-clustering in the Au–Fe spin-glass system . . . Chen-Chia Chou *et al.* 321
Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition . . . Satoshi Nishikawa *et al.* 345
Crystallographic changes in $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites: XPS and XAES investigations . . . S. Myhra *et al.* 482
Synthesis of yttrium aluminum garnet by reverse strike precipitation . . . Prasad Apte *et al.* 706
Epitaxial growth of C_{60} thin films on mica . . . W. Krakow *et al.* 784
Chemistry and structural modulations in $Bi_2Sr_2CuO_6$ . . . Y. Shen *et al.* 844
Stability of tight-packed metals with the embedded-atom method . . . R. A. Johnson 883
Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling . . . M. Sherif El-Eskandarany *et al.* 888
Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$ . . . Ming Xu *et al.* 1283
Metastable copper-chromium alloy films . . . A. P. Payne *et al.* 1370
The sintering behavior of ultrafine alumina particles . . . John E. Bonevich *et al.* 1489
Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates . . . A. K. Ballal *et al.* 1618
Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia . . . D. K. Fork *et al.* 1641
Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys . . . C. T. Lee *et al.* 1690
Laser processed Al_3Ti-based intermetallics: $Al_{5\pm X}Ti_{2\pm Y}$(Fe, Ni, or Cu)$_{1\pm Z}$ . . . Y. Ma *et al.* 1722
Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$ . . . L. Rabenberg *et al.* 1762
Structural study of room temperature synthesized nickel thiophosphate *a*–$NiPS_3$ . . . P. Fragnaud *et al.* 1839
Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys . . . J. Eckert *et al.* 1980
Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm X}Ti_{25-Y}$(Fe, Ni, or Cu)$_{12.5-Z}$ using ALCHEMI . . . Y. Ma *et al.* 2049
Characterization of tungsten-carbon layers deposited on stainless steel by reactive magnetron sputtering . . . Y. Pauleau *et al.* 2070
Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds . . . P. R. Munroe *et al.* 2119
Solid solutions in the system Ag_2S–Ag_2Se . . . N. E. Pingitore *et al.* 2219
Microstructure of LaB_6-base thick film resistors . . . Z. G. Li *et al.* 2225
TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition . . . H. Takahashi *et al.* 2333
Transmission electron microscopy of C_{70} single crystals at room temperature . . . Vinayak P. Dravid *et al.* 2440

	Structural properties of epitaxial TiO_2 films grown on sapphire ($11\bar{2}0$) by MOCVD	H. L. M. Chang *et al.*	2495
	Preparation and characterization of $NH_4Bi_3F_{10}$	D. Niznansky *et al.*	2511
	The formation of $\alpha-Fe_2O_3$ monodispersed particles in solution	M. P. Morales *et al.*	2538
	Preferred orientation of high performance carbon fibers	T. Hamada *et al.*	2612
	Epitaxial growth of Cu_2O films on MgO by sputtering	Dean J. Miller *et al.*	2828
	A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects	M. Lelaurain *et al.*	2978
Czochralski growth	Reactions between liquid silicon and vitreous silica	Zhensheng Liu *et al.*	352
	On controlled solidification studies of some TiO_2 binary alloys	C. T. Yen *et al.*	980
Defects	Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods	L. Rebouta *et al.*	130
	Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route	S-J. Ting *et al.*	164
	Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$	T. Kawano *et al.*	299
	Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti	D. G. Morris	303
	Identification of a growth defect in solid C_{60} by electron diffraction	D. E. Luzzi *et al.*	335
	Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy	S. R. Snyder *et al.*	341
	TEM observations of the mechanism of delamination of chromium films from silicon substrates	D. Goyal *et al.*	359
	Flat interfaces in zinc oxide-based varistor ceramics	Gun Yong Sung *et al.*	474
	Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries	J. P. Zhang *et al.*	572
	The application of the analytic embedded atom method to bcc metals and alloys	A. M. Guellil *et al.*	639
	Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)]	R. A. Youngman *et al.*	772
	Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon	G. Lulli *et al.*	1413
	Analysis of extended dislocation faults	Arun M. Kumar *et al.*	1718
	The microstructure and stoichiometry of pyrite FeS_{2-x}	S. Fiechter *et al.*	1829
	Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals	Gong-Da Yao *et al.*	1847
	Characterization of extremely thin epitaxial layers and films by new interference fringes	Lu Taijing *et al.*	2182
	Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon	Alexandros Georgakilas *et al.*	2194
	Twinning and faceting in early stages of diamond growth by chemical vapor deposition	John C. Angus *et al.*	3001
	Dislocation mediated lattice bending in 1,6-di (N-carbazolyl)-2,4 hexadiyne (DCHD) polydiacetylene droplets	Patricia M. Wilson *et al.*	3150
	Vacancies and antisite defects in ordered alloys	R. A. Johnson *et al.*	3213
	Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy	B. C. Beard *et al.*	3266
Differential thermal analysis (DTA)	Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films	K. M. Unruh *et al.*	214
	On glass formation in rapidly solidified aluminum-based alloys	Q. Li *et al.*	2756
Diffusion	Hydrogen binding and diffusion in diamond	S. P. Mehandru *et al.*	689
	On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr	N. Karpe *et al.*	926
	Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$	K. S. Kumar *et al.*	1043
	A study of stress-driven diffusive growth of voids in encapsulated interconnect lines	Anne I. Sauter *et al.*	1133
	Surface migration and volume diffusion in the $AgGaSe_2-Ag_2Se$ system	N-H. Kim *et al.*	1215
	Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC	T. C. Chou *et al.*	1253
	The formation of intermetallics in Cu/In thin films	Rita Roy *et al.*	1377
	Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers	H. Y. Bai *et al.*	1423
	Intercalation of molecular species into the interstitial sites of fullerene	Roger A. Assink *et al.*	2136
	Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition	B. Molnar *et al.*	2186
	Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$	Nan Chen *et al.*	2308
	Kinetics of interfacial reaction between borosilicate glass and sapphire substrate	Jau-Ho Jean *et al.*	2514
	Morphological studies of nanoclusters on grid-supported polymer thin films	Richard J. Spontak *et al.*	2593
	Microstructures of Bi-based oxide superconductors doped with Sb	Yoshio Masuda *et al.*	2667
Directional freezing	Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics	I. Monot *et al.*	273

Directional solidification

Growth mechanism of $YBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method . . . Teruo Izumi *et al.* 16
Diffusion solidification model on Y-system superconductors . . . Teruo Izumi *et al.* 1621

Dispersants

Effective dispersants for concentrated, nonaqueous suspensions . . . I. Sushumna *et al.* 2884

Elastic properties

Photoelastic and finite element analysis of different size spheres in contact . . . C. W. Shih *et al.* 1011
Elastic and nanostructural properties of Cu/Pd superlattices . . . B. M. Davis *et al.* 1356
Elastic moduli of $MoSi_2$-based materials . . . S. R. Srinivasan *et al.* 1610
High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$ . . . S. Suasmoro *et al.* 1629
Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices . . . Jin O. Kim *et al.* 2248
Elastic constants of polycrystalline $Y_1Ba_2Cu_3O_x$ . . . Hassel Ledbetter 2905

Electrical materials

Temperature and pressure dependence of the conductivity anisotropy of unidirectional short carbon fiber filled polymers . . . F. Carmona *et al.* 117
Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$ . . . A. V. Prasadarao *et al.* 2859

Electrical properties

Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_x$ glass-ceramics . . . Kazumi Hirata *et al.* 48
Temperature and pressure dependence of the conductivity anisotropy of unidirectional short carbon fiber filled polymers . . . F. Carmona *et al.* 117
Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder . . . Toshimi Fukui *et al.* 192
Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors . . . G. Selvaduray *et al.* 283
Properties of $Bi_2Sr_2CaCu_2O_8$ thick films melt-processed at temperatures up to 950 °C . . . W. C. McGinnis *et al.* 585
Superconducting characteristics and the thermal stability of tungsten-based amorphous thin films . . . Seiichi Kondo 853
Electrical resistance of metallic contacts on silicon and germanium during indentation . . . G. M. Pharr *et al.* 961
Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction . . . Michio Inagaki *et al.* 1174
Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$ . . . Yoshihiro Abe *et al.* 1599
Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders . . . Asok K. Sarkar *et al.* 1672
Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111) . . . S. H. Tan *et al.* 1816
Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route . . . Toshimi Fukui *et al.* 1883
Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys . . . J. D. Patterson *et al.* 2211
Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection . . . K. K. Raina *et al.* 2303
Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method . . . Shinobu Fujihara *et al.* 2355
Observations on the electrical characterization of the heteroepitaxially grown cubic SiC . . . B. Molnar 2465
Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution . . . Osamu Yamamoto *et al.* 2488
Pulsed excimer laser deposition and characterization of ferroelectric $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films . . . D. Roy *et al.* 2521
A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity . . . O. E. Andersson *et al.* 2989
Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic . . . Tapan K. Gupta 3280
Pyroelectric characteristics of modified barium titanate ceramics . . . K. K. Deb *et al.* 3296

Electrochemical synthesis

Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates . . . R. Bacsa *et al.* 423

Electroless deposition

Optical properties of polycrystalline CdSe films . . . Tapan K. Gupta *et al.* 1243

Electron channeling

Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds . . . P. R. Munroe *et al.* 2119

Electron microprobe

Surface migration and volume diffusion in the $AgGaSe_2$–Ag_2Se system . . . N-H. Kim *et al.* 1215

Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm X}Ti_{25-Y}$(Fe, Ni, or Cu)$_{12.5-Z}$ using ALCHEMI . . . . . Y. Ma *et al.* 2049

Electron spin resonance

Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_7$ . . . . . R. J. Barham *et al.* 565

Electronic materials

TEM studies of microstructure and composition of low-firing lead-magnesium-niobate ceramics . . . . . S. Yegnasubramanian *et al.* 197
Prospects for device implementation of wide band gap semiconductors . . . . . J. H. Edgar 235
Partial agglomeration during Co silicide film formation . . . . . Z. G. Xiao *et al.* 269
Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders . . . . . H. S. Potdar *et al.* 429
Flat interfaces in zinc oxide-based varistor ceramics . . . . . Gun Yong Sung *et al.* 474
Sol-gel processing of varistor powders . . . . . Gert Hohenberger *et al.* 546
Phase equilibria and ternary phase formation in the In–Ni–P system . . . . . S. E. Mohney *et al.* 955
Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers . . . . . Ulagaraj Selvaraj *et al.* 992
The effect of Cu on morphological instabilities in thin Al/Pt films . . . . . E. G. Colgan *et al.* 1093
A study of stress-driven diffusive growth of voids in encapsulated interconnect lines . . . . . Anne I. Sauter *et al.* 1133
Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation . . . . . R. Ramesham *et al.* 1144
Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni . . . . . E. Ma *et al.* 1350
Substrate and temperature effects in lead zirconate titanate films produced by facing targets sputtering . . . . . R. A. Roy *et al.* 1455
Structural characterization of heat-treated activated carbon fibers . . . . . A. M. Rao *et al.* 1788
Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition . . . . . B. A. Tuttle *et al.* 1876
Modeling of a–Si : H deposition in a dc glow discharge reactor . . . . . Dariusz Orlicki *et al.* 2160
Microstructure of LaB_6-base thick film resistors . . . . . Z. G. Li *et al.* 2225
Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems . . . . . J. S. Reid *et al.* 2424
Pulsed excimer laser deposition and characterization of ferroelectric $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films . . . . . D. Roy *et al.* 2521
Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis . . . . . G. R. Fox *et al.* 3039
Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. 7, 269 (1992)] . . . . . Z. G. Xiao *et al.* 3159
Base electrodes for high dielectric constant oxide materials in silicon technology . . . . . A. Grill *et al.* 3260
Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic . . . . . Tapan K. Gupta 3280
Pyroelectric characteristics of modified barium titanate ceramics . . . . . K. K. Deb *et al.* 3296
Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation . . . . . David H. Zeuch *et al.* 3314

Electronic properties

Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O . . . . . R. S. Rubins *et al.* 837
Metal-insulator transition in highly disordered carbon fibers . . . . . K. Kuriyama *et al.* 940
A review of the superconducting and normal state properties of $Y_{1-x}Pr_xBa_2Cu_3O_7$ . . . . . H. B. Radousky 1917

Electronic structure

NMR studies on amorphous, icosahedral, and crystalline phases . . . . . T. Shinohara *et al.* 62
Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl . . . . . T. Hong *et al.* 68
Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles . . . . . Lawrence H. Robins *et al.* 394
Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl . . . . . W. Lin *et al.* 592
Electronic structure and total energy of diamond/BeO interfaces . . . . . Walter R. L. Lambrecht *et al.* 696
Electronic structure of planar faults in TiAl . . . . . C. Woodward *et al.* 1735
X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films . . . . . Shigemi Kohiki *et al.* 1984
InP under high pressures . . . . . M-H. Tsai *et al.* 2205

Elemental semiconductors

Thermal effects of scanning speed and constitutional supercooling during zone-melting recrystallization of silicon-on-insulator structures . . . . . Sharon M. Yoon *et al.* 124
Reactions between liquid silicon and vitreous silica . . . . . Zhensheng Liu *et al.* 352
Buried oxide layers formed by low-dose oxygen implantation . . . . . S. Nakashima *et al.* 788
On diamond-hexagonal germanium . . . . . S-Q. Xiao *et al.* 1406
Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon . . . . . G. Lulli *et al.* 1413
The extent of phase transformation in silicon hardness indentations . . . . . Daniel L. Callahan *et al.* 1614
Selective nucleation of silicon clusters in CVD . . . . . Frank G. Shi *et al.* 1809

	Hydrogen, nitrogen, and oxygen behavior in boron . . . . . P. J. Kervalishvili *et al.*	1822
	Nonlinear silicon oxide growth patterns in a gold-silicon system . . . . . Gervais Leclerc *et al.*	2458
Embrittlement	An atomic simulation of the influence of hydrogen on the fracture behavior of nickel . . . . . R. G. Hoagland *et al.*	2080
	On the electronic basis of the phosphorus intergranular embrittlement of iron . . . . . Ruqian Wu *et al.*	2403
Energetic materials	Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy . . . . . B. C. Beard *et al.*	3266
Energy storage materials	Intercalation of molecular species into the interstitial sites of fullerene . . . . . Roger A. Assink *et al.*	2136
Exoelectron emission	Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment . . . . . Yoshihisa Watanabe *et al.*	1396
Extrusion	Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors . . . . . J. P. Singh *et al.*	2324
Fatigue	Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study . . . . . Antonino Scandurra *et al.*	2395
Filamentary	Magnetization properties of solution-spun Y–Ba–Cu–O filament . . . . . Tomoko Goto *et al.*	11
	Synthesis and characterization of SiC whiskers . . . . . L. Wang *et al.*	148
	Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch . . . . . T. Hamada *et al.*	1178
	Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$ . . . . . Yoshihiro Abe *et al.*	1599
	Bi-based high T_c superconducting fibers by melt extraction . . . . . J. J. Chang *et al.*	2365
	Preferred orientation of high performance carbon fibers . . . . . T. Hamada *et al.*	2612
	Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method . . . . . Munehiro Ishioka *et al.*	3019
	Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties . . . . . S. A. Gökoğlu *et al.*	3023
Firing	High temperature reactions within $SiC–Al_2O_3$ composites . . . . . Ahmed Gadalla *et al.*	2585
Fourier transform infrared (FTIR)	A study of the effect of composition on the microstructural evolution of $a–Si_xC_{1-x}$: H PECVD films: IR absorption and XPS characterizations . . . . . E. Gat *et al.*	2478
Freeze drying	Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors . . . . . N. V. Coppa *et al.*	2017
Gases	Solid krypton in MgO . . . . . M. Grant Norton *et al.*	3171
Geologic materials	Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms . . . . . Yves Lefebvre *et al.*	1888
	The amorphization of complex silicates by ion-beam irradiation . . . . . Ray K. Eby *et al.*	3080
Glass	Scanning tunneling microscope observations of polymer fracture surfaces . . . . . D. M. Kulawansa *et al.*	1292
	Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen . . . . . T. G. Holesinger *et al.*	1658
	Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles . . . . T. G. Holesinger *et al.*	2035
	AFM observations of the surface morphology of metallic glasses $Fe_{78}B_{13}Si_9$ in the early stage of crystallization . . . . . Yoshihisa Watanabe *et al.*	2126
Glasses	On the constrained crystallization of synthetic anorthite ($CaO \cdot Al_2O_3 \cdot 2SiO_2$) . . . . . Nitin P. Padture *et al.*	170
	Effect of processing on the optical scattering of AlF_3-based glasses . . . . . T. Iqbal *et al.*	219
	Structural and vibrational investigations of thermal properties of tellurite glasses . . . . . Raouf El-Mallawany	224
	Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel . . . . . R. Campostrini *et al.*	745
	Crystallization of various compositions in the $Y_2O_3–SiO_2$ system . . . . . Suresh Kumar *et al.*	997
	Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses . . . . . A. M. Mailhot *et al.*	1534
	Highly stable fluoride glass . . . . . Abdessamad Elyamani *et al.*	1541
	A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass . . . . . R. K. Brow *et al.*	1892
	Kinetics of interfacial reaction between borosilicate glass and sapphire substrate . . . . . Jau-Ho Jean *et al.*	2514
	Crystallization kinetics of binary borosilicate glass composite . . . . . Jau-Ho Jean *et al.*	3103
	Data from recording microhardness testers . . . . . W. Mason *et al.*	3112
Glasses, metallic	Anisotropic thermal conductivity of rare earth–transition metal thin films . . . . . L. J. Shaw-Klein *et al.*	329
	On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr . . . . . N. Karpe *et al.*	926

	Production of amorphous metallic surfaces by means of a pulsed glow discharge electron beam . . . N. Mingolo *et al.*	1096
	A microstructural study of mechanical alloying of Fe and Sn powders . . . Gérard Le Caër *et al.*	1387
	Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment . . . Yoshihisa Watanabe *et al.*	1396
	Effect of the direction of field annealing on the stress + field induced magnetic anisotropy in Co–Fe–Ni amorphous alloys . . . J. González *et al.*	1602
	AFM observations of the surface morphology of metallic glasses $Fe_{78}B_{13}Si_9$ in the early stage of crystallization . . . Yoshihisa Watanabe *et al.*	2126
	On glass formation in rapidly solidified aluminum-based alloys . . . Q. Li *et al.*	2756
Hardness testing	Insulator-metal transitions at microindentations . . . John J. Gilman	535
	On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation . . . G. M. Pharr *et al.*	613
	An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments . . . W. C. Oliver *et al.*	1564
	The extent of phase transformation in silicon hardness indentations . . . Daniel L. Callahan *et al.*	1614
	The determination of film hardness from the composite response of film and substrate to nanometer scale indentations . . . B. D. Fabes *et al.*	3056
	Data from recording microhardness testers . . . W. Mason *et al.*	3112
	A new bulge test technique for the determination of Young's modulus and Poisson's ratio of thin films . . . J. J. Vlassak *et al.*	3242
High energy ion microprobe	Determination of size and distribution of second phases using nuclear microscopy . . . M. B. H. Breese *et al.*	2373
Hot isostatic pressing (HIP)	Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure . . . Takayuki Miyatake *et al.*	5
	Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing . . . S. Hu *et al.*	808
	Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys . . . J. Rawers *et al.*	1083
	A new class of composite materials: Matrix auto-reinforced organic material–MARIOM . . . A. Wyler *et al.*	1990
Indentation	Electrical resistance of metallic contacts on silicon and germanium during indentation . . . G. M. Pharr *et al.*	961
	Brittle fracture of nickel by dynamic indentation . . . J. W. Hoehn *et al.*	1973
Inert gas condensation	Characteristics of nanophase TiAl produced by inert gas condensation . . . H. Chang *et al.*	2962
Infrared (IR) spectroscopy	Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K . . . Katsuya Honda *et al.*	80
	The purification of elemental sulfur . . . Sherman Susman *et al.*	1526
	Transmission infrared study of acid-catalyzed sol-gel silica coatings during room ambient drying . . . T. M. Parrill	2230
Insulators	The interfacial structure and composition of diamond films grown on various substrates . . . C. P. Sung *et al.*	105
	Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles . . . Lawrence H. Robins *et al.*	394
	The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$ . . . J. Rankin *et al.*	717
	Thermal conductivity of high temperature superconductor substrate materials: Lanthanum aluminate and neodymium aluminate . . . Donald T. Morelli	2492
Intercalation	Intercalation of molecular species into the interstitial sites of fullerene . . . Roger A. Assink *et al.*	2136
	A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects . . . M. Lelaurain *et al.*	2978
	A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity . . . O. E. Andersson *et al.*	2989
Ion beam irradiation	Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide . . . D. Xu *et al.*	229
	The amorphization of complex silicates by ion-beam irradiation . . . Ray K. Eby *et al.*	3080
Ion beam mixing	Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation . . . B. X. Liu *et al.*	85
	Ion irradiation induced phase formation in Al–Ni . . . K. Kyllesbech Larsen *et al.*	861

Ion beam sputtering

Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering . . . J. A. Kittl *et al.* 2003
Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis . . . G. R. Fox *et al.* 3039

Ion implantation

Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods . . . L. Rebouta *et al.* 130
Structure, mechanical, and tribological properties of titanium implanted alumina . . . S. M. M. Ramos *et al.* 178
Preparation of molybdenum nitride thin films by N^+ ion implantation . . . J-G. Choi *et al.* 374
Buried oxide layers formed by low-dose oxygen implantation . . . S. Nakashima *et al.* 788
Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon . . . G. Lulli *et al.* 1413
Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere . . . Katsuhiro Yokota *et al.* 1652
Improved hardness and wear properties of B-ion implanted polycarbonate . . . E. H. Lee *et al.* 1900
Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces . . . T. P. Ong *et al.* 2429
Topographic/structure changes of implanted Si_3N_4 . . . D. W. Oblas *et al.* 2579
Ion beam synthesis of nitride layers in iron . . . A. M. Vredenberg *et al.* 2689
Solid krypton in MgO . . . M. Grant Norton *et al.* 3171

Ionic conductors

Preparation and characterization of $NH_4Bi_3F_{10}$ . . . D. Niznansky *et al.* 2511

Kinetic properties

Phase separation during co-deposition of Al–Ge thin films . . . C. D. Adams *et al.* 653
Rate limitation in low pressure diamond growth . . . Hans Rau *et al.* 934
MBE growth of compound semiconductors: Part I. Stochastic modeling . . . R. Venkatasubramanian 1221
MBE growth of compound semiconductors: Part II. Applications of the stochastic model . . . R. Venkatasubramanian 1235
Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase . . . E. Molinari *et al.* 1778
Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics . . . Y-S. Her *et al.* 2269
In situ observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique . . . Li Lian *et al.* 3275

Laminate

Finite element simulation of exfoliation experiments . . . Gerald L. Nutt *et al.* 203

Laser annealing

Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples . . . M. J. Godbole *et al.* 1004

Laser irradiation

Production of amorphous metallic surfaces by means of a pulsed glow discharge electron beam . . . N. Mingolo *et al.* 1096
An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite . . . P. E. Dyer *et al.* 1152

Laser melting

Laser processed Al_3Ti-based intermetallics: $Al_{5\pm x}Ti_{2\pm y}(Fe, Ni, or Cu)_{1\pm z}$ . . . Y. Ma *et al.* 1722

Laser pyrolysis

Laser synthesis of vanadium-titanium oxide catalysts . . . M. Musci *et al.* 2846

Layered structure

Growth, structure, and microhardness of epitaxial TiN/NbN superlattices . . . M. Shinn *et al.* 901
On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr . . . N. Karpe *et al.* 926
Lattice statics of interfaces and interfacial cracks in bimaterial solids . . . V. K. Tewary *et al.* 1018
Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers . . . H. Y. Bai *et al.* 1423
Observation of a rapid amorphization reaction . . . T. C. Hufnagel *et al.* 1976
Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices . . . Jin O. Kim *et al.* 2248
Cracks and dislocations in face-centered cubic metallic multilayers . . . David S. Lashmore *et al.* 2379
Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. Nb/$MoSi_2$ systems . . . T. C. Chou *et al.* 2765
Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system . . . T. C. Chou *et al.* 2774
A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects . . . M. Lelaurain *et al.* 2978
A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity . . . O. E. Andersson *et al.* 2989

Liquid phase epitaxy (LPE)

Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection . . . K. K. Raina *et al.* 2303
Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor . . . N. Merchant *et al.* 2680

Liquid phase sintering

On the constrained crystallization of synthetic anorthite ($CaO \cdot Al_2O_3 \cdot 2SiO_2$) . . . . . Nitin P. Padture *et al.* 170
$YBa_2Cu_3O_{6+\delta}$ microcrystals by extraction of a nonstoichiometric melt . . . . . N. Pellerin *et al.* 558

Liquids

The purification of elemental sulfur . . . . . Sherman Susman *et al.* 1526

Lubricants

Growth mechanisms and near-interface structure in relation to orientation of MoS_2 sputtered thin films . . . . . J. Moser *et al.* 734
Two different low friction mechanisms of diamond-like carbon with silicon coatings formed by plasma-assisted chemical vapor deposition . . . . . K. Oguri *et al.* 1313

Machining

Expanding heat source model for thermal spalling of TiB_2 in electrical discharge machining . . . . . A. M. Gadalla *et al.* 2853

Magnetic materials

Aerosol synthesis of gadolinium iron garnet particles . . . . . H. K. Xu *et al.* 712
On the atomic interdiffusion in Co/Pt superlattices . . . . . X. Yan *et al.* 1309
Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment . . . . . Yoshihisa Watanabe *et al.* 1396
Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$ . . . . . L. Rabenberg *et al.* 1762
AFM observations of the surface morphology of metallic glasses $Fe_{78}B_{13}Si_9$ in the early stage of crystallization . . . . . Yoshihisa Watanabe *et al.* 2126

Magnetic properties

Magnetization properties of solution-spun Y–Ba–Cu–O filament . . . . . Tomoko Goto *et al.* 11
Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing . . . . . S. Hu *et al.* 808
Effect of the direction of field annealing on the stress + field induced magnetic anisotropy in Co–Fe–Ni amorphous alloys . . . . . J. González *et al.* 1602
Determination of particle size distribution in an Fe_2O_3-based catalyst using magnetometry and x-ray diffraction . . . . . Manjula M. Ibrahim *et al.* 1856

Mass spectroscopy

Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region . . . . . Brian W. Yates *et al.* 520

Mechanical attrition

Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition . . . . . J. Eckert *et al.* 1751

Mechanical properties

The development of high fracture toughness $YBa_2Cu_3O_{7-x}$/Ag composites . . . . . Long S. Yeou *et al.* 1
Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor . . . . Norimitsu Murayama *et al.* 34
The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy . . . . . G. M. Camus *et al.* 313
Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films . . . . . Bharat Bhushan *et al.* 404
The deformation behavior of ceramic crystals subjected to very low load (nano)indentations . . . . . Trevor F. Page *et al.* 450
The effect of strain rate and temperature on the tensile properties of NiAl . . . . . R. D. Noebe *et al.* 605
On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation . . . . . G. M. Pharr *et al.* 613
A study of the mechanics of microindentation using finite elements . . . . . T. A. Laursen *et al.* 618
An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique . . . . . V. Raman *et al.* 627
Characterization of metal-containing amorphous hydrogenated carbon films . . . . . M. Wang *et al.* 667
Zirconia and organotitanate film formation on graphite fiber reinforcement for metal matrix composites . . . . . R. V. Subramanian *et al.* 677
The effect of crack growth stability induced by residual compressive stresses on strength variability . . . . . Rajan Tandon *et al.* 765
Slow crack growth of CVD diamond . . . . . M. D. Drory *et al.* 781
The crystallography of cleavage fracture in Al_3Sc . . . . . J. H. Schneibel *et al.* 868
Processing of $TiAl$–Ti_2AlN composites and their compressive properties . . . . . H. Mabuchi *et al.* 894
Growth, structure, and microhardness of epitaxial TiN/NbN superlattices . . . . . M. Shinn *et al.* 901
Modeling of crack tip dislocation emission in B2 intermetallic alloys . . . . . Michael F. Bartholomeusz *et al.* 919
Lattice statics of interfaces and interfacial cracks in bimaterial solids . . . . . V. K. Tewary *et al.* 1018
Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys . . . . . J. Rawers *et al.* 1083
Computer modeling of thermal shock-induced crack growth in brittle materials . . . . . S. Shimamura *et al.* 1286
Scanning tunneling microscope observations of polymer fracture surfaces . . . . . D. M. Kulawansa *et al.* 1292
Fracture strength measurement of filament assisted CVD polycrystalline diamond films . . . . . G. F. Cardinale *et al.* 1432
The properties of W–C:H films deposited by reactive rf sputtering . . . . . M. Wang *et al.* 1465

Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures . . . C-D. Qin *et al.* 1480
Analysis of the accuracy of the bulge test in determining the mechanical properties of thin films . . . Martha K. Small *et al.* 1553
An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments . . . W. C. Oliver *et al.* 1564
Repulsive interaction between coplanar cracks in the double-cantilever geometry . . . Kai-tak Wan *et al.* 1584
Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy . . . Mohan G. Hebsur *et al.* 1696
Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition . . . M. Kohzaki *et al.* 1769
The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites . . . Arthur J. Lucchesi *et al.* 1795
Improved hardness and wear properties of B-ion implanted polycarbonate . . . E. H. Lee *et al.* 1900
Comment on "Plastic deformation and fracture behavior of a Fe-modified Al_3Ti-base $L1_2$ intermetallic alloy" [J. Mater. Res. **6**, 957 (1991)]: The importance of specimen length-to-width ratios and end constraints in compression testing of brittle and semibrittle materials . . . David H. Zeuch 1956
Reply to comments of D. H. Zeuch . . . Hu Gengxiang *et al.* 1959
Metal reinforced thermal plasma diamond coatings . . . C. Tsai *et al.* 1967
Brittle fracture of nickel by dynamic indentation . . . J. W. Hoehn *et al.* 1973
A new class of composite materials: Matrix auto-reinforced organic material–MARIOM . . . A. Wyler *et al.* 1990
Separation of film thickness and grain boundary strengthening effects in Al thin films on Si . . . Ramnath Venkatraman *et al.* 2040
A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments . . . K. J. Hemker *et al.* 2059
Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al . . . C. G. McKamey *et al.* 2089
Grain size effects in nanocrystalline materials . . . C. Suryanarayana *et al.* 2114
Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature . . . Eric M. Taleff *et al.* 2131
Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder . . . Masahiko Okuyama *et al.* 2281
Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors . . . J. P. Singh *et al.* 2324
Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$ . . . J. L. Routbort *et al.* 2360
Cracks and dislocations in face-centered cubic metallic multilayers . . . David S. Lashmore *et al.* 2379
Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression . . . P. Ancrenaz *et al.* 2387
Subcritical crack growth along epoxy/glass interfaces . . . K. M. Conley *et al.* 2621
Elevated temperature compressive properties of reaction milled NiAl–AlN and Zr-doped NiAl–AlN composites . . . J. Daniel Whittenberger *et al.* 2724
Environmental embrittlement of γ titanium aluminide . . . T. Takasugi *et al.* 2739
Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. $Nb/MoSi_2$ systems . . . T. C. Chou *et al.* 2765
Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system . . . T. C. Chou *et al.* 2774
Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures . . . Hung-Ye Lin *et al.* 2833
Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite . . . Takayuki Suzuki *et al.* 2869
Processing of diamond/alumina composites for low wear applications . . . May-Ying Chu *et al.* 3010
Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method . . . Munehiro Ishioka *et al.* 3019
Suppression of dislocation accumulation in GaAs film on Si substrate by combination of impurity doping and selective area growth . . . Tetsuya Ohashi 3032
The determination of film hardness from the composite response of film and substrate to nanometer scale indentations . . . B. D. Fabes *et al.* 3056
Data from recording microhardness testers . . . W. Mason *et al.* 3112
Fracture behavior of short-fiber reinforced materials . . . Michael Murat *et al.* 3120
Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures . . . S. V. Raj *et al.* 3219
A new bulge test technique for the determination of Young's modulus and Poisson's ratio of thin films . . . J. J. Vlassak *et al.* 3242
An investigation of the isotropy of epoxy polymers . . . Edwin M. Odom *et al.* 3352

Melting

Effect of processing on the optical scattering of AlF_3-based glasses . . . T. Iqbal *et al.* 219
Crystallization of various compositions in the Y_2O_3–SiO_2 system . . . Suresh Kumar *et al.* 997
Solid solutions in the system Ag_2S–Ag_2Se . . . N. E. Pingitore *et al.* 2219

Metal-insulator transition

Metal-insulator transition in highly disordered carbon fibers . . . K. Kuriyama *et al.* 940

Metal organic deposition

Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment . . . T. Manabe *et al.* 2337

$Bi_2Sr_2CaCu_2O_{8+x}$ films prepared by fluorinated precursors in dry ambient . . . L. S. Hung 2956

Metals

Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter . . . C. Åman *et al.* 100

Chemical vapor deposition of copper via disproportionation of hexafluoroacetyl-acetonato(1,5-cyclooctadiene)copper(I), (hfac)Cu(1,5-COD) . . . A. Jain *et al.* 261

Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition . . . Satoshi Nishikawa *et al.* 345

TEM observations of the mechanism of delamination of chromium films from silicon substrates . . . D. Goyal *et al.* 359

An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique . . . V. Raman *et al.* 627

The application of the analytic embedded atom method to bcc metals and alloys . . . A. M. Guellil *et al.* 639

Stability of tight-packed metals with the embedded-atom method . . . R. A. Johnson 883

Laser induced deposition of copper and lead powders . . . Dontula Narasimharao *et al.* 1104

Microscratch analysis of the work of adhesion for Pt thin films on NiO . . . S. Venkataraman *et al.* 1126

A study of stress-driven diffusive growth of voids in encapsulated interconnect lines . . . Anne I. Sauter *et al.* 1133

On the atomic interdiffusion in Co/Pt superlattices . . . X. Yan *et al.* 1309

Elastic and nanostructural properties of Cu/Pd superlattices . . . B. M. Davis *et al.* 1356

Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis . . . A. M. Dhote *et al.* 1685

Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition . . . J. Eckert *et al.* 1751

Brittle fracture of nickel by dynamic indentation . . . J. W. Hoehn *et al.* 1973

Observation of a rapid amorphization reaction . . . T. C. Hufnagel *et al.* 1976

Separation of film thickness and grain boundary strengthening effects in Al thin films on Si . . . Ramnath Venkatraman *et al.* 2040

An atomic simulation of the influence of hydrogen on the fracture behavior of nickel . . . R. G. Hoagland *et al.* 2080

Cracks and dislocations in face-centered cubic metallic multilayers . . . David S. Lashmore *et al.* 2379

On the electronic basis of the phosphorus intergranular embrittlement of iron . . . Ruqian Wu *et al.* 2403

Ion beam synthesis of nitride layers in iron . . . A. M. Vredenberg *et al.* 2689

Self-diffusion along twist grain boundaries in Cu . . . Miki Nomura *et al.* 3202

Microstructure

Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM . . . Y. J. Zhang *et al.* 29

CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface . . . O. Unal *et al.* 136

TEM studies of microstructure and composition of low-firing lead-magnesium-niobate ceramics . . . S. Yegnasubramanian *et al.* 197

Structural and vibrational investigations of thermal properties of tellurite glasses . . . Raouf El-Mallawany 224

Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide . . . D. Xu *et al.* 229

Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics . . . I. Monot *et al.* 273

Morphological instabilities in the low pressure synthesis of diamond . . . K. V. Ravi 384

Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films . . . Peter C. Van Buskirk *et al.* 542

Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature . . . F. Heidelbach *et al.* 549

Growth mechanisms and near-interface structure in relation to orientation of MoS_2 sputtered thin films . . . J. Moser *et al.* 734

Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel . . . R. Campostrini *et al.* 745

Buried oxide layers formed by low-dose oxygen implantation . . . S. Nakashima *et al.* 788

Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition . . . Timothy L. Ward *et al.* 827

A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy . . . L. Potez *et al.* 876

Equilibrium shapes of semicoherent inclusions . . . Craig Rottman 1029

The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$ . . . Stuart McKernan *et al.* 1052

Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212 . . . Kazuto Ikeda *et al.* 1060

Investigation of the heat-affected zone fracture in Ni_3Al welds . . . G. H. Chen *et al.* 1076

Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy . . . C. Bourgerette *et al.* 1158

Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch . . . T. Hamada *et al.* 1178

Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$ . . . J. E. Tkaczyk *et al.* 1317

	Electron channeling effect on highly oriented graphites–Size evaluation and oriented mapping of crystals . . . Akira Yoshida *et al.*	1400
	Investigation of growth rates and morphology for diamond growth by chemical vapor deposition . . . M. P. Everson *et al.*	1438
	CVD Si_3N_4 on single crystal SiC: Part II. High resolution electron microscopy and atomic models of the interface . . . O. Unal *et al.*	1445
	Interfacial structure and chemistry in a ceramic/polymer composite material . . . . Oludele O. Popoola *et al.*	1545
	Determination of grain boundary geometry using TEM . . . H. Jang *et al.*	1707
	Structural characterization of heat-treated activated carbon fibers . . . A. M. Rao *et al.*	1788
	Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films . . . Yoshihisa Watanabe *et al.*	1805
	Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition . . . B. A. Tuttle *et al.*	1876
	A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass . . . R. K. Brow *et al.*	1892
	Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition . . . P. Lu *et al.*	1993
	Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films . . . Sangeeta Chaudhry *et al.*	2027
	Crystallinity of $Y_1Ba_2Cu_3O_{7-x}$ films grown on MgO by activated reactive evaporation . . . Shiva Prakash *et al.*	2343
	Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors . . . Chan-Joong Kim *et al.*	2349
	Determination of size and distribution of second phases using nuclear microscopy . . . M. B. H. Breese *et al.*	2373
	A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x} : H PECVD films: IR absorption and XPS characterizations . . . E. Gat *et al.*	2478
	Topographic/structure changes of implanted Si_3N_4 . . . D. W. Oblas *et al.*	2579
	Erratum: "Interfacial structure and chemistry in a ceramic/polymer composite material" [J. Mater. Res. **7**, 1545 (1992)] . . . Oludele O. Popoola *et al.*	2630
	Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes . . . Joanna R. Groza *et al.*	2643
	Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites . . . Gerald S. Rellick *et al.*	2798
	A Mössbauer spectroscopy study of nanoscale Ge–Sn dispersions prepared by ball milling . . . P. Boolchand *et al.*	2876
	Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. **7**, 1805 (1992)] . . . Yoshihisa Watanabe *et al.*	3160
	Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor . . . M. W. Shin *et al.*	3194
Mixture	Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method . . . Yasumasa Takao *et al.*	2942
Modulated microwave absorption	Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O . . . R. S. Rubins *et al.*	837
Molecular beam epitaxy (MBE)	Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM . . . Y. J. Zhang *et al.*	29
	Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen . . . E. S. Hellman *et al.*	795
	MBE growth of compound semiconductors: Part I. Stochastic modeling . . . R. Venkatasubramanian	1221
	MBE growth of compound semiconductors: Part II. Applications of the stochastic model . . . R. Venkatasubramanian	1235
	Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon . . . Alexandros Georgakilas *et al.*	2194
Nanoclusters	The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's) . . . R. W. Devenish *et al.*	2810
Nanocrystal	Nanoindentation of nanocrystalline ZnO . . . M. J. Mayo *et al.*	973
	Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys . . . J. Eckert *et al.*	1980
	Grain size effects in nanocrystalline materials . . . C. Suryanarayana *et al.*	2114
Nanoindentation	The deformation behavior of ceramic crystals subjected to very low load (nano)indentations . . . Trevor F. Page *et al.*	450
	Nanoindentation of nanocrystalline ZnO . . . M. J. Mayo *et al.*	973
Nanoparticle	Plasma production of metallic nanoparticles . . . ChinHao Chou *et al.*	2107
Nanophase	Characteristics of nanophase TiAl produced by inert gas condensation . . . H. Chang *et al.*	2962
Neutron irradiation	Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)] . . . R. A. Youngman *et al.*	772

Nuclear magnetic resonance (NMR)

Chemical stability of CVD source materials for high-T_c superconducting films . . . . Takuya Hashimoto *et al.* 1336
A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass . . . . R. K. Brow *et al.* 1892
^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os) . . . . T. Shinohara *et al.* 1970
Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film . . . . Herman Lock *et al.* 2791

Nucleation

Diamond film nucleation and interface characterization . . . . P. Bou *et al.* 2151

Optical materials

Photoluminescence and optical absorption in $CaS:Eu^{2+}:Sm^{3+}$ thin films . . . . J-G. Zhang *et al.* 411
Copper vanadates as candidate materials for phase change optical memory . . . . D. P. Birnie, III *et al.* 741
Optical and physical properties of sputtered Si : Al : O : N films . . . . R. W. Knoll *et al.* 1247
Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses . . . . A. M. Mailhot *et al.* 1534
Highly stable fluoride glass . . . . Abdessamad Elyamani *et al.* 1541
Development of suspensions of rod-shaped β–FeOOH particles in infrared transmitting solvents for use as artificial Kerr media . . . . D. L. Naylor 2288
Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures . . . . Hung-Ye Lin *et al.* 2833
In situ observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique . . . . Li Lian *et al.* 3275

Optical properties

Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter . . . . C. Åman *et al.* 100
Effect of processing on the optical scattering of AlF_3-based glasses . . . . T. Iqbal *et al.* 219
Photoluminescence and optical absorption in $CaS:Eu^{2+}:Sm^{3+}$ thin films . . . . J-G. Zhang *et al.* 411
Absorption coefficient of β–SiC grown by chemical vapor deposition . . . . Attaullah Solangi *et al.* 539
Optical properties of polycrystalline CdSe films . . . . Tapan K. Gupta *et al.* 1243
On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals . . . . N. B. Singh *et al.* 2507

Optoelectronic materials

Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods . . . . L. Rebouta *et al.* 130
Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films . . . . Peter C. Van Buskirk *et al.* 542
Synthesis of yttrium aluminum garnet by reverse strike precipitation . . . . Prasad Apte *et al.* 706
Chemical vapor deposition of aluminum nitride thin films . . . . Roy G. Gordon *et al.* 1679
On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals . . . . N. B. Singh *et al.* 2507

Organometallics

The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's) . . . . R. W. Devenish *et al.* 2810

Oxidation

The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys . . . . R. T. Haasch *et al.* 1341
Nonlinear silicon oxide growth patterns in a gold-silicon system . . . . Gervais Leclerc *et al.* 2458
A study of pest oxidation in polycrystalline $MoSi_2$ . . . . C. G. McKamey *et al.* 2747
Base electrodes for high dielectric constant oxide materials in silicon technology . . . . A. Grill *et al.* 3260

Phase equilibria

Phase equilibria and ternary phase formation in the In–Ni–P system . . . . S. E. Mohney *et al.* 955
An $Al_{13}Co_4$ phase in the Al–Cu–Co alloy system . . . . B. Grushko *et al.* 1100

Phase transformation

The effect of oxygen partial pressure on the formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10-x}$ . . . . Wen Zhu *et al.* 38
Phase formation and stability in sputter deposited Be–Nb compounds . . . . J. L. Brimhall *et al.* 89
On the constrained crystallization of synthetic anorthite ($CaO \cdot Al_2O_3 \cdot 2SiO_2$) . . . . Nitin P. Padture *et al.* 170
Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films . . . . K. M. Unruh *et al.* 214
Reactions between liquid silicon and vitreous silica . . . . Zhensheng Liu *et al.* 352
On the role of diffusion in phase selection during reactions at interfaces . . . . C. V. Thompson 367
Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix . . . . R. Dal Maschio *et al.* 435
Insulator-metal transitions at microindentations . . . . John J. Gilman 535
Copper vanadates as candidate materials for phase change optical memory . . . . D. P. Birnie, III *et al.* 741
Reaction mechanism of Y-system superconductors in the MPMG method . . . . Teruo Izumi *et al.* 801
Kinetics of short- and long-range B2 ordering in ternary alloys . . . . B. Fultz 946
Crystallization of various compositions in the Y_2O_3–SiO_2 system . . . . Suresh Kumar *et al.* 997
Production of amorphous metallic surfaces by means of a pulsed glow discharge electron beam . . . . N. Mingolo *et al.* 1096
Direct observation of nucleation embryos during $NiFe_2O_4$ precipitation in NiO . . . . Scott R. Summerfelt *et al.* 1271
Sol-gel processing of high-T_c superconductors in the Bi–(Pb)–Sr–Ca–Cu–O system . . . . Kunsong Ma *et al.* 1328
Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni . . . . E. Ma *et al.* 1350
A microstructural study of mechanical alloying of Fe and Sn powders . . . . Gérard Le Caër *et al.* 1387
On diamond-hexagonal germanium . . . . S-Q. Xiao *et al.* 1406

Phase relationships in the Ti–Si–C system at high pressures . . . S. Sambasivan *et al.* 1473
The extent of phase transformation in silicon hardness indentations . . . Daniel L. Callahan *et al.* 1614
Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen . . . T. G. Holesinger *et al.* 1658
Selective nucleation of silicon clusters in CVD . . . Frank G. Shi *et al.* 1809
Observation of a rapid amorphization reaction . . . T. C. Hufnagel *et al.* 1976
Growth of noncrystallographic dendrites . . . L. M. Fabietti *et al.* 1987
Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles . . . T. G. Holesinger *et al.* 2035
Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels . . . Hyun M. Jang *et al.* 2273
The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system . . . A. Van Neste *et al.* 2412
Structural studies of Al-based powders prepared by chemical methods . . . M. Lenarda *et al.* 2418
Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$ . . . B. C. Sales *et al.* 2646
Ion beam synthesis of nitride layers in iron . . . A. M. Vredenberg *et al.* 2689
On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys . . . B. Grushko *et al.* 2713
The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's) . . . R. W. Devenish *et al.* 2810
Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments . . . R. Allem *et al.* 2936
Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment . . . B. Heeb *et al.* 2948
Disordering and amorphization of $L1_2$-type alloys by mechanical attrition . . . T. Benameur *et al.* 2971
Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates . . . Peir-Yung Chu *et al.* 3065
The amorphization of complex silicates by ion-beam irradiation . . . Ray K. Eby *et al.* 3080
Crystallization kinetics of binary borosilicate glass composite . . . Jau-Ho Jean *et al.* 3103
Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite . . . Masanobu Awano *et al.* 3185
Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation . . . David H. Zeuch *et al.* 3314
Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study . . . R. Debnath *et al.* 3348

Photochemical processing

Photochemical modification of polytetrafluoroethylene into oleophilic property using an ArF excimer laser . . . M. Okoshi *et al.* 1912
Composite Si/C/N powder production by laser induced gas phase reactions . . . E. Borsella *et al.* 2257

Photochemical reaction

Laser induced deposition of copper and lead powders . . . Dontula Narasimharao *et al.* 1104

Photochemical vapor deposition (PhotoCVD)

Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis . . . A. M. Dhote *et al.* 1685

Photoemission spectroscopy

X-ray photoelectron spectroscopy of nickel manganese oxide thermistors . . . T. Hashemi *et al.* 1278

Physical vapor deposition (PVD)

Phase formation and stability in sputter deposited Be–Nb compounds . . . J. L. Brimhall *et al.* 89
Phase separation during co-deposition of Al–Ge thin films . . . C. D. Adams *et al.* 653
Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation . . . S. R. Nishitani *et al.* 725
Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films . . . N. Homma *et al.* 813
Growth, structure, and microhardness of epitaxial TiN/NbN superlattices . . . M. Shinn *et al.* 901
Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition . . . P. B. Barna *et al.* 1115
Optical and physical properties of sputtered Si : Al : O : N films . . . R. W. Knoll *et al.* 1247
Substrate and temperature effects in lead zirconate titanate films produced by facing targets sputtering . . . R. A. Roy *et al.* 1455
Sputtered YBCO films on metal substrates . . . E. Yin *et al.* 1636
Characterization of tungsten-carbon layers deposited on stainless steel by reactive magnetron sputtering . . . Y. Pauleau *et al.* 2070
Fabrication of Ni–Al thin films by the pulsed laser deposition technique . . . R. K. Singh *et al.* 2639
Epitaxial growth of $Si_{1-x}Ge_x$ on Si(100)2 × 1: A molecular-dynamics study . . . Stéphane Ethier *et al.* 2817
Epitaxial growth of Cu_2O films on MgO by sputtering . . . Dean J. Miller *et al.* 2828

	Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films . . . . . N. Homma *et al.*	2916
Plasma deposition	Rate limitation in low pressure diamond growth . . . . . Hans Rau *et al.*	934
	Two different low friction mechanisms of diamond-like carbon with silicon coatings formed by plasma-assisted chemical vapor deposition . . . . . K. Oguri *et al.*	1313
	Diamond film nucleation and interface characterization . . . . . P. Bou *et al.*	2151
	Modeling of a–Si:H deposition in a dc glow discharge reactor . . . . . Dariusz Orlicki *et al.*	2160
	Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation . . . . . S. Yuhya *et al.*	2673
	Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD . . . . . C. R. Eddy, Jr. *et al.*	3255
Plasma spray	Plasma production of metallic nanoparticles . . . . . ChinHao Chou *et al.*	2107
Polycrystal	The development of high fracture toughness $YBa_2Cu_3O_{7-x}$/Ag composites . . . . . Long S. Yeou *et al.*	1
	Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor . . . . Norimitsu Murayama *et al.*	34
	Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_x$ glass-ceramics . . . . . Kazumi Hirata *et al.*	48
	Diamond growth with locally supplied methane and acetylene . . . . . W. A. Yarbrough *et al.*	379
	$YBa_2Cu_3O_{6+\delta}$ microcrystals by extraction of a nonstoichiometric melt . . . . . N. Pellerin *et al.*	558
	Equilibrium shapes of semicoherent inclusions . . . . . Craig Rottman	1029
	Selective growth of diamond crystals on the apex of silicon pyramids . . . . . R. Ramesham *et al.*	1189
	X-ray photoelectron spectroscopy of nickel manganese oxide thermistors . . . . . T. Hashemi *et al.*	1278
	Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$ . . . . . J. E. Tkaczyk *et al.*	1317
	Elastic moduli of $MoSi_2$-based materials . . . . . S. R. Srinivasan *et al.*	1610
	High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$ . . . . . S. Suasmoro *et al.*	1629
	Improved uniformity and selected area deposition of diamond by the oxy-acetylene flame method . . . . . Jesko A. von Windheim *et al.*	2144
	Ultrasonically accelerated synthesis of hydroxyapatite . . . . . Y. Fang *et al.*	2294
	Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$ . . . . . J. L. Routbort *et al.*	2360
	A study of pest oxidation in polycrystalline $MoSi_2$ . . . . . C. G. McKamey *et al.*	2747
	Elastic constants of polycrystalline $Y_1Ba_2Cu_3O_x$ . . . . . Hassel Ledbetter	2905
	Self-diffusion along twist grain boundaries in Cu . . . . . Miki Nomura *et al.*	3202
Polymers	Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide . . . . . D. Xu *et al.*	229
	Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region . . . . . Brian W. Yates *et al.*	520
	Photoelastic and finite element analysis of different size spheres in contact . . . . . C. W. Shih *et al.*	1011
	Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy . . . . . C. Bourgerette *et al.*	1158
	Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction . . . . . Michio Inagaki *et al.*	1174
	Scanning tunneling microscope observations of polymer fracture surfaces . . . . . D. M. Kulawansa *et al.*	1292
	Improved hardness and wear properties of B-ion implanted polycarbonate . . . . . E. H. Lee *et al.*	1900
	Photochemical modification of polytetrafluoroethylene into oleophilic property using an ArF excimer laser . . . . . M. Okoshi *et al.*	1912
	Preferred orientation of high performance carbon fibers . . . . . T. Hamada *et al.*	2612
	Subcritical crack growth along epoxy/glass interfaces . . . . . K. M. Conley *et al.*	2621
	Effect of crystalline and amorphous phases on the transfer of polytetrafluoroethylene (PTFE) onto metallic substrates . . . . . E-L. Yang	3139
	Dislocation mediated lattice bending in 1,6-di (N-carbazolyl)-2,4 hexadiyne (DCHD) polydiacetylene droplets . . . . . Patricia M. Wilson *et al.*	3150
	An investigation of the isotropy of epoxy polymers . . . . . Edwin M. Odom *et al.*	3352
Powder	Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method . . . . . Y. Masuda *et al.*	292
	Modified resin–intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors . . . . . Lone-Wen Tai *et al.*	502
	Modified resin–intermediate processing of perovskite powders: Part II. Processing for fine, nonagglomerated Sr-doped lanthanum chromite powders . . . . . Lone-Wen Tai *et al.*	511
	Compositional homogeneity in processing precursor powders to the $Ba_2YCu_3O_{7-x}$ high T_c superconductor . . . . . James F. Kelly *et al.*	580
	Aerosol synthesis of gadolinium iron garnet particles . . . . . H. K. Xu *et al.*	712
	Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization . . . . . Toshimi Fukui *et al.*	791
	Synthesis of high phase pure cuprate superconductors via xerogel precursors . . . . . J. Macho *et al.*	1046
	Laser induced deposition of copper and lead powders . . . . . Dontula Narasimharao *et al.*	1104
	Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders . . . . . Gian Domenico Sorarù *et al.*	1266
	Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$ . . . . . Ming Xu *et al.*	1283
	Dynamic consolidation of superhard materials . . . . . Wenbo Yang *et al.*	1501

	Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition	J. Eckert *et al.*	1751
	Hydrogen, nitrogen, and oxygen behavior in boron	P. J. Kervalishvili *et al.*	1822
	Formation of mixed oxide powders in flames: Part I. TiO_2-SiO_2	Cheng-Hung Hung *et al.*	1861
	Formation of mixed oxide powders in flames: Part II. SiO_2-GeO_2 and $Al_2O_3-TiO_2$	Cheng-Hung Hung *et al.*	1870
	Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms	Yves Lefebvre *et al.*	1888
	Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors	N. V. Coppa *et al.*	2017
	Composite Si/C/N powder production by laser induced gas phase reactions	E. Borsella *et al.*	2257
	Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders	C. T. Lin *et al.*	2546
	Laser synthesis of vanadium-titanium oxide catalysts	M. Musci *et al.*	2846
	Role of particle evaporation during synthesis of lead oxide by aerosol decomposition	Shirley W. Lyons *et al.*	3333
Powder metallurgy	Milling and mechanical alloying of inorganic nonmetallics	T. Kosmac *et al.*	1519
	A Mössbauer spectroscopy study of nanoscale Ge–Sn dispersions prepared by ball milling	P. Boolchand *et al.*	2876
	Disordering and amorphization of $L1_2$-type alloys by mechanical attrition	T. Benameur *et al.*	2971
Pulsed laser deposition	The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences	Smita Ghaisas *et al.*	3250
Purification	The purification of elemental sulfur	Sherman Susman *et al.*	1526
Pyrolysis	Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route	S-J. Ting *et al.*	164
	Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy	C. Bourgerette *et al.*	1158
	Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction	Michio Inagaki *et al.*	1174
Quasicrystal	Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy	N. P. Lalla *et al.*	53
	NMR studies on amorphous, icosahedral, and crystalline phases	T. Shinohara *et al.*	62
	Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation	B. X. Liu *et al.*	85
	Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition	P. B. Barna *et al.*	1115
	^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os)	T. Shinohara *et al.*	1970
	On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys	B. Grushko *et al.*	2713
	TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys	Y. F. Cheng *et al.*	3235
Raman spectroscopy	Diamond growth using carbon monoxide as a carbon source	F. M. Cerio *et al.*	1195
Reaction mechanism	Shock-induced reaction synthesis (SRS) of nickel aluminides	N. N. Thadhani *et al.*	1063
Reactive ball milling	Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling	M. Sherif El-Eskandarany *et al.*	888
Reflection interferometry	*In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond	B. R. Stoner *et al.*	257
Scanning electron microscopy (SEM)	The crystallography of cleavage fracture in Al_3Sc	J. H. Schneibel *et al.*	868
	Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$	K. S. Kumar *et al.*	1043
	An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite	P. E. Dyer *et al.*	1152
	Selective growth of diamond crystals on the apex of silicon pyramids	R. Ramesham *et al.*	1189
Scanning tunneling microscopy (STM)	Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy	S. R. Snyder *et al.*	341

Secondary ion mass spectroscopy (SIMS)

Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study . . . Antonino Scandurra *et al.* 2395

Self-propagating high-temperature synthesis (SHS)

Processing of TiAl–Ti_2AlN composites and their compressive properties . . . H. Mabuchi *et al.* 894

Semiconductors

Morphological instabilities in the low pressure synthesis of diamond . . . K. V. Ravi 384
Insulator-metal transitions at microindentations . . . John J. Gilman 535
Electronic structure and total energy of diamond/BeO interfaces . . . Walter R. L. Lambrecht *et al.* 696
Electrical resistance of metallic contacts on silicon and germanium during indentation . . . G. M. Pharr *et al.* 961
MBE growth of compound semiconductors: Part II. Applications of the stochastic model . . . R. Venkatasubramanian 1235
X-ray photoelectron spectroscopy of nickel manganese oxide thermistors . . . T. Hashemi *et al.* 1278
Structural study of room temperature synthesized nickel thiophosphate a–$NiPS_3$ . . . P. Fragnaud *et al.* 1839
X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films . . . Shigemi Kohiki *et al.* 1984
Modeling of a–Si:H deposition in a dc glow discharge reactor . . . Dariusz Orlicki *et al.* 2160
Characterization of extremely thin epitaxial layers and films by new interference fringes . . . Lu Taijing *et al.* 2182
Solid solutions in the system Ag_2S–Ag_2Se . . . N. E. Pingitore *et al.* 2219
Bi-based high T_c superconducting fibers by melt extraction . . . J. J. Chang *et al.* 2365
Epitaxial growth of $Si_{1-x}Ge_x$ on Si(100)2 × 1: A molecular-dynamics study . . . Stéphane Ethier *et al.* 2817

Semimetals

Electron channeling effect on highly oriented graphites–Size evaluation and oriented mapping of crystals . . . Akira Yoshida *et al.* 1400

Shock synthesis

Shock-induced reaction synthesis (SRS) of nickel aluminides . . . N. N. Thadhani *et al.* 1063

Sintering

The effect of oxygen partial pressure on the formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10-x}$ . . . Wen Zhu *et al.* 38
Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder . . . Toshimi Fukui *et al.* 192
Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors . . . G. Selvaduray *et al.* 283
Fabrication of porous hydroxyapatite ceramics by microwave processing . . . Yi Fang *et al.* 490
Mechanisms for nonthermal effects on ionic mobility during microwave processing of crystalline solids . . . John H. Booske *et al.* 495
Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition . . . Timothy L. Ward *et al.* 827
The sintering behavior of ultrafine alumina particles . . . John E. Bonevich *et al.* 1489
Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders . . . Asok K. Sarkar *et al.* 1672
Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors . . . Chan-Joong Kim *et al.* 2349
Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes . . . Joanna R. Groza *et al.* 2643
Processing of diamond/alumina composites for low wear applications . . . May-Ying Chu *et al.* 3010
Isothermal and nonisothermal sintering kinetics of glass-filled ceramics . . . Jau-Ho Jean *et al.* 3342

Sol-gel

Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method . . . Y. Masuda *et al.* 292
The influence of water vapor on thermal transformations of boehmite . . . Zdenek Hrabe *et al.* 444
Sol-gel processing of varistor powders . . . Gert Hohenberger *et al.* 546
Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel . . . R. Campostrini *et al.* 745
Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization . . . Toshimi Fukui *et al.* 791
Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials . . . Yoshio Masuda *et al.* 819
Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers . . . Ulagaraj Selvaraj *et al.* 992
Sol-gel processing of high-T_c superconductors in the Bi–(Pb)–Sr–Ca–Cu–O system . . . Kunsong Ma *et al.* 1328
Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses . . . A. M. Mailhot *et al.* 1534
Interfacial structure and chemistry in a ceramic/polymer composite material . . . Oludele O. Popoola *et al.* 1545
Structural study of room temperature synthesized nickel thiophosphate a–$NiPS_3$ . . . P. Fragnaud *et al.* 1839
Transmission infrared study of acid-catalyzed sol-gel silica coatings during room ambient drying . . . T. M. Parrill 2230
Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels . . . Hyun M. Jang *et al.* 2273
Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method . . . Shinobu Fujihara *et al.* 2355
The direct observation of structural development during vanadium pentoxide gelation . . . J. K. Bailey *et al.* 2530

A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania . . . Vincent A. Hackley *et al.* 2555
Erratum: "Interfacial structure and chemistry in a ceramic/polymer composite material" [J. Mater. Res. 7, 1545 (1992)] . . . Oludele O. Popoola *et al.* 2630
Microstructures of Bi-based oxide superconductors doped with Sb . . . Yoshio Masuda *et al.* 2667
Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$ . . . A. V. Prasadarao *et al.* 2859

Spray pyrolysis

Aerosol synthesis of gadolinium iron garnet particles . . . H. K. Xu *et al.* 712
Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process . . . Yuan-Liang Wang *et al.* 3175

Stress/strain relationship measurements

The effect of strain rate and temperature on the tensile properties of NiAl . . . R. D. Noebe *et al.* 605
Fracture strength measurement of filament assisted CVD polycrystalline diamond films . . . G. F. Cardinale *et al.* 1432
Comment on "Plastic deformation and fracture behavior of a Fe-modified Al_3Ti-base $L1_2$ intermetallic alloy" [J. Mater. Res. 6, 957 (1991)]: The importance of specimen length-to-width ratios and end constraints in compression testing of brittle and semibrittle materials . . . David H. Zeuch 1956
Environmental embrittlement of γ titanium aluminide . . . T. Takasugi *et al.* 2739
An investigation of the isotropy of epoxy polymers . . . Edwin M. Odom *et al.* 3352

Structural materials

Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl . . . T. Hong *et al.* 68
Observations on the role of Mg and Si in the directed oxidation of Al–Mg–Si alloys . . . Alan S. Nagelberg *et al.* 265
Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti . . . D. G. Morris *et al.* 303
The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy . . . G. M. Camus *et al.* 313
Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl . . . W. Lin *et al.* 592
Characterization of metal-containing amorphous hydrogenated carbon films . . . M. Wang *et al.* 667
A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy . . . L. Potez *et al.* 876
Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch . . . T. Hamada *et al.* 1178
An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments . . . W. C. Oliver *et al.* 1564
The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites . . . Arthur J. Lucchesi *et al.* 1795
Reply to comments of D. H. Zeuch . . . Hu Gengxiang *et al.* 1959
A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments . . . K. J. Hemker *et al.* 2059
Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al . . . C. G. McKamey *et al.* 2089
Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature . . . Eric M. Taleff *et al.* 2131
Pulsed-power volume-heating chemical vapor infiltration . . . José I. Morell *et al.* 2447
High temperature reactions within $SiC–Al_2O_3$ composites . . . Ahmed Gadalla *et al.* 2585
Combustion synthesis of cubic Al_3Ti alloys . . . R. N. Wright *et al.* 2733
Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite . . . Takayuki Suzuki *et al.* 2869

Superconductors

The development of high fracture toughness $YBa_2Cu_3O_{7-x}$/Ag composites . . . Long S. Yeou *et al.* 1
Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure . . . Takayuki Miyatake *et al.* 5
Magnetization properties of solution-spun Y–Ba–Cu–O filament . . . Tomoko Goto *et al.* 11
Growth mechanism of $YBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method . . . Teruo Izumi *et al.* 16
Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM . . . Y. J. Zhang *et al.* 29
Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor . . . Norimitsu Murayama *et al.* 34
The effect of oxygen partial pressure on the formation of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10-x}$ . . . Wen Zhu *et al.* 38
Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$ . . . D. C. Sinclair *et al.* 43
Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_x$ glass-ceramics . . . Kazumi Hirata *et al.* 48
Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics . . . I. Monot *et al.* 273
Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors . . . G. Selvaduray *et al.* 283
Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method . . . Y. Masuda *et al.* 292
Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$ . . . T. Kawano *et al.* 299
Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films . . . X. D. Wu *et al.* 531

Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature . . . F. Heidelbach *et al.* 549
$YBa_2Cu_3O_{6+\delta}$ microcrystals by extraction of a nonstoichiometric melt . . . N. Pellerin *et al.* 558
Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries . . . J. P. Zhang *et al.* 572
Compositional homogeneity in processing precursor powders to the $Ba_2YCu_3O_{7-x}$ high T_c superconductor . . . James F. Kelly *et al.* 580
Properties of $Bi_2Sr_2CaCu_2O_8$ thick films melt-processed at temperatures up to 950 °C . . . W. C. McGinnis *et al.* 585
Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen . . . E. S. Hellman *et al.* 795
Reaction mechanism of Y-system superconductors in the MPMG method . . . Teruo Izumi *et al.* 801
Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing . . . S. Hu *et al.* 808
Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films . . . N. Homma *et al.* 813
Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials . . . Yoshio Masuda *et al.* 819
Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition . . . Timothy L. Ward *et al.* 827
Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O . . . R. S. Rubins *et al.* 837
Chemistry and structural modulations in $Bi_2Sr_2CuO_6$ . . . Y. Shen *et al.* 844
Superconducting characteristics and the thermal stability of tungsten-based amorphous thin films . . . Seiichi Kondo 853
Synthesis of high phase pure cuprate superconductors via xerogel precursors . . . J. Macho *et al.* 1046
The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$ . . . Stuart McKernan *et al.* 1052
Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212 . . . Kazuto Ikeda *et al.* 1060
Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$ . . . J. E. Tkaczyk *et al.* 1317
Sol-gel processing of high-T_c superconductors in the Bi–(Pb)–Sr–Ca–Cu–O system . . . Kunsong Ma *et al.* 1328
Chemical stability of CVD source materials for high-T_c superconducting films . . . Takuya Hashimoto *et al.* 1336
Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$ . . . Yoshihiro Abe *et al.* 1599
Diffusion solidification model on Y-system superconductors . . . Teruo Izumi *et al.* 1621
High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$ . . . S. Suasmoro *et al.* 1629
Sputtered YBCO films on metal substrates . . . E. Yin *et al.* 1636
Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia . . . D. K. Fork *et al.* 1641
Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere . . . Katsuhiro Yokota *et al.* 1652
Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen . . . T. G. Holesinger *et al.* 1658
Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders . . . Asok K. Sarkar *et al.* 1672
A review of the superconducting and normal state properties of $Y_{1-x}Pr_xBa_2Cu_3O_7$ . . . H. B. Radousky 1917
Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition . . . P. Lu *et al.* 1993
Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering . . . J. A. Kittl *et al.* 2003
Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors . . . N. V. Coppa *et al.* 2017
Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films . . . Sangeeta Chaudhry *et al.* 2027
Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles . . . T. G. Holesinger *et al.* 2035
Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection . . . K. K. Raina *et al.* 2303
Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$ . . . Nan Chen *et al.* 2308
Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor . . . D. H. Chen *et al.* 2317
Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors . . . J. P. Singh *et al.* 2324
TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition . . . H. Takahashi *et al.* 2333
Preparation of $YBa_2Cu_3O_{7-x}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment . . . T. Manabe *et al.* 2337
Crystallinity of $Y_1Ba_2Cu_3O_{7-x}$ films grown on MgO by activated reactive evaporation . . . Shiva Prakash *et al.* 2343
Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors . . . Chan-Joong Kim *et al.* 2349
Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method . . . Shinobu Fujihara *et al.* 2355
Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$ . . . J. L. Routbort *et al.* 2360
Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation . . . Julia M. Phillips *et al.* 2650

Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process . . . M. P. Siegal *et al.* 2658
Microstructures of Bi-based oxide superconductors doped with Sb . . . Yoshio Masuda *et al.* 2667
Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation . . . S. Yuhya *et al.* 2673
Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor . . . N. Merchant *et al.* 2680
Elastic constants of polycrystalline $Y_1Ba_2Cu_3O_x$ . . . Hassel Ledbetter 2905
Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films . . . N. Homma *et al.* 2916
Thermochemistry of the Y_2O_3–BaO–Cu–O system . . . Zhigang Zhou *et al.* 2920
Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments . . . R. Allem *et al.* 2936
Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method . . . Yasumasa Takao *et al.* 2942
Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment . . . B. Heeb *et al.* 2948
$Bi_2Sr_2CaCu_2O_{8+x}$ films prepared by fluorinated precursors in dry ambient . . . L. S. Hung 2956
Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process . . . Yuan-Liang Wang *et al.* 3175
Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite . . . Masanobu Awano *et al.* 3185
Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor . . . M. W. Shin *et al.* 3194

Theory

On the role of diffusion in phase selection during reactions at interfaces . . . C. V. Thompson *et al.* 367
Hydrogen binding and diffusion in diamond . . . S. P. Mehandru *et al.* 689
The effect of crack growth stability induced by residual compressive stresses on strength variability . . . Rajan Tandon *et al.* 765
Modeling of crack tip dislocation emission in B2 intermetallic alloys . . . Michael F. Bartholomeusz *et al.* 919
Lattice statics of interfaces and interfacial cracks in bimaterial solids . . . V. K. Tewary *et al.* 1018
Equilibrium shapes of semicoherent inclusions . . . Craig Rottman 1029
Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys . . . J. D. Patterson *et al.* 2211
Role of interface properties on the toughness of brittle matrix composites reinforced with ductile fibers . . . H. E. Dève *et al.* 3132

Thermal mechanical analysis (TMA)

Isothermal and nonisothermal sintering kinetics of glass-filled ceramics . . . Jau-Ho Jean *et al.* 3342

Thermodynamic properties

Anisotropic thermal conductivity of rare earth–transition metal thin films . . . L. J. Shaw-Klein *et al.* 329
Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films . . . X. D. Wu *et al.* 531
Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system . . . T. S. Moss *et al.* 754
Highly stable fluoride glass . . . Abdessamad Elyamani *et al.* 1541
Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms . . . Yves Lefebvre *et al.* 1888
Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems . . . J. S. Reid *et al.* 2424
Thermal conductivity of high temperature superconductor substrate materials: Lanthanum aluminate and neodymium aluminate . . . Donald T. Morelli 2492
On glass formation in rapidly solidified aluminum-based alloys . . . Q. Li *et al.* 2756
Interaction between atomic hydrogen and $YBa_2Cu_3O_7$ . . . Angel L. G. Ponce *et al.* 2908
Thermochemistry of the Y_2O_3–BaO–Cu–O system . . . Zhigang Zhou *et al.* 2920

Thick film

Microstructure of LaB_6-base thick film resistors . . . Z. G. Li *et al.* 2225

Thin film

Thermal effects of scanning speed and constitutional supercooling during zone-melting recrystallization of silicon-on-insulator structures . . . Sharon M. Yoon *et al.* 124
In situ growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond . . . B. R. Stoner *et al.* 257
Chemical vapor deposition of copper via disproportionation of hexafluoroacetyl-acetonato(1,5-cycloctadiene)copper(I), (hfac)Cu(1,5-COD) . . . A. Jain *et al.* 261
Partial agglomeration during Co silicide film formation . . . Z. G. Xiao *et al.* 269
Anisotropic thermal conductivity of rare earth–transition metal thin films . . . L. J. Shaw-Klein *et al.* 329
TEM observations of the mechanism of delamination of chromium films from silicon substrates . . . D. Goyal *et al.* 359
Preparation of molybdenum nitride thin films by N^+ ion implantation . . . J-G. Choi *et al.* 374
Photoluminescence and optical absorption in $CaS:Eu^{2+}:Sm^{3+}$ thin films . . . J-G. Zhang *et al.* 411
Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates . . . R. Bacsa *et al.* 423
Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature . . . F. Heidelbach *et al.* 549

On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation . . . G. M. Pharr *et al.* 613
A study of the mechanics of microindentation using finite elements . . . T. A. Laursen *et al.* 618
An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique . . . V. Raman *et al.* 627
Phase separation during co-deposition of Al–Ge thin films . . . C. D. Adams *et al.* 653
Characterization of metal-containing amorphous hydrogenated carbon films . . . M. Wang *et al.* 667
Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation . . . S. R. Nishitani *et al.* 725
Growth mechanisms and near-interface structure in relation to orientation of MoS_2 sputtered thin films . . . J. Moser *et al.* 734
Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen . . . E. S. Hellman *et al.* 795
Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films . . . N. Homma *et al.* 813
Superconducting characteristics and the thermal stability of tungsten-based amorphous thin films . . . Seiichi Kondo 853
Ion irradiation induced phase formation in Al–Ni . . . K. Kyllesbech Larsen *et al.* 861
Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples . . . M. J. Godbole *et al.* 1004
The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$ . . . Stuart McKernan *et al.* 1052
The effect of Cu on morphological instabilities in thin Al/Pt films . . . E. G. Colgan *et al.* 1093
Microscratch analysis of the work of adhesion for Pt thin films on NiO . . . S. Venkataraman *et al.* 1126
Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation . . . R. Ramesham *et al.* 1144
Diamond growth using carbon monoxide as a carbon source . . . F. M. Cerio *et al.* 1195
On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films . . . R. Fantoni *et al.* 1204
Optical and physical properties of sputtered Si : Al : O : N films . . . R. W. Knoll *et al.* 1247
Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni . . . E. Ma *et al.* 1350
Elastic and nanostructural properties of Cu/Pd superlattices . . . B. M. Davis *et al.* 1356
The formation of intermetallics in Cu/In thin films . . . Rita Roy *et al.* 1377
Efficiency of methane and acetylene in forming diamond by microwave plasma assisted chemical vapor deposition . . . Curtis E. Johnson *et al.* 1427
Investigation of growth rates and morphology for diamond growth by chemical vapor deposition . . . M. P. Everson *et al.* 1438
Substrate and temperature effects in lead zirconate titanate films produced by facing targets sputtering . . . R. A. Roy *et al.* 1455
The properties of W–C : H films deposited by reactive rf sputtering . . . M. Wang *et al.* 1465
Analysis of the accuracy of the bulge test in determining the mechanical properties of thin films . . . Martha K. Small *et al.* 1553
Growth of (100) oriented diamond thin films on ball structure diamond-like particles . . . Lee Chow *et al.* 1606
Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates . . . A. K. Ballal *et al.* 1618
Sputtered YBCO films on metal substrates . . . E. Yin *et al.* 1636
Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia . . . D. K. Fork *et al.* 1641
Chemical vapor deposition of aluminum nitride thin films . . . Roy G. Gordon *et al.* 1679
Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films . . . Yoshihisa Watanabe *et al.* 1805
X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films . . . Shigemi Kohiki *et al.* 1984
Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition . . . P. Lu *et al.* 1993
Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering . . . J. A. Kittl *et al.* 2003
Separation of film thickness and grain boundary strengthening effects in Al thin films on Si . . . Ramnath Venkatraman *et al.* 2040
Characterization of extremely thin epitaxial layers and films by new interference fringes . . . Lu Taijing *et al.* 2182
Transmission infrared study of acid-catalyzed sol-gel silica coatings during room ambient drying . . . T. M. Parrill 2230
TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition . . . H. Takahashi *et al.* 2333
Preparation of $YBa_2Cu_3O_x$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment . . . T. Manabe *et al.* 2337
Crystallinity of $Y_1Ba_2Cu_3O_{7-x}$ films grown on MgO by activated reactive evaporation . . . Shiva Prakash *et al.* 2343
Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces . . . T. P. Ong *et al.* 2429
Nonlinear silicon oxide growth patterns in a gold-silicon system . . . Gervais Leclerc *et al.* 2458
Observations on the electrical characterization of the heteroepitaxially grown cubic SiC . . . B. Molnar 2465
Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution . . . Osamu Yamamoto *et al.* 2488

Structural properties of epitaxial TiO_2 films grown on sapphire ($11\bar{2}0$) by MOCVD . . . H. L. M. Chang *et al.* 2495
Pulsed excimer laser deposition and characterization of ferroelectric $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films . . . D. Roy *et al.* 2521
Fabrication of Ni–Al thin films by the pulsed laser deposition technique . . . R. K. Singh *et al.* 2639
Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation . . . Julia M. Phillips *et al.* 2650
Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process . . . M. P. Siegal *et al.* 2658
Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation . . . S. Yuhya *et al.* 2673
Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor . . . N. Merchant *et al.* 2680
Synthesis of diamond films on Hastelloy . . . V. P. Godbole *et al.* 2785
Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film . . . Herman Lock *et al.* 2791
Epitaxial growth of Cu_2O films on MgO by sputtering . . . Dean J. Miller *et al.* 2828
Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films . . . N. Homma *et al.* 2916
Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis . . . G. R. Fox *et al.* 3039
Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates . . . Peir-Yung Chu *et al.* 3065
Effect of crystalline and amorphous phases on the transfer of polytetrafluoroethylene (PTFE) onto metallic substrates . . . E-L. Yang 3139
Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. 7, 269 (1992)] . . . Z. G. Xiao *et al.* 3159
Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. 7, 1805 (1992)] . . . Yoshihisa Watanabe *et al.* 3160
A new bulge test technique for the determination of Young's modulus and Poisson's ratio of thin films . . . J. J. Vlassak *et al.* 3242
The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences . . . Smita Ghaisas *et al.* 3250
Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD . . . C. R. Eddy, Jr. *et al.* 3255
Base electrodes for high dielectric constant oxide materials in silicon technology . . . A. Grill *et al.* 3260

Toughness

Role of interface properties on the toughness of brittle matrix composites reinforced with ductile fibers . . . H. E. Dève *et al.* 3132

Transmission electron microscopy (TEM)

Initial stage Fe-clustering in the Au–Fe spin-glass system . . . Chen-Chia Chou *et al.* 321
Identification of a growth defect in solid C_{60} by electron diffraction . . . D. E. Luzzi *et al.* 335
Epitaxial growth of C_{60} thin films on mica . . . W. Krakow *et al.* 784
Direct observation of nucleation embryos during $NiFe_2O_4$ precipitation in NiO . . . Scott R. Summerfelt *et al.* 1271
The direct observation of structural development during vanadium pentoxide gelation . . . J. K. Bailey *et al.* 2530
Dislocation mediated lattice bending in 1,6-di (N-carbazolyl)-2,4 hexadiyne (DCHD) polydiacetylene droplets . . . Patricia M. Wilson *et al.* 3150
Solid krypton in MgO . . . M. Grant Norton *et al.* 3171

Tribological materials

Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD . . . C. R. Eddy, Jr. *et al.* 3255

Viscosity

Effective dispersants for concentrated, nonaqueous suspensions . . . I. Sushumna *et al.* 2884

Welding

Investigation of the heat-affected zone fracture in Ni_3Al welds . . . G. H. Chen *et al.* 1076

X-ray diffraction (XRD)

Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system . . . A. García-Ruiz *et al.* 24
New evidence for supported metals in the reaction of KC_8 with metal chlorides . . . A. Messaoudi *et al.* 418
Chemistry and structural modulations in $Bi_2Sr_2CuO_6$ . . . Y. Shen *et al.* 844
Metastable copper-chromium alloy films . . . A. P. Payne *et al.* 1370
Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys . . . C. T. Lee *et al.* 1690
Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powder . . . C. T. Lin *et al.* 2546
Synthesis of nanocomposites: Organoceramics . . . Phillip B. Messersmith *et al.* 2599

X-ray topography
Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals . . . . . Gong-Da Yao *et al.* **1847**

Xerogel
Synthesis of high phase pure cuprate superconductors via xerogel precursors . . . . . J. Macho *et al.* **1046**

Zone refining
Thermal effects of scanning speed and constitutional supercooling during zone-melting recrystallization of silicon-on-insulator structures . . . . . Sharon M. Yoon *et al.* **124**

MATERIALS INDEX TO VOLUME 7

This table is a cumulative listing of all the articles in Volume 7 classified according to the specific material(s) for which data and/or calculations are reported. For materials studied in physical combination the type of combinations is indicated using several formats. Components of a true alloy are separated by dashes (i.e., Al–Zn or W–Ti–Cu). In general, the most abundant component is listed first. The notation (AB) or (ABC) is used to denote A_xB_{1-x} or $(A_xB_{1-x})yC_{1-y}$, respectively, as well as for the more general pseudoalloys and mixtures. Symbols for trace elements are appended to the host material by a colon such as in CdS:Na for sodium-doped cadmium sulfide. Elements within parentheses separated by a comma indicate the simultaneous presence of both as in Si:(Ga, B) for silicon doped with both gallium and boron. A semicolon refers to each item in the set separately so that Al_2O_3:(Cr; Fe) indicates alumina doped with chromium or alumina doped with iron. The intimate juxtaposition of components, such as in thin-film couples, is indicated by a slash as in SiO_2/Si or Au/Ni/Cu. When the allotropic form of a material is vital to its identification, a parenthetic reference is provided [e.g., C(diamond) versus C(graphite)].

Ag

- Stability of tight-packed metals with the embedded-atom method.–R. A. Johnson; **7** (4), 883–887.
- Analysis of extended dislocation faults.–Arun M. Kumar and John P. Hirth; **7** (7), 1718–1721.

Ag–S–Se

- Solid solutions in the system Ag_2S–Ag_2Se.–N. E. Pingitore, B. F. Ponce, M. P. Eastman, F. Moreno, and C. Podpora; **7** (8), 2219–2224.

$AgGaSe_2$/Ag_2Se

- Surface migration and volume diffusion in the $AgGaSe_2$–Ag_2Se system.–N-H. Kim, R. S. Feigelson, and R. K. Route; **7** (5), 1215–1220.

Al

- A study of the mechanics of microindentation using finite elements.–T. A. Laursen and J. C. Simo; **7** (3), 618–626.
- An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique.–V. Raman and R. Berriche; **7** (3), 627–638.
- A study of stress-driven diffusive growth of voids in encapsulated interconnect lines.–Anne I. Sauter and W. D. Nix; **7** (5), 1133–1143.

Al/Ni

- Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni.–E. Ma, L. A. Clevenger, and C. V. Thompson; **7** (6), 1350–1355.

Al/Pt

- The effect of Cu on morphological instabilities in thin Al/Pt films.–E. G. Colgan and B. Blanpain; **7** (5), 1093–1095.

Al/Si

- Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition.–Satoshi Nishikawa, Kouichi Tani, and Tetsuo Yamaji; **7** (2), 345–351.
- A study of the mechanics of microindentation using finite elements.–T. A. Laursen and J. C. Simo; **7** (3), 618–626.
- Separation of film thickness and grain boundary strengthening effects in Al thin films on Si.–Ramnath Venkatraman and John C. Bravman; **7** (8), 2040–2048.

Al–B–Ti–N–H–Cl–Ar

- Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system.–T. S. Moss, John A. Hanigofsky, and W. J. Lackey; **7** (3), 754–764.

Al–Cu/Si

- Separation of film thickness and grain boundary strengthening effects in Al thin films on Si.–Ramnath Venkatraman and John C. Bravman; **7** (8), 2040–2048.

Al–Cu–Co

- An $Al_{13}Co_4$ phase in the Al–Cu–Co alloy system.–B. Grushko and Ch. Freiburg; **7** (5), 1100–1103.

Al–Cu–Co–Si

- On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys.–B. Grushko, R. Wittmann, and K. Urban; **7** (10), 2713–2723.

Al–Ge

- Phase separation during co-deposition of Al–Ge thin films.–C. D. Adams, M. Atzmon, Y-T. Cheng, and D. J. Srolovitz; **7** (3), 653–666.

Al–Mg–Si

- Observations on the role of Mg and Si in the directed oxidation of Al–Mg–Si alloys.–Alan S. Nagelberg; **7** (2), 265–268.

Al–Mn

- Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition.–P. B. Barna, A. Csanády, U. Timmer, and K. Urban; **7** (5), 1115–1125.
- TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys.–Y. F. Cheng, V. Hansen, J. Gjønnes, and L. Reine Wallenberg; **7** (12), 3235–3241.

Al–Mn–Ge

- Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy.–N. P. Lalla, R. S. Tiwari, and O. N. Srivastava; **7** (1), 53–61.

Al–Ni

- Ion irradiation induced phase formation in Al–Ni.–K. Kyllesbech Larsen, N. Karpe, J. Bøttiger, and R. Bormann; **7** (4), 861–867.

Al–Pb

- Determination of size and distribution of second phases using nuclear microscopy.–M. B. H. Breese, L. T. Romano, C. J. Salter, G. W. Grime, and F. Watt; **7** (9), 2373–2378.

Al–Ti–Cr

- Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti.–D. G. Morris; **7** (2), 303–312.

Al–Ti–Cu

- Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm X}Ti_{25-Y}$(Fe, Ni, or Cu)$_{12.5-Z}$ using ALCHEMI.–Y. Ma and J. Gjønnes; **7** (8), 2049–2058.

Al–Ti–Fe

- Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti.–D. G. Morris; **7** (2), 303–312.
- Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm X}Ti_{25-Y}$(Fe, Ni, or Cu)$_{12.5-Z}$ using ALCHEMI.–Y. Ma and J. Gjønnes; **7** (8), 2049–2058.

Al–Ti–Mn

- Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti.–D. G. Morris; **7** (2), 303–312.

Al–Ti–Ni

– Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm X}Ti_{25-Y}$(Fe, Ni, or Cu)$_{12.5-Z}$ using ALCHEMI.–Y. Ma and J. Gjønnes; **7** (8), 2049–2058.

Al–Y–Fe(glass)

– On glass formation in rapidly solidified aluminum-based alloys.–Q. Li, E. Johnson, A. Johansen, and L. Sarholt-Kristensen; **7** (10), 2756–2764.

$Al_{65}Cu_{20}Fe_{15}$

– ^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; **7** (8), 1970–1972.

$Al_{67}Cu_{20}Mn_{13}$

– NMR studies on amorphous, icosahedral, and crystalline phases.–T. Shinohara, A. P. Tsai, and T. Masumoto; **7** (1), 62–67.

$Al_{65}Cu_{20}Os_{15}$

– ^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; **7** (8), 1970–1972.

$Al_{65}Cu_{20}Ru_{15}$

– ^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; **7** (8), 1970–1972.

$Al_{75}Cu_{15}V_{10}$

– NMR studies on amorphous, icosahedral, and crystalline phases.–T. Shinohara, A. P. Tsai, and T. Masumoto; **7** (1), 62–67.

AlF_3(glass)

– Effect of processing on the optical scattering of AlF_3-based glasses.–T. Iqbal, M. R. Shahriari, G. H. Sigel, Jr., A. E. Neeves, and W. A. Reed; **7** (1), 219–223.

$Al_{66}Fe_9Ti_{24}$

– Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

$Al_{67}Mn_8Ti_{25}$

– Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

AlN

– Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S. R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; **7** (3), 725–733.

– Chemical vapor deposition of aluminum nitride thin films.–Roy G. Gordon, Umar Riaz, and David M. Hoffman; **7** (7), 1679–1684.

– Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes.–Joanna R. Groza, Subhash H. Risbud, and Kazuo Yamazaki; **7** (10), 2643–2645.

$Al_{67}Ni_8Ti_{25}$

– Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

α-Al_2O_3

– Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. 6, 2178 (1991)].–R. A. Youngman, T. E. Mitchell, F. W. Clinard, Jr., and G. F. Hurley; **7** (3), 772.

– Structural properties of epitaxial TiO_2 films grown on sapphire ($11\bar{2}0$) by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; **7** (9), 2495–2506.

Al_2O_3

– Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide.–Koji Sugioka, Jia-Fa Fan, Koichi Toyoda, Hiromichi Waki, and Hiroshi Takai; **7** (1), 185–191.

– The deformation behavior of ceramic crystals subjected to very low load (nano)indentations.–Trevor F. Page, Warren C. Oliver, and Carl J. McHargue; **7** (2), 450–473.

– On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation.–G. M. Pharr, W. C. Oliver, and F. R. Brotzen; **7** (3), 613–617.

– Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S. R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; **7** (3), 725–733.

– The sintering behavior of ultrafine alumina particles.–John E. Bonevich and Laurence D. Marks; **7** (6), 1489–1500.

– The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide.–Donald D. Beck and Richard W. Siegel; **7** (10), 2840–2845.

Al_2O_3(alumina)

– Particle size effects on colloidal processing of oxide powders.–Yoshihiro Hirata, Ichiroh Haraguchi, and Yoshimi Ishihara; **7** (9), 2572–2578.

Al_2O_3 : Ti

– Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; **7** (1), 178–184.

Al_2O_3/Si

– Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; **7** (8), 2182–2185.

Al_2O_3/Si–Mg

– Observations on the role of Mg and Si in the directed oxidation of Al–Mg–Si alloys.–Alan S. Nagelberg; **7** (2), 265–268.

Al_2O_3–TiO_2

– Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2.–Cheng-Hung Hung, Philippe F. Miquel, and Joseph L. Katz; **7** (7), 1870–1875.

$Al_2O_3 \cdot H_2O$(boehmite)

– The influence of water vapor on thermal transformations of boehmite.–Zdenek Hrabe, Sridhar Komarneni, Ladislav Pach, and Rustum Roy; **7** (2), 444–449.

$3Al_2O_3 \cdot 2SiO_2$(mullite)

– Particle size effects on colloidal processing of oxide powders.–Yoshihiro Hirata, Ichiroh Haraguchi, and Yoshimi Ishihara; **7** (9), 2572–2578.

Al_3Sc

– The crystallography of cleavage fracture in Al_3Sc.–J. H. Schneibel and P. M. Hazzledine; **7** (4), 868–875.

Al_2Ti

– A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy.–L. Potez, A. Loiseau, S. Naka, and G. Lapasset; **7** (4), 876–882.

– Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

Al_3Ti

– A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy.–L. Potez, A. Loiseau, S. Naka, and G. Lapasset; **7** (4), 876–882.

– Combustion synthesis of cubic Al_3Ti alloys.–R. N. Wright, B. H. Rabin, and W. H. McFerran; **7** (10), 2733–2738.

Al_3Ti–Cu

– Laser processed Al_3Ti-based intermetallics: $Al_{5\pm X}Ti_{2\pm Y}$(Fe, Ni, or Cu)$_{1\pm Z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

Al_3Ti–Fe

– Laser processed Al_3Ti-based intermetallics: $Al_{5\pm X}Ti_{2\pm Y}$(Fe, Ni, or Cu)$_{1\pm Z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

Al_3Ti–Ni

– Laser processed Al_3Ti-based intermetallics: $Al_{5\pm x}Ti_{2\pm y}$(Fe, Ni, or Cu)$_{1\pm z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

$Al_{67}Ti_{25}Cr_8$

– Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$.–K. S. Kumar and J. D. Whittenberger; **7** (5), 1043–1045.

$Al_{66}Ti_{25}Mn_9$

– Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$.–K. S. Kumar and J. D. Whittenberger; **7** (5), 1043–1045.

Ar

– Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen.–T. G. Holesinger, D. J. Miller, and L. S. Chumbley; **7** (7), 1658–1671.

Au

– Stability of tight-packed metals with the embedded-atom method.–R. A. Johnson; **7** (4), 883–887.

Au/TiN

– Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; **7** (12), 3260–3265.

Au–Fe

– Initial stage Fe-clustering in the Au–Fe spin-glass system.–Chen-Chia Chou and C. M. Wayman; **7** (2), 321–328.

B/H_2

– Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

B/N_2

– Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

B/O_2

– Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

BN

– Prospects for device implementation of wide band gap semiconductors.–J. H. Edgar; **7** (1), 235–252.

BN(cubic)

– Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; **7** (6), 1501–1518.

BN/Si

– Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates.–A. K. Ballal, L. Salamanca-Riba, G. L. Doll, C. A. Taylor, II, and R. Clarke; **7** (7), 1618–1620.

Ba–Y–Cu–W–O

– Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system.–A. García-Ruiz, Bokhimi, and M. Portilla; **7** (1), 24–28.

$Ba_2Cu_3O_{5+x}$

– Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

$Ba(Mg,Nb)O_3$

– Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (7), 1883–1887.

$BaTiO_3$

– Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates.–R. Bacsa, P. Ravindranathan, and J. P. Dougherty; **7** (2), 423–428.

– Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films.–Peter C. Van Buskirk, Robin Gardiner, Peter S. Kirlin, and Steven Nutt; **7** (3), 542–545.

$BaTi_5O_{11}$

– Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (1), 192–196.

$BaTiO_3$:(Zr; Hf)

– Pyroelectric characteristics of modified barium titanate ceramics.–K. K. Deb, M. D. Hill, and J. F. Kelly; **7** (12), 3296–3305.

Be–Nb

– Phase formation and stability in sputter deposited Be–Nb compounds.–J. L. Brimhall, L. A. Charlot, and S. M. Bruemmer; **7** (1), 89–99.

Bi–Ca–Sr–Cu–O/$NdCaO_3$

– Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection.–K. K. Raina, S. Narayanan, and R. K. Pandey; **7** (9), 2303–2307.

Bi–Pb–Sb–Sr–Ca–Cu–O

– Microstructures of Bi-based oxide superconductors doped with Sb.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Naohiro Hara, and Tsuyoshi Tateishi; **7** (10), 2667–2672.

Bi–Pb–Sr–Ca–Cu–O

– Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor.–Norimitsu Murayama, Yasuharu Kodama, Shuji Sakaguchi, and Fumihiro Wakai; **7** (1), 34–37.

– The effect of oxygen partial pressure on the formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10-x}$.–Wen Zhu and Patrick S. Nicholson; **7** (1), 38–42.

– Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$.–D. C. Sinclair, J. T. S. Irvine, and A. R. West; **7** (1), 43–47.

– Sol-gel processing of high-T_c superconductors in the Bi–(Pb)–Sr–Ca–Cu–O system.–Kunsong Ma and Alain C. Pierre; **7** (6), 1328–1335.

Bi–Pb–Sr–Ca–Cu–O(fiber)

– Bi-based high T_c superconducting fibers by melt extraction.–J. J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J. O. Ström-Olsen, and J. Cave; **7** (9), 2365–2372.

Bi–Sr–Ca–Cu–O

– Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R. S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; **7** (4), 837–843.

– Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films.–Sangeeta Chaudhry, Neeraj Khare, and A. K. Gupta; **7** (8), 2027–2034.

– Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles.–T. G. Holesinger, D. J. Miller, S. Fleshler, and L. S. Chumbley; **7** (8), 2035–2039.

– Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J. L. Routbort, K. C. Goretta, D. J. Miller, D. B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

– $Bi_2Sr_2CaCu_2O_{8+x}$ films prepared by fluorinated precursors in dry ambient.–L. S. Hung; **7** (11), 2956–2961.

Bi–Sr–Ca–Cu–O(fiber)

– Bi-based high T_c superconducting fibers by melt extraction.–J. J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J. O. Ström-Olsen, and J. Cave; **7** (9), 2365–2372.

Bi–Sr–Ca–Cu–O : (Pb, Sb)

– Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method.–Y. Masuda, R. Ogawa, Y. Kawate, T. Tateishi, and N. Hara; **7** (2), 292–298.

Bi–Sr–Ca–Y–Cu–O

– Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$.–T. Kawano, F. Munakata, H. Yamauchi, and S. Tanaka; 7 (2), 299–302.

Bi–Sr–Cu–O

– Chemistry and structural modulations in $Bi_2Sr_2CuO_6$.–Y. Shen, D. R. Richards, D. G. Hinks, and A. W. Mitchell; 7 (4), 844–852.

$Bi(C_6H_5)_3$

– Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; 7 (6), 1336–1340.

(Bi,Pb)SrCaCuO/Ag

– Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders.–Asok K. Sarkar, I. Maartense, and T. L. Peterson; 7 (7), 1672–1678.

$BiSrCaCu_2Al_{0.5}O_x$

– Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_x$ glass-ceramics.–Kazumi Hirata, Yukio Kubo, and Yoshihiro Abe; 7 (1), 48–52.

$Bi_2Sr_2CaCu_2O_8$

– Properties of $Bi_2Sr_2CaCu_2O_8$ thick films melt-processed at temperatures up to 950 °C.–W. C. McGinnis and J. S. Briggs; 7 (3), 585–591.

$Bi_2Sr_2CaCu_2O_x$

– Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$.–Yoshihiro Abe, Kazumi Hirata, Hideo Hosono, and Yukio Kubo; 7 (7), 1599–1601.

– Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen.–T. G. Holesinger, D. J. Miller, and L. S. Chumbley; 7 (7), 1658–1671.

$Bi_2Sr_2CaCu_2O_y$

– Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212.–Kazuto Ikeda, Kenshi Takamuku, Koji Yamaguchi, Rittaporn Itti, and Naoki Koshizuka; 7 (5), 1060–1062.

– Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment.–B. Heeb, S. Oesch, P. Bohac, and L. J. Gauckler; 7 (11), 2948–2955.

Borosilicate glass

– Crystallization kinetics of binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; 7 (11), 3103–3111.

Borosilicate glass/Al_2O_3(sapphire)

– Kinetics of interfacial reaction between borosilicate glass and sapphire substrate.–Jau-Ho Jean and Tapan K. Gupta; 7 (9), 2514–2520.

C

– On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; 7 (5), 1204–1214.

C_{60}

– Intercalation of molecular species into the interstitial sites of fullerene.–Roger A. Assink, James E. Schirber, Douglas A. Loy, Bruno Morosin, and Gary A. Carlson; 7 (8), 2136–2143.

C(diamond)

– Diamond growth with locally supplied methane and acetylene.–W. A. Yarbrough, K. Tankala, and T. DebRoy; 7 (2), 379–383.

– Morphological instabilities in the low pressure synthesis of diamond.–K. V. Ravi; 7 (2), 384–393.

– Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles.–Lawrence H. Robins, Edward N. Farabaugh, and Albert Feldman; 7 (2), 394–403.

– Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films.–Bharat Bhushan, Andrew J. Kellock, Nam-Hee Cho, and Joel W. Ager, III; 7 (2), 404–410.

– Slow crack growth of CVD diamond.–M. D. Drory and C. F. Gardinier; 7 (4), 781–783.

– Rate limitation in low pressure diamond growth.–Hans Rau and Friederike Picht; 7 (4), 934–939.

– Diamond growth using carbon monoxide as a carbon source.–F. M. Cerio, W. A. Weimer, and C. E. Johnson; 7 (5), 1195–1203.

– Efficiency of methane and acetylene in forming diamond by microwave plasma assisted chemical vapor deposition.–Curtis E. Johnson, Wayne A. Weimer, and Frank M. Cerio; 7 (6), 1427–1431.

– Fracture strength measurement of filament assisted CVD polycrystalline diamond films.–G. F. Cardinale and C. J. Robinson; 7 (6), 1432–1437.

– Investigation of growth rates and morphology for diamond growth by chemical vapor deposition.–M. P. Everson and M. A. Tamor; 7 (6), 1438–1444.

– Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; 7 (6), 1501–1518.

– Growth of (100) oriented diamond thin films on ball structure diamond-like particles.–Lee Chow, Alan Horner, Hooman Sakouri, Bahram Roughani, and Swaminatha Sundaram; 7 (7), 1606–1609.

– Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition.–M. Kohzaki, K. Higuchi, S. Noda, and K. Uchida; 7 (7), 1769–1777.

– Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase.–E. Molinari, R. Polini, M. L. Terranova, P. Ascarelli, and S. Fontana; 7 (7), 1778–1787.

– Improved uniformity and selected area deposition of diamond by the oxy-acetylene flame method.–Jesko A. von Windheim and Jeffrey T. Glass; 7 (8), 2144–2150.

– Diamond film nucleation and interface characterization.–P. Bou, L. Vandenbulcke, R. Herbin, and F. Hillion; 7 (8), 2151–2159.

– Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces.–T. P. Ong, Fulin Xiong, R. P. H. Chang, and C. W. White; 7 (9), 2429–2439.

– Synthesis of diamond films on Hastelloy.–V. P. Godbole and J. Narayan; 7 (10), 2785–2790.

– Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film.–Herman Lock, Gary E. Maciel, and Curtis E. Johnson; 7 (10), 2791–2797.

– Twinning and faceting in early stages of diamond growth by chemical vapor deposition.–John C. Angus, Mahendra Sunkara, Scott R. Sahaida, and Jeffrey T. Glass; 7 (11), 3001–3009.

C(diamond-like)

– Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films.–Bharat Bhushan, Andrew J. Kellock, Nam-Hee Cho, and Joel W. Ager, III; 7 (2), 404–410.

C(fiber)

– Metal-insulator transition in highly disordered carbon fibers.–K. Kuriyama and M. S. Dresselhaus; 7 (4), 940–945.

– Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (5), 1178–1188.

– Preferred orientation of high performance carbon fibers.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (9), 2612–2620.

– Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, and Kenji Matsubara; 7 (11), 3019–3022.

C_{70}(fullerene)

– Transmission electron microscopy of C_{70} single crystals at room temperature.–Vinayak P. Dravid, Xiwei Lin, Hong Zhang, Shengzhong Liu, and Manfred M. Kappes; **7** (9), 2440–2446.

C_{60}(fullerite)

– Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; **7** (2), 335–340.

C(graphite)

– Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy.–S. R. Snyder, T. Foecke, H. S. White, and W. W. Gerberich; **7** (2), 341–344.

– Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy.–C. Bourgerette, A. Oberlin, and M. Inagaki; **7** (5), 1158–1173.

– Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction.–Michio Inagaki and Yoshihiro Hishiyama; **7** (5), 1174–1177.

– Electron channeling effect on highly oriented graphites–Size evaluation and oriented mapping of crystals.–Akira Yoshida and Yoshihiro Hishiyama; **7** (6), 1400–1405.

– Structural characterization of heat-treated activated carbon fibers.–A. M. Rao, A. W. P. Fung, M. S. Dresselhaus, and M. Endo; **7** (7), 1788–1794.

C(lonsdaleite)

– Twinning and faceting in early stages of diamond growth by chemical vapor deposition.–John C. Angus, Mahendra Sunkara, Scott R. Sahaida, and Jeffrey T. Glass; **7** (11), 3001–3009.

C(graphite) : Co

– New evidence for supported metals in the reaction of KC_8 with metal chlorides.–A. Messaoudi and F. Béguin; **7** (2), 418–422.

C(diamond) : H

– Hydrogen binding and diffusion in diamond.–S. P. Mehandru, Alfred B. Anderson, and John C. Angus; **7** (3), 689–695.

C : H(amorphous)

– Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films.–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (7), 1805–1808.

– Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. **7**, 1805 (1992)].–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (11), 3160.

C(diamond)/Al

– Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD.–C. R. Eddy, Jr., D. L. Youchison, B. D. Sartwell, and K. S. Grabowski; **7** (12), 3255–3259.

C(diamond)/Al_2O_3

– Processing of diamond/alumina composites for low wear applications.–May-Ying Chu, Bharat Bhushan, and Lutgard C. De Jonghe; **7** (11), 3010–3018.

C(diamond)/BeO

– Electronic structure and total energy of diamond/BeO interfaces.–Walter R. L. Lambrecht and Benjamin Segall; **7** (3), 696–705.

C(fiber)/C

– The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites.–Arthur J. Lucchesi, Jack C. Hay, and Kenneth W. White; **7** (7), 1795–1804.

– Pulsed-power volume-heating chemical vapor infiltration.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **7** (9), 2447–2457.

– Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites.–Gerald S. Rellick, Dick J. Chang, and Rafael J. Zaldivar; **7** (10), 2798–2809.

C_{60}/Mica

– Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (4), 791–794.

C(diamond)/Mo

– The interfacial structure and composition of diamond films grown on various substrates.–C. P. Sung and H. C. Shih; **7** (1), 105–116.

C(diamond)/Ni

– Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W. W. Gerberich, J. Heberlein, and E. Pfender; **7** (8), 1967–1969.

C(graphite)/$SbCl_5$

– A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects.–M. Lelaurain, J. F. Marêché, E. McRae, O. E. Andersson, and B. Sundqvist; **7** (11), 2978–2988.

– A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity.–O. E. Andersson, B. Sundqvist, E. McRae, J. F. Marêché, and M. Lelaurain; **7** (11), 2989–3000.

C(diamond)/Si

– The interfacial structure and composition of diamond films grown on various substrates.–C. P. Sung and H. C. Shih; **7** (1), 105–116.

– *In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond.–B. R. Stoner, B. E. Williams, S. D. Wolter, K. Nishimura, and J. T. Glass; **7** (2), 257–260.

– Selective growth of diamond crystals on the apex of silicon pyramids.–R. Ramesham and C. Ellis; **7** (5), 1189–1194.

C(fiber)/Si_3N_4

– Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite.–Takayuki Suzuki, Masahiro Sato, and Mototsugu Sakai; **7** (10), 2869–2875.

C(diamond)/SiO_2

– The interfacial structure and composition of diamond films grown on various substrates.–C. P. Sung and H. C. Shih; **7** (1), 105–116.

C(diamond)/W

– Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W. W. Gerberich, J. Heberlein, and E. Pfender; **7** (8), 1967–1969.

C(graphite)/ZrO_2/Al

– Zirconia and organotitanate film formation on graphite fiber reinforcement for metal matrix composites.–R. V. Subramanian and Eric A. Nyberg; **7** (3), 677–688.

C(diamond-like)–Si

– Two different low friction mechanisms of diamond-like carbon with silicon coatings formed by plasma-assisted chemical vapor deposition.–K. Oguri and T. Arai; **7** (6), 1313–1316.

Ca/Si

– TEM observations of the mechanism of delamination of chromium films from silicon substrates.–D. Goyal and A. H. King; **7** (2), 359–366.

$CaAl_2O_4$/Polyvinyl alcohol

– Interfacial structure and chemistry in a ceramic/polymer composite material.–Oludele O. Popoola and Waltraud M. Kriven; **7** (6), 1545–1552.

– Erratum: "Interfacial structure and chemistry in a ceramic/polymer composite material" [J. Mater. Res. **7**, 1545 (1992)].–Oludele O. Popoola and Waltraud M. Kriven; **7** (9), 2630.

$Ca_2Al(OH)_6[X] \cdot nH_2O$/Poly(N,N-dimethyldiallyl ammonium chloride)

– Synthesis of nanocomposites: Organoceramics.–Phillip B. Messersmith and Samuel I. Stupp; 7 (9), 2599–2611.

$Ca_2Al(OH)_6[X] \cdot nH_2O$/Poly(vinyl alcohol)

– Synthesis of nanocomposites: Organoceramics.–Phillip B. Messersmith and Samuel I. Stupp; 7 (9), 2599–2611.

$CaHPO_4 \cdot 2H_2O$

– Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; 7 (8), 2294–2298.

$CaO \cdot Al_2O_3 \cdot 2SiO_2$(glass)

– On the constrained crystallization of synthetic anorthite ($CaO \cdot Al_2O_3 \cdot 2SiO_2$).–Nitin P. Padture and Helen M. Chan; 7 (1), 170–177.

$Ca_4(PO_4)_2O$

– Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; 7 (8), 2294–2298.

$Ca_5(PO_4)_3OH$

– Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; 7 (8), 2294–2298.

$Ca_{10}(PO_4)_6(OH)_2$

– Fabrication of porous hydroxyapatite ceramics by microwave processing.–Yi Fang, Dinesh K. Agrawal, Della M. Roy, and Rustum Roy; 7 (2), 490–494.

$CaS:(Eu^{2+}, Sm^{3+})$

– Photoluminescence and optical absorption in $CaS:Eu^{2+}:Sm^{3+}$ thin films.–J. G. Zhang, P. C. Eklund, Z. L. Hua, L. G. Salamanca-Riba, M. Wuttig, P. K. Soltani, and G. M. Storti; 7 (2), 411–417.

$CaTa_4O_{11}$

– Microstructure of LaB_6-base thick film resistors.–Z. G. Li, P. F. Carcia, and P. C. Donohue; 7 (8), 2225–2229.

CdSe

– Optical properties of polycrystalline CdSe films.–Tapan K. Gupta and Jim Doh; 7 (5), 1243–1246.

Ceramics

– Diamond film nucleation and interface characterization.–P. Bou, L. Vandenbulcke, R. Herbin, and F. Hillion; 7 (8), 2151–2159.

Co(dipyraloylmethane)$_2$

– Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; 7 (6), 1336–1340.

Co/Pt

– On the atomic interdiffusion in Co/Pt superlattices.–X. Yan, T. Egami, E. E. Marinero, R. F. C. Farrow, and C. H. Lee; 7 (6), 1309–1312.

Co/Si

– Partial agglomeration during Co silicide film formation.–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; 7 (2), 269–272.

– Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. 7, 269 (1992)].–Z. G. Xiao G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; 7 (11), 3159.

Co–Fe–Ni

– Effect of the direction of field annealing on the stress + field induced magnetic anisotropy in Co–Fe–Ni amorphous alloys.–J. González and J. M. Blanco; 7 (7), 1602–1605.

Co–Zr

– On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; 7 (4), 926–933.

CoAl

– Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; 7 (9), 2418–2423.

Cordierite

– Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder.–Masahiko Okuyama, Toshimi Fukui, and Chihiro Sakurai; 7 (8), 2281–2287.

Cs

– Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter.–C. Åman, J. B. C. Pettersson, H. Lindroth, and L. Holmlid; 7 (1), 100–104.

Cu

– Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I), (hfac)Cu-(1,5-COD).–A. Jain, K. M. Chi, M. J. Hampden-Smith, T. T. Kodas, J. D. Farr, and M. F. Paffett; 7 (2), 261–264.

– Stability of tight-packed metals with the embedded-atom method.–R. A. Johnson; 7 (4), 883–887.

– Laser induced deposition of copper and lead powders.–Dontula Narasimharao, Suryadevara V. Babu, and Don H. Rasmussen; 7 (5), 1104–1114.

– Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S. N. Patankar, and F. H. Froes; 7 (8), 2114–2118.

– Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression.–P. Ancrenaz, C. Nguy, and C. Servant; 7 (9), 2387–2394.

– Self-diffusion along twist grain boundaries in Cu.–Miki Nomura and James B. Adams; 7 (12), 3202–3212.

Cu/Al_2O_3(sapphire)

– Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples.–M. J. Godbole, A. J. Pedraza, D. H. Lowndes, and J. R. Thompson, Jr.; 7 (4), 1004–1010.

Cu/In

– The formation of intermetallics in Cu/In thin films.–Rita Roy, S. K. Sen, and Suchitra Sen; 7 (6), 1377–1386.

Cu/Ni

– Cracks and dislocations in face-centered cubic metallic multilayers.–David S. Lashmore and Robb Thomson; 7 (9), 2379–2386.

Cu/Pd

– Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; 7 (6), 1356–1369.

Cu/Polyimide

– Morphological studies of nanoclusters on grid-supported polymer thin films.–Richard J. Spontak, Janet L. Burns, and Charles J. Echer; 7 (9), 2593–2598.

Cu/Poly(siloxaneimide)

– Morphological studies of nanoclusters on grid-supported polymer thin films.–Richard J. Spontak, Janet L. Burns, and Charles J. Echer; 7 (9), 2593–2598.

Cu–Co

– Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression.–P. Ancrenaz, C. Nguy, and C. Servant; 7 (9), 2387–2394.

Cu–Cr

– Metastable copper-chromium alloy films.–A. P. Payne and B. M. Clemens; 7 (6), 1370–1376.

Cu–In–Se–N
– X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films.–Shigemi Kohiki, Mikihiko Nishitani, Takayuki Negami, and Takahiro Wada; **7** (8), 1984–1986.

Cu–Si
– Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression.–P. Ancrenaz, C. Nguy, and C. Servant; **7** (9), 2387–2394.

Cu_3Au
– Vacancies and antisite defects in ordered alloys.–R. A. Johnson and J. R. Brown; **7** (12), 3213–3218.

CuIn
– The formation of intermetallics in Cu/In thin films.–Rita Roy, S. K. Sen, and Suchitra Sen; **7** (6), 1377–1386.

Cu_2O/MgO
– Epitaxial growth of Cu_2O films on MgO by sputtering.–Dean J. Miller, Jeffrey D. Hettinger, Ronald P. Chiarello, and Hyung K. Kim; **7** (10), 2828–2832.

CuV_2O_6
– Copper vanadates as candidate materials for phase change optical memory.–D. P. Birnie, III, J. D. Weinberg, and D. G. Swanson; **7** (3), 741–744.

$Cu_2V_2O_7$
– Copper vanadates as candidate materials for phase change optical memory.–D. P. Birnie, III, J. D. Weinberg, and D. G. Swanson; **7** (3), 741–744.

$DyBa_2Cu_3O_{7-x}$
– Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R. Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; **7** (1), 29–33.
– Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen.–E. S. Hellman, E. H. Hartford, and E. A. Fitzgerald; **7** (4), 795–800.

Epoxy acrylate resin/Glass
– Subcritical crack growth along epoxy/glass interfaces.–K. M. Conley, J. E. Ritter, and T. J. Lardner; **7** (9), 2621–2629.

Epoxy resin
– Photoelastic and finite element analysis of different size spheres in contact.–C. W. Shih, W. S. Schlein, and J. C. M. Li; **7** (4), 1011–1017.
– An investigation of the isotropy of epoxy polymers.–Edwin M. Odom and Donald F. Adams; **7** (12), 3352–3358.

Epoxy resin/C(fiber)
– Temperature and pressure dependence of the conductivity anisotropy of unidirectional short carbon fiber filled polymers.–F. Carmona and A. El Amarti; **7** (1), 117–123.

Epoxy resin/Glass
– Subcritical crack growth along epoxy/glass interfaces.–K. M. Conley, J. E. Ritter, and T. J. Lardner; **7** (9), 2621–2629.

Fatty acid
– Effective dispersants for concentrated, nonaqueous suspensions.–I. Sushumna, R. K. Gupta, and E. Ruckenstein; **7** (10), 2884–2893.

Fe
– The application of the analytic embedded atom method to bcc metals and alloys.–A. M. Guellil and J. B. Adams; **7** (3), 639–652.

Fe:N
– Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

Fe:P
– On the electronic basis of the phosphorus intergranular embrittlement of iron.–Ruqian Wu, A. J. Freeman, and G. B. Olson; **7** (9), 2403–2411.

Fe/Al_2O_3
– Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A. M. Dhote, S. C. Patil, S. M. Kanetkar, S. A. Gangal, and S. B. Ogale; **7** (7), 1685–1689.

Fe/C
– Plasma production of metallic nanoparticles.–ChinHao Chou and Jonathan Phillips; **7** (8), 2107–2113.

Fe/Silica glass
– Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A. M. Dhote, S. C. Patil, S. M. Kanetkar, S. A. Gangal, and S. B. Ogale; **7** (7), 1685–1689.

Fe/Ti
– Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H. Y. Bai, W. H. Wang, Y. Zhang, H. Chen, and W. K. Wang; **7** (6), 1423–1426.

Fe–Al
– Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl.–T. Hong and A. J. Freeman; **7** (1), 68–79.

$Fe–Al_2O_3$
– Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of $Fe^0–Al_2O_3$ metal-ceramic composites.–M. Verelst, K. R. Kannan, G. N. Subbanna, C. N. R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Fe–B–Si
– Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment.–Yoshihisa Watanabe, Tadayoshi Kubozoe, and Yoshikazu Nakamura; **7** (6), 1396–1399.
– AFM observations of the surface morphology of metallic glasses $Fe_{78}B_{13}Si_9$ in the early stage of crystallization.–Yoshihisa Watanabe and Yoshikazu Nakamura; **7** (8), 2126–2130.

Fe–Cr
– Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K.–Katsuya Honda, Tooru Atake, and Yasutoshi Saito; **7** (1), 80–84.

Fe–Cr–Ni
– Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys.–J. Rawers, G. Asai, R. Doan, and J. Dunning; **7** (5), 1083–1092.

Fe–Cu
– Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; **7** (8), 1980–1983.

Fe–Cu–Si
– Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation.–B. X. Liu, C. H. Shang, and C. H. Liu; **7** (1), 85–88.

Fe–Zr
– On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; **7** (4), 926–933.

FeAl
– Modeling of crack tip dislocation emission in B2 intermetallic alloys.–Michael F. Bartholomeusz and John A. Wert; **7** (4), 919–925.

Fe_3Al
– Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al.–C. G. McKamey, P. J. Maziasz, and J. W. Jones; **7** (8), 2089–2106.

$Fe_3Al–Mo$
– Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al.–C. G. McKamey, P. J. Maziasz, and J. W. Jones; **7** (8), 2089–2106.

Fe_3Al–Nb
– Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al.–C. G. McKamey, P. J. Maziasz, and J. W. Jones; **7** (8), 2089–2106.

Fe_2N
– Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

Fe_4N
– Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

α–Fe_2O_3
– Determination of particle size distribution in an Fe_2O_3-based catalyst using magnetometry and x-ray diffraction.–Manjula M. Ibrahim, Jianmin Zhao, and Mohindar S. Seehra; **7** (7), 1856–1860.

α–Fe_2O_3(hematite)
– The formation of α–Fe_2O_3 monodispersed particles in solution.–M. P. Morales, T. González-Carreño, and C. J. Serna; **7** (9), 2538–2545.

Fe_2O_3
– Milling and mechanical alloying of inorganic nonmetallics.–T. Kosmac and T. H. Courtney; **7** (6), 1519–1525.

β–FeOOH
– Development of suspensions of rod-shaped β–FeOOH particles in infrared transmitting solvents for use as artificial Kerr media.–D. L. Naylor; **7** (8), 2288–2293.

FeS_2(pyrite)
– The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R. J. D. Tilley; **7** (7), 1829–1838.

$FeSn_2$
– A microstructural study of mechanical alloying of Fe and Sn powders.–Gérard Le Caër, Paolo Matteazzi, and Brent Fultz; **7** (6), 1387–1395.

GaAlAs/GaAs
– Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; **7** (8), 2182–2185.

GaAs
– MBE growth of compound semiconductors: Part I. Stochastic modeling.–R. Venkatasubramanian; **7** (5), 1221–1234.

GaAs : (Be,Si)
– Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition.–B. Molnar, P. Chi, P. Chi, and D. Simons; **7** (8), 2186–2193.

GaAs/Si
– Suppression of dislocation accumulation in GaAs film on Si substrate by combination of impurity doping and selective area growth.–Tetsuya Ohashi; **7** (11), 3032–3038.

GaN
– Prospects for device implementation of wide band gap semiconductors.–J. H. Edgar; **7** (1), 235–252.

Garnet
– The amorphization of complex silicates by ion-beam irradiation.–Ray K. Eby, Rodney C. Ewing, and Robert C. Birtcher; **7** (11), 3080–3102.

Gd/Co
– Observation of a rapid amorphization reaction.–T. C. Hufnagel, S. Brennan, A. P. Payne, and B. M. Clemens; **7** (8), 1976–1979.

$GdBa_2Cu_3O_{7-x}$
– Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor.–M. W. Shin, T. M. Hare, A. I. Kingon, and C. C. Koch; **7** (12), 3194–3201.

GdFeCo
– Anisotropic thermal conductivity of rare earth–transition metal thin films.–L. J. Shaw-Klein, T. K. Hatwar, S. J. Burns, S. D. Jacobs, and J. C. Lambropoulos; **7** (2), 329–334.

$Gd_3Fe_5O_{12}$
– Aerosol synthesis of gadolinium iron garnet particles.–H. K. Xu, C. M. Sorensen, K. J. Klabunde, and G. C. Hadjipanayis; **7** (3), 712–716.

Ge
– Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; **7** (4), 961–972.

Ge(cubic)
– On diamond-hexagonal germanium.–S-Q. Xiao and P. Pirouz; **7** (6), 1406–1412.

Ge(hexagonal)
– On diamond-hexagonal germanium.–S-Q. Xiao and P. Pirouz; **7** (6), 1406–1412.

Ge/Sn
– A Mössbauer spectroscopy study of nanoscale Ge–Sn dispersions prepared by ball milling.–P. Boolchand and C. C. Koch; **7** (10), 2876–2883.

Ge–Si
– MBE growth of compound semiconductors: Part II. Applications of the stochastic model.–R. Venkatasubramanian; **7** (5), 1235–1242.

$(H_2)_n$
– Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter.–C. Åman, J. B. C. Pettersson, H. Lindroth, and L. Holmlid; **7** (1), 100–104.

HgCdTe
– Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys.–J. D. Patterson, Wafaa A. Gobba, and S. L. Lehoczky; **7** (8), 2211–2218.

$Hg_2(Cl, Br)_2$
– On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

HgZnTe
– Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys.–J. D. Patterson, Wafaa A. Gobba, and S. L. Lehoczky; **7** (8), 2211–2218.

In–Ni–P
– Phase equilibria and ternary phase formation in the In–Ni–P system.–S. E. Mohney and Y. A. Chang; **7** (4), 955–960.

(InGa)As/Si
– Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon.–Alexandros Georgakilas, Athanasios Dimoulas, Aristotelis Christou, and John Stoemenos; **7** (8), 2194–2204.

InP
– InP under high pressures.–M-H. Tsai, John D. Dow, and R. V. Kasowski; **7** (8), 2205–2210.

$(In, Sn)_2O_3$
– Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution.–Osamu Yamamoto, Tadashi Sasamoto, and Michio Inagaki; **7** (9), 2488–2491.

KH_2PO_4(KDP)

– *In situ* observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique.–Li Lian, Lu Taijing, Kazufumi Sakai, and Tomoya Ogawa; **7** (12), 3275–3279.

$KNbO_3$

– Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate.–Myung Jin Kim and Egon Matijević; **7** (4), 912–918.

Kr/MgO

– Solid krypton in MgO.–M. Grant Norton, C. Barry Carter, Elizabeth L. Fleischer, and James W. Mayer; **7** (12), 3171–3174.

$LaAlO_3$

– Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals.–Gong-Da Yao, Shang Yun Hou, Michael Dudley, and Julia M. Phillips; **7** (7), 1847–1855.

– Thermal conductivity of high temperature superconductor substrate materials: Lanthanum aluminate and neodymium aluminate.–Donald T. Morelli; **7** (9), 2492–2494.

LaB_6

– Microstructure of LaB_6-base thick film resistors.–Z. G. Li, P. F. Carcia, and P. C. Donohue; **7** (8), 2225–2229.

$La_{0.85}Sr_{0.15}CrO_3$

– Modified resin–intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors.–Lone-Wen Tai and Paul A. Lessing; **7** (2), 502–510.

– Modified resin–intermediate processing of perovskite powders: Part II. Processing for fine, nonagglomerated Sr-doped lanthanum chromite powders.–Lone-Wen Tai and Paul A. Lessing; **7** (2), 511–519.

$La_2Ti_2O_7$

– Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$.–A. V. Prasadarao, Ulagaraj Selvaraj, Sridhar Komarneni, and Amar S. Bhalla; **7** (10), 2859–2863.

Leather

– A new class of composite materials: Matrix auto-reinforced organic material–MARIOM.–A. Wyler, R. T. Markus, H. J. Wagner, and B. de Castro; **7** (8), 1990–1992.

$LiAl_2(OH)_6OH \cdot 2H_2O$(hydrotalcite)/Al

– Hydrotalcite formation on aluminum sheet and powder.–A. J. Perrotta, S. Y. Tzeng, W. D. Imbrogno, R. Rolles, and M. S. Weather; **7** (12), 3306–3313.

$LiAl(SiO_3)_2$

– Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels.–Hyun M. Jang, Kwang S. Kim, and Chang J. Jung; **7** (8), 2273–2280.

LiF

– Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures.–Hung-Ye Lin, Yu-Zen Tsai, and Sanboh Lee; **7** (10), 2833–2839.

$LiNbO_3$: (Hf;Ta;Eu;Nd)

– Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J. C. Soares, M. F. da Silva, J. A. Sanz-García, E. Dieguez, and F. Agulló-López; **7** (1), 130–135.

LiO_2–Al_2O_3–SiO_2

– Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels.–Hyun M. Jang, Kwang S. Kim, and Chang J. Jung; **7** (8), 2273–2280.

Mg–9Li

– Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature.–Eric M. Taleff, Oscar A. Ruano, Jeff Wolfenstine, and Oleg D. Sherby; **7** (8), 2131–2135.

$(Mg, Fe)_2SiO_4$(olivine)

– The amorphization of complex silicates by ion-beam irradiation.–Ray K. Eby, Rodney C. Ewing, and Robert C. Birtcher; **7** (11), 3080–3102.

$MgHPO_4 \cdot 3H_2O$(newberyite)

– Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$.–B. C. Sales, B. C. Chakoumakos, L. A. Boatner, and J. O. Ramey; **7** (10), 2646–2649.

$MgNb_2O_6$

– Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate.–Myung Jin Kim and Egon Matijević; **7** (4), 912–918.

$Mg_{70}Zn_{30}$

– Production of amorphous metallic surfaces by means of a pulsed glow discharge electron beam.–N. Mingolo and J. J. Rocca; **7** (5), 1096–1099.

Mica

– Repulsive interaction between coplanar cracks in the double-cantilever geometry.–Kai-tak Wan, Brian R. Lawn, and Roger G. Horn; **7** (6), 1584–1588.

Microwave plasma

– Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation.–R. Ramesham and T. Roppel; **7** (5), 1144–1151.

Mn–Al–C

– Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys.–C. T. Lee, K. H. Han, I. H. Kook, and W. K. Choo; **7** (7), 1690–1695.

Mo

– The application of the analytic embedded atom method to bcc metals and alloys.–A. M. Guellil and J. B. Adams; **7** (3), 639–652.

Mo/Al_2O_3

– Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system.–T. C. Chou, T. G. Nieh, S. D. McAdams, G. M. Pharr, and W. C. Oliver; **7** (10), 2774–2784.

Mo/Si

– Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H. Y. Bai, W. H. Wang, Y. Zhang, H. Chen, and W. K. Wang; **7** (6), 1423–1426.

(MoN)/Si

– Preparation of molybdenum nitride thin films by N^+ ion implantation.–J-G. Choi, D. Choi, and L. T. Thompson; **7** (2), 374–378.

MoS_2

– Growth mechanisms and near-interface structure in relation to orientation of MoS_2 sputtered thin films.–J. Moser and F. Lévy; **7** (3), 734–740.

$MoSi_2$

– A study of pest oxidation in polycrystalline $MoSi_2$.–C. G. McKamey, F. Tortorelli, J. H. DeVan, and C. A. Carmichael; **7** (10), 2747–2755.

(Mo,W)–Si

– Elastic moduli of $MoSi_2$-based materials.–S. R. Srinivasan and R. B. Schwarz; **7** (7), 1610–1613.

$NH_4Bi_3F_{10}$

– Preparation and characterization of $NH_4Bi_3F_{10}$.–D. Niznansky and J. L. Rehspringer; **7** (9), 2511–2513.

NH_4ClO_4

– Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy.–B. C. Beard, H. W. Sandusky, B. C. Glancy, and W. L. Elban; **7** (12), 3266–3274.

Na–Al–P–O–F

– A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass.–R. K. Brow, Z. A. Osborne, and R. J. Kirkpatrick; 7 (7), 1892–1899.

Na–P–O–F

– A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass.–R. K. Brow, Z. A. Osborne, and R. J. Kirkpatrick; 7 (7), 1892–1899.

$NaPO_3$–AlF_3

– A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass.–R. K. Brow, Z. A. Osborne, and R. J. Kirkpatrick; 7 (7), 1892–1899.

Nb/$MoSi_2$

– Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. Nb/$MoSi_2$ systems.–T. C. Chou, T. G. Nieh, T. Y. Tsui, G. M. Pharr, and W. C. Oliver; 7 (10), 2765–2773.

Nb–Al–Cr–W–Y

– Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures.–S. V. Raj, M. Hebsur, I. E. Locci, and J. Doychak; 7 (12), 3219–3234.

Nb–Si–Cu

– Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems.–J. S. Reid, E. Kolawa, and M-A. Nicolet; 7 (9), 2424–2428.

$NbAl_3$

– Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy.–Mohan G. Hebsur, Ivan E. Locci, S. V. Raj, and Michael V. Nathal; 7 (7), 1696–1706.

– Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures.–S. V. Raj, M. Hebsur, I. E. Locci, and J. Doychak; 7 (12), 3219–3234.

Nb_3Sn

– Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S. N. Patankar, and F. H. Froes; 7 (8), 2114–2118.

$NdAlO_3$

– Thermal conductivity of high temperature superconductor substrate materials: Lanthanum aluminate and neodymium aluminate.–Donald T. Morelli; 7 (9), 2492–2494.

$Nd_2Fe_{14}B$

– Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$.–L. Rabenberg, Josef Fidler, and Johannes Bernardi; 7 (7), 1762–1768.

$Nd_2Ti_2O_7$

– Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$.–A. V. Prasadarao, Ulagaraj Selvaraj, Sridhar Komarneni, and Amar S. Bhalla; 7 (10), 2859–2863.

Ni

– Brittle fracture of nickel by dynamic indentation.–J. W. Hoehn, T. Foecke, and W. W. Gerberich; 7 (8), 1973–1975.

Ni : H

– An atomic simulation of the influence of hydrogen on the fracture behavior of nickel.–R. G. Hoagland and H. L. Heinisch; 7 (8), 2080–2088.

Ni/SiO_2(sapphire)

– Finite element simulation of exfoliation experiments.–Gerald L. Nutt; 7 (1), 203–213.

Ni–Al

– Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl.–T. Hong and A. J. Freeman; 7 (1), 68–79.

– Modeling of crack tip dislocation emission in B2 intermetallic alloys.–Michael F. Bartholomeusz and John A. Wert; 7 (4), 919–925.

– The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys.–R. T. Haasch, A. M. Venezia, and C. M. Loxton; 7 (6), 1341–1349.

– Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; 7 (10), 2639–2642.

Ni–Al–Cr

– The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys.–R. T. Haasch, A. M. Venezia, and C. M. Loxton; 7 (6), 1341–1349.

Ni–Al–Hf

– Investigation of the heat-affected zone fracture in Ni_3Al welds.–G. H. Chen and C. Chen; 7 (5), 1076–1082.

Ni–Al–Zr

– Investigation of the heat-affected zone fracture in Ni_3Al welds.–G. H. Chen and C. Chen; 7 (5), 1076–1082.

Ni–P

– Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S. N. Patankar, and F. H. Froes; 7 (8), 2114–2118.

Ni–Ru

– The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system.–A. Van Neste, A. Lamarre, M. L. Trudeau, and R. Schulz; 7 (9), 2412–2417.

Ni–Zr

– On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; 7 (4), 926–933.

NiAl

– Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl.–W. Lin, Jian-hua Xu, and A. J. Freeman; 7 (3), 592–604.

– The effect of strain rate and temperature on the tensile properties of NiAl.–R. D. Noebe, C. L. Cullers, and R. R. Bowman; 7 (3), 605–612.

– Shock-induced reaction synthesis (SRS) of nickel aluminides.–N. N. Thadhani, S. Work, R. A. Graham, and W. F. Hammetter; 7 (5), 1063–1075.

– Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; 7 (9), 2418–2423.

– Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; 7 (10), 2639–2642.

(NiAl)

– Investigation of the heat-affected zone fracture in Ni_3Al welds.–G. H. Chen and C. Chen; 7 (5), 1076–1082.

Ni_3Al

– The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy.–G. M. Camus, D. J. Duquette, and N. S. Stoloff; 7 (2), 313–320.

– Shock-induced reaction synthesis (SRS) of nickel aluminides.–N. N. Thadhani, S. Work, R. A. Graham, and W. F. Hammetter; 7 (5), 1063–1075.

– Determination of grain boundary geometry using TEM.–H. Jang, D. Farkas, and J. T. M. De Hosson; 7 (7), 1707–1717.

– Analysis of extended dislocation faults.–Arun M. Kumar and John P. Hirth; 7 (7), 1718–1721.

– A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments.–K. J. Hemker, M. J. Mills, and W. D. Nix; 7 (8), 2059–2069.

– Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; 7 (10), 2639–2642.

– Disordering and amorphization of $L1_2$-type alloys by mechanical attrition.–T. Benameur and A. R. Yavari; 7 (11), 2971–2977.

NiAl–AlN

– Elevated temperature compressive properties of reaction milled NiAl–AlN and Zr-doped NiAl–AlN composites.–J. Daniel Whittenberger and Michael J. Luton; 7 (10), 2724–2732.

Ni_3Al–Hf : B

– Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds.–P. R. Munroe and I. Baker; 7 (8), 2119–2125.

NiAl–V

– Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds.–P. R. Munroe and I. Baker; 7 (8), 2119–2125.

$[Ni_{34}C_4(CO)_{38}H]^{5-}$

– The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R. W. Devenish, S. Mulley, B. T. Heaton, and G. Longoni; 7 (10), 2810–2816.

$NiFe_2O_4$/NiO

– Direct observation of nucleation embryos during $NiFe_2O_4$ precipitation in NiO.–Scott R. Summerfelt and C. Barry Carter; 7 (5), 1271–1277.

Ni_3Ge

– Disordering and amorphization of $L1_2$-type alloys by mechanical attrition.–T. Benameur and A. R. Yavari; 7 (11), 2971–2977.

Ni_2MnO_4:CuO

– X-ray photoelectron spectroscopy of nickel manganese oxide thermistors.–T. Hashemi and A. W. Brinkman; 7 (5), 1278–1282.

$NiPS_3$

– Structural study of room temperature synthesized nickel thiophosphate a–$NiPS_3$.–P. Fragnaud, E. Prouzet, and R. Brec; 7 (7), 1839–1846.

NiS

– Milling and mechanical alloying of inorganic nonmetallics.–T. Kosmac and T. H. Courtney; 7 (6), 1519–1525.

O_2

– Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen.–T. G. Holesinger, D. J. Miller, and L. S. Chumbley; 7 (7), 1658–1671.

Oleic acid

– Effective dispersants for concentrated, nonaqueous suspensions.–I. Sushumna, R. K. Gupta, and E. Ruckenstein; 7 (10), 2884–2893.

Pb

– Laser induced deposition of copper and lead powders.–Dontula Narasimharao, Suryadevara V. Babu, and Don H. Rasmussen; 7 (5), 1104–1114.

Pb–Sn–Ag

– Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study.–Antonino Scandurra, Antonino Licciardello, Alberto Torrisi, Antonio La Mantia, and Orazio Puglisi; 7 (9), 2395–2402.

(Pb, Ca) (Zr, Ti)O_3

– Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, Pb(Zr, Ti)O_3, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; 7 (9), 2546–2554.

PbO

– Role of particle evaporation during synthesis of lead oxide by aerosol decomposition.–Shirley W. Lyons, Yun Xiong, Timothy L. Ward, Toivo T. Kodas, and Sotiris E. Pratsinis; 7 (12), 3333–3341.

PbO–La_2O_3–TiO_2

– Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis.–G. R. Fox, S. B. Krupanidhi, K. L. More, and L. F. Allard; 7 (11), 3039–3055.

PbO–MgO–Nb_2O_5

– TEM studies of microstructure and composition of low-firing lead-magnesium-niobate ceramics.–S. Yegnasubramanian and H. C. Ling; 7 (1), 197–202.

$PbTiO_3$

– Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; 7 (4), 992–996.

– Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, Pb(Zr, Ti)O_3, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; 7 (9), 2546–2554.

Pb(Zr,Ti)O_3

– Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; 7 (4), 791–794.

– Substrate and temperature effects in lead zirconate titanate films produced by facing targets sputtering.–R. A. Roy and K. F. Etzold; 7 (6), 1455–1464.

– Microstructural evolution of Pb(Zr, Ti)O_3 thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; 7 (7), 1876–1882.

– Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, Pb(Zr, Ti)O_3, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; 7 (9), 2546–2554.

– Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation.–David H. Zeuch, Stephen T. Montgomery, and Jeffrey D. Keck; 7 (12), 3314–3332.

Pb($Zr_{0.52}Ti_{0.48}$)O_3

– Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; 7 (4), 992–996.

Pb(Zr,Ti)O_3(PZT)

– Pulsed excimer laser deposition and characterization of ferroelectric Pb($Zr_{0.52}Ti_{0.48}$)O_3 thin films.–D. Roy and S. B. Krupanidhi; 7 (9), 2521–2529.

Poly(butene-1 sulfone)

– Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region.–Brian W. Yates and Douglas M. Shinozaki; 7 (2), 520–524.

Polycarbonate

– Scanning tunneling microscope observations of polymer fracture surfaces.–D. M. Kulawansa, S. C. Langford, and J. T. Dickinson; 7 (5), 1292–1302.

Polycarbonate : B

– Improved hardness and wear properties of B-ion implanted polycarbonate.–E. H. Lee, Gopal R. Rao, and L. K. Mansur; 7 (7), 1900–1911.

Polycrystalline diamond

– Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation.–R. Ramesham and T. Roppel; 7 (5), 1144–1151.

Polydiacetylenes

– Dislocation mediated lattice bending in 1,6-di (N-carbazolyl)-2,4 hexadiyne (DCHD) polydiacetylene droplets.–Patricia M. Wilson and David C. Martin; 7 (11), 3150–3158.

Polyetheretherketone/C(fiber)

– An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite.–P. E. Dyer, S. T. Lau, G. A. Oldershaw, and D. Schudel; 7 (5), 1152–1157.

Polyimide

– Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide.–D. Xu, X. L. Xu, and S. C. Zou; 7 (1), 229–234.

– Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy.–C. Bourgerette, A. Oberlin, and M. Inagaki; 7 (5), 1158–1173.

– Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction.–Michio Inagaki and Yoshihiro Hishiyama; 7 (5), 1174–1177.

Poly(methyl methacrylate)

– Scanning tunneling microscope observations of polymer fracture surfaces.–D. M. Kulawansa, S. C. Langford, and J. T. Dickinson; 7 (5), 1292–1302.

Poly(1,4-phenylene ether sulfone)

– Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region.–Brian W. Yates and Douglas M. Shinozaki; 7 (2), 520–524.

Polystyrene

– Scanning tunneling microscope observations of polymer fracture surfaces.–D. M. Kulawansa, S. C. Langford, and J. T. Dickinson; 7 (5), 1292–1302.

Polytetrafluoroethylene

– Photochemical modification of polytetrafluoroethylene into oleophilic property using an ArF excimer laser.–M. Okoshi, M. Murahara, and K. Toyoda; 7 (7), 1912–1916.

– Effect of crystalline and amorphous phases on the transfer of polytetrafluoroethylene (PTFE) onto metallic substrates.–E-L. Yang; 7 (11), 3139–3149.

Pt/NiO

– Microscratch analysis of the work of adhesion for Pt thin films on NiO.–S. Venkataraman, D. L. Kohlstedt, and W. W. Gerberich; 7 (5), 1126–1132.

Pt/Ta

– Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; 7 (12), 3260–3265.

Pt/TiN

– Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; 7 (12), 3260–3265.

$[Pt_{38}(CO)_{44}H_x]^{2-}$

– The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R. W. Devenish, S. Mulley, B. T. Heaton, and G. Longoni; 7 (10), 2810–2816.

$[Rh_{17}S_2(CO)_{32}]^{3-}$

– The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R. W. Devenish, S. Mulley, B. T. Heaton, and G. Longoni; 7 (10), 2810–2816.

RuAl

– Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl.–W. Lin, Jian-hua Xu, and A. J. Freeman; 7 (3), 592–604.

S

– The purification of elemental sulfur.–Sherman Susman, S. Clark Rowland, and Kenneth J. Volin; 7 (6), 1526–1533.

Selective deposition

– Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation.–R. Ramesham and T. Roppel; 7 (5), 1144–1151.

Si

– Thermal effects of scanning speed and constitutional supercooling during zone-melting recrystallization of silicon-on-insulator structures.–Sharon M. Yoon and Ioannis N. Miaoulis; 7 (1), 124–129.

– Reactions between liquid silicon and vitreous silica.–Zhensheng Liu and Torbjörn Carlberg; 7 (2), 352–358.

– The deformation behavior of ceramic crystals subjected to very low load (nano)indentations.–Trevor F. Page, Warren C. Oliver, and Carl J. McHargue; 7 (2), 450–473.

– Insulator-metal transitions at microindentations.–John J. Gilman; 7 (3), 535–538.

– A study of the mechanics of microindentation using finite elements.–T. A. Laursen and J. C. Simo; 7 (3), 618–626.

– Buried oxide layers formed by low-dose oxygen implantation.–S. Nakashima and K. Izumi; 7 (4), 788–790.

– Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; 7 (4), 961–972.

– The extent of phase transformation in silicon hardness indentations.–Daniel L. Callahan and Jonathan C. Morris; 7 (7), 1614–1617.

– Selective nucleation of silicon clusters in CVD.–Frank G. Shi and John H. Seinfeld; 7 (7), 1809–1815.

– Nonlinear silicon oxide growth patterns in a gold-silicon system.–Gervais Leclerc, Louis Paquin, and Fabrice Baratay; 7 (9), 2458–2464.

– Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties.–S. A. Gökoğlu, M. Kuczmarski, and L. C. Veitch; 7 (11), 3023–3031.

Si : As

– Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; 7 (6), 1413–1422.

Si : H(amorphous)

– Modeling of a–Si : H deposition in a dc glow discharge reactor.–Dariusz Orlicki, Vladimir Hlavacek, and Hendrik J. Viljoen; 7 (8), 2160–2181.

Si/Au

– Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; 7 (4), 961–972.

Si/C/N

– Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; 7 (8), 2257–2268.

Si(cubic)/Si

– Observations on the electrical characterization of the heteroepitaxially grown cubic SiC.–B. Molnar; 7 (9), 2465–2477.

Si–Al–O–N

– Optical and physical properties of sputtered Si : Al : O : N films.–R. W. Knoll and C. H. Henager, Jr.; 7 (5), 1247–1252.

Si–C : H(amorphous)

– A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x} : H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Si–Ge/$Si_{(100)}$

– Epitaxial growth of $Si_{1-x}Ge_x$ on Si(100)2 × 1: A molecular-dynamics study.–Stéphane Ethier and Laurent J. Lewis; **7** (10), 2817–2827.

β–SiC

– Absorption coefficient of β–SiC grown by chemical vapor deposition.–Attaullah Solangi and M. I. Chaudhry; **7** (3), 539–541.

SiC

– Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route.–S-J. Ting, C-J. Chu, and J. D. Mackenzie; **7** (1), 164–169.

– Prospects for device implementation of wide band gap semiconductors.–J. H. Edgar; **7** (1), 235–252.

– The deformation behavior of ceramic crystals subjected to very low load (nano)indentations.–Trevor F. Page, Warren C. Oliver, and Carl J. McHargue; **7** (2), 450–473.

– Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; **7** (6), 1501–1518.

SiC(whisker)

– Synthesis and characterization of SiC whiskers.–L. Wang, H. Wada, and L. F. Allard; **7** (1), 148–163.

SiC : N

– Observations on the electrical characterization of the heteroepitaxially grown cubic SiC.–B. Molnar; **7** (9), 2465–2477.

SiC/Al_2O_3

– High temperature reactions within SiC–Al_2O_3 composites.–Ahmed Gadalla, Mohamed Elmasry, and Paisan Kongkachuichay; **7** (9), 2585–2592.

SiC/$(Al_2O_3)_2 \cdot SiO_2$(mullite)

– High temperature reactions within SiC–Al_2O_3 composites.–Ahmed Gadalla, Mohamed Elmasry, and Paisan Kongkachuichay; **7** (9), 2585–2592.

SiC/Si

– Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; **7** (8), 2182–2185.

SiC/Ti

– Phase relationships in the Ti–Si–C system at high pressures.–S. Sambasivan and W. T. Petuskey; **7** (6), 1473–1479.

SiC/TiC

– Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111).–S. H. Tan, C. P. Beetz, Jr., J. M. Carulli, Jr., B. Y. Lin, and D. F. Cummings; **7** (7), 1816–1821.

SiN_x

– A new bulge test technique for the determination of Young's modulus and Poisson's ratio of thin films.–J. J. Vlassak and W. D. Nix; **7** (12), 3242–3249.

Si_3N_4

– Topographic/structure changes of implanted Si_3N_4.–D. W. Oblas, V. K. Sarin, and K. Ostreicher; **7** (9), 2579–2584.

– Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders.–C. Gomez-Aleixandre, J. M. Albella, J. M. Martínez-Duart, and F. Orgaz; **7** (10), 2864–2868.

Si_3N_4/SiC

– CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **7** (1), 136–147.

– CVD Si_3N_4 on single crystal SiC: Part II. High resolution electron microscopy and atomic models of the interface.–O. Unal and T. E. Mitchell; **7** (6), 1445–1454.

Si_3N_4–BN

– Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders.–C. Gomez-Aleixandre, J. M. Albella, J. M. Martínez-Duart, and F. Orgaz; **7** (10), 2864–2868.

Si_3N_4–ZrO_4

– Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders.–Gian Domenico Sorarù, Alberto Ravagni, Roberto Dal Maschio, Giovanni Carturan, and Florence Babonneau; **7** (5), 1266–1270.

SiO_2

– On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation.–G. M. Pharr, W. C. Oliver, and F. R. Brotzen; **7** (3), 613–617.

SiO_2(quartz)

– Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms.–Yves Lefebvre, Serge Lacelle, and Carmel Jolicoeur; **7** (7), 1888–1891.

– The amorphization of complex silicates by ion-beam irradiation.–Ray K. Eby, Rodney C. Ewing, and Robert C. Birtcher; **7** (11), 3080–3102.

SiO_2(silica)

– Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms.–Yves Lefebvre, Serge Lacelle, and Carmel Jolicoeur; **7** (7), 1888–1891.

$SiO_2 : Eu^{3+}$

– Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel.–R. Campostrini, G. Carturan, M. Ferrari, M. Montagna, and O. Pilla; **7** (3), 745–753.

SiO_2/Borosilicate glass

– Isothermal and nonisothermal sintering kinetics of glass-filled ceramics.–Jau-Ho Jean and Tapan K. Gupta; **7** (12), 3342–3347.

SiO_2/Si

– Transmission infrared study of acid-catalyzed sol-gel silica coatings during room ambient drying.–T. M. Parrill; **7** (8), 2230–2239.

SiO_2–GeO_2

– Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2.–Cheng-Hung Hung, Philippe F. Miquel, and Joseph L. Katz; **7** (7), 1870–1875.

SiO_2–SnO_2

– Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix.–R. Dal Maschio, S. Dirè, G. Carturan, S. Enzo, and L. Battezzati; **7** (2), 435–443.

$SiTiO_3$

– Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, V. G. Gunjikar, and S. K. Date; **7** (2), 429–434.

Silica glass

– On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation.–G. M. Pharr, W. C. Oliver, and F. R. Brotzen; **7** (3), 613–617.

Sn

– An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique.–V. Raman and R. Berriche; **7** (3), 627–638.

Sn/SiO_2

– Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films.–K. M. Unruh, B. M. Patterson, and S. I. Shah; **7** (1), 214–218.

Sr–Ca–Cu–O

– Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$.–Ming Xu, E.T. Voiles, L.S. Chumbley, A.I. Goldman, and D.K. Finnemore; **7** (5), 1283–1285.

$SrTiO_3$

– The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$.–J. Rankin, J.C. McCallum, and L.A. Boatner; **7** (3), 717–724.

Succinonitrile

– Growth of noncrystallographic dendrites.–L.M. Fabietti and J.A. Sekhar; **7** (8), 1987–1989.

T–N

– Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

Ta–C : H/Si

– Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

Ta–Si–Cu

– Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems.–J.S. Reid, E. Kolawa, and M-A. Nicolet; **7** (9), 2424–2428.

TaB_2

– Microstructure of LaB_6-base thick film resistors.–Z.G. Li, P.F. Carcia, and P.C. Donohue; **7** (8), 2225–2229.

TbFeCo

– Anisotropic thermal conductivity of rare earth–transition metal thin films.–L.J. Shaw-Klein, T.K. Hatwar, S.J. Burns, S.D. Jacobs, and J.C. Lambropoulos; **7** (2), 329–334.

TbFeCoZr

– Anisotropic thermal conductivity of rare earth–transition metal thin films.–L.J. Shaw-Klein, T.K. Hatwar, S.J. Burns, S.D. Jacobs, and J.C. Lambropoulos; **7** (2), 329–334.

TeO_2–Ce–O(glass)

– Structural and vibrational investigations of thermal properties of tellurite glasses.–Raouf El-Mallawany; **7** (1), 224–228.

TeO_2–La–O(glass)

– Structural and vibrational investigations of thermal properties of tellurite glasses.–Raouf El-Mallawany; **7** (1), 224–228.

TeO_2–Sm–O(glass)

– Structural and vibrational investigations of thermal properties of tellurite glasses.–Raouf El-Mallawany; **7** (1), 224–228.

Ti/Al_2O_3(sapphire)

– The determination of film hardness from the composite response of film and substrate to nanometer scale indentations.–B.D. Fabes, W.C. Oliver, R.A. McKee, and F.J. Walker; **7** (11), 3056–3064.

Ti/Si

– Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H.Y. Bai, W.H. Wang, Y. Zhang, H. Chen, and W.K. Wang; **7** (6), 1423–1426.

Ti–Al

– Electronic structure of planar faults in TiAl.–C. Woodward, J.M. MacLaren, and S. Rao; **7** (7), 1735–1750.

Ti–C : H/Si

– Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

Ti–V–O

– Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

TiAl

– Characteristics of nanophase TiAl produced by inert gas condensation.–H. Chang, C.J. Altstetter, and R.S. Averback; **7** (11), 2962–2970.

TiAl : H

– Environmental embrittlement of γ titanium aluminide.–T. Takasugi, S. Hanada, and M. Yoshida; **7** (10), 2739–2746.

Ti_3Al/SiC

– Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC.–T.C. Chou and A. Joshi; **7** (5), 1253–1265.

Ti_3Al/Si_3N_4

– Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC.–T.C. Chou and A. Joshi; **7** (5), 1253–1265.

TiAl/Ti_2AlN

– Processing of TiAl–Ti_2AlN composites and their compressive properties.–H. Mabuchi, H. Tsuda, Y. Nakayama, and E. Sukedai; **7** (4), 894–900.

TiB_2

– Expanding heat source model for thermal spalling of TiB_2 in electrical discharge machining.–A.M. Gadalla and B. Bozkurt; **7** (10), 2853–2858.

TiN

– Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S.R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; **7** (3), 725–733.

– Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

– Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test.–Shuji Yamamoto and Hiroshi Ichimura; **7** (8), 2240–2247.

Ti_2N

– Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

TiN/M2 Steel

– Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test.–Shuji Yamamoto and Hiroshi Ichimura; **7** (8), 2240–2247.

TiN/NbN

– Growth, structure, and microhardness of epitaxial TiN/NbN superlattices.–M. Shinn, L. Hultman, and S.A. Barnett; **7** (4), 901–911.

– Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices.–Jin O. Kim, Jan D. Achenbach, Meenam Shinn, and Scott A. Barnett; **7** (8), 2248–2256.

TiN/Stainless steel

– Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test.–Shuji Yamamoto and Hiroshi Ichimura; **7** (8), 2240–2247.

TiO_2

– A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania.–Vincent A. Hackley, Marc A. Anderson, and Steve Spooner; **7** (9), 2555–2571.

– The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide.–Donald D. Beck and Richard W. Siegel; **7** (10), 2840–2845.

– Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

TiO_2(anatase)

– Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; **7** (9), 2495–2506.

TiO_2(rutile)

– Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; **7** (9), 2495–2506.

$TiO_2/AlPO_4$

– Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study.–R. Debnath and J. Chaudhuri; **7** (12), 3348–3351.

TiO_2/SiO_2

– Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study.–R. Debnath and J. Chaudhuri; **7** (12), 3348–3351.

TiO_2–Al_2O_3

– On controlled solidification studies of some TiO_2 binary alloys.–C. T. Yen, D. O. Nason, and W. A. Tiller; **7** (4), 980–991.

TiO_2–MgO

– On controlled solidification studies of some TiO_2 binary alloys.–C. T. Yen, D. O. Nason, and W. A. Tiller; **7** (4), 980–991.

TiO_2–SiO_2

– On controlled solidification studies of some TiO_2 binary alloys.–C. T. Yen, D. O. Nason, and W. A. Tiller; **7** (4), 980–991.

– Formation of mixed oxide powders in flames: Part I. TiO_2–SiO_2.–Cheng-Hung Hung and Joseph L. Katz; **7** (7), 1861–1869.

Ti_3Si

– Phase relationships in the Ti–Si–C system at high pressures.–S. Sambasivan and W. T. Petuskey; **7** (6), 1473–1479.

Ti_5Si_3

– Phase relationships in the Ti–Si–C system at high pressures.–S. Sambasivan and W. T. Petuskey; **7** (6), 1473–1479.

V/Si

– Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni.–E. Ma, L. A. Clevenger, and C. V. Thompson; **7** (6), 1350–1355.

V_2O_5

– The direct observation of structural development during vanadium pentoxide gelation.–J. K. Bailey, G. A. Pozarnsky, and M. L. Mecartney; **7** (9), 2530–2537.

W

– The application of the analytic embedded atom method to bcc metals and alloys.–A. M. Guellil and J. B. Adams; **7** (3), 639–652.

W–C:H

– The properties of W–C:H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

W–Ge

– Superconducting characteristics and the thermal stability of tungsten-based amorphous thin films.–Seiichi Kondo; **7** (4), 853–860.

W–Si

– Superconducting characteristics and the thermal stability of tungsten-based amorphous thin films.–Seiichi Kondo; **7** (4), 853–860.

W–Si–Cu

– Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems.–J. S. Reid, E. Kolawa, and M-A. Nicolet; **7** (9), 2424–2428.

WC

– The properties of W–C:H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

(WC)

– Characterization of tungsten-carbon layers deposited on stainless steel by reactive magnetron sputtering.–Y. Pauleau and Ph. Gouy-Pailler; **7** (8), 2070–2079.

W_2C

– The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Y(dipyraloylmethane)$_3$

– Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; **7** (6), 1336–1340.

Y–Ba–Cu–O

– Magnetization properties of solution-spun Y–Ba–Cu–O filament.–Tomoko Goto and Takaaki Sugishita; **7** (1), 11–15.

– Growth mechanism of $YBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method.–Teruo Izumi and Yuh Shiohara; **7** (1), 16–23.

– Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **7** (3), 572–579.

– Reaction mechanism of Y-system superconductors in the MPMG method.–Teruo Izumi, Yuichi Nakamura, Tae-Hyun Sung, and Yuh Shiohara; **7** (4), 801–807.

– Diffusion solidification model on Y-system superconductors.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **7** (7), 1621–1628.

– Thermochemistry of the Y_2O_3–BaO–Cu–O system.–Zhigang Zhou and Alexandra Navrotsky; **7** (11), 2920–2935.

Y–Ba–Cu–O/Ag–Pd

– Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments.–R. Allem, F. Lavallée, G. L'Espérance, R. Schulz, and M. L. Trudeau; **7** (11), 2936–2941.

Y–Pr–Ba–Cu–O

– A review of the superconducting and normal state properties of $Y_{1-x}Pr_xBa_2Cu_3O_7$.–H. B. Radousky; **7** (7), 1917–1955.

$Y_3Al_5O_{12}$

– Synthesis of yttrium aluminum garnet by reverse strike precipitation.–Prasad Apte, Harry Burke, and Helen Pickup; **7** (3), 706–711.

$YBa_2Cu_3O_7$

– Interaction between atomic hydrogen and $YBa_2Cu_3O_7$.–Angel L. G. Ponce and Jose J. Fripiat; **7** (11), 2908–2915.

$YBa_2Cu_3O_{7-x}$

– Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics.–I. Monot, J. Wang, G. Desgardin, and B. Raveau; **7** (2), 273–282.

– Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; **7** (2), 283–291.

– Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films.–X. D. Wu, L. Luo, R. E. Muenchausen, and S. R. Foltyn; **7** (3), 531–534.

- Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R. E. Muenchausen, S. Foltyn, N. Nogar, and A. D. Rollett; **7** (3), 549–557.
- $YBa_2Cu_3O_{6+\delta}$ microcrystals by extraction of a nonstoichiometric melt.–N. Pellerin, M. Gervais, and P. Odier; **7** (3), 558–564.
- Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_7$.–R. J. Barham and D. C. Doetschman; **7** (3), 565–571.
- Compositional homogeneity in processing precursor powders to the $Ba_2YCu_3O_{7-x}$ high T_c superconductor.–James F. Kelly and Joseph J. Ritter; **7** (3), 580–584.
- Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.
- Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, H. Takahashi, S. Okayama, T. Morishita, and S. Tanaka; **7** (4), 813–818.
- Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.
- Synthesis of high phase pure cuprate superconductors via xerogel precursors.–J. Macho, R. W. Schaeffer, G. H. Myer, R. E. Salomon, and J. E. Crow; **7** (5), 1046–1051.
- The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$.–Stuart McKernan, M. Grant Norton, and C. Barry Carter; **7** (5), 1052–1059.
- Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; **7** (6), 1317–1327.
- High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$.–S. Suasmoro, D. S. Smith, M. Lejeune, M. Huger, and C. Gault; **7** (7), 1629–1635.
- Sputtered YBCO films on metal substrates.–E. Yin, M. Rubin, and M. Dixon; **7** (7), 1636–1640.
- Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; **7** (8), 1993–2002.
- Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering.–J. A. Kittl, W. L. Johnson, and C. W. Nieh; **7** (8), 2003–2016.
- Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.
- Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$.–Nan Chen, S. J. Rothman, J. L. Routbort, and K. C. Goretta; **7** (9), 2308–2316.
- Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor.–D. H. Chen, S. R. Sheen, C. T. Chang, C. Y. Shei, and W-M. Hurng; **7** (9), 2317–2323.
- Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors.–J. P. Singh, R. A. Guttschow, J. T. Dusek, and R. B. Poeppel; **7** (9), 2324–2332.
- TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition.–H. Takahashi, K. Ohata, and T. Morishita; **7** (9), 2333–2336.
- Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.
- Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process.–M. P. Siegal, S. Y. Hou, Julia M. Phillips, T. H. Tiefel, and J. H. Marshall; **7** (10), 2658–2666.
- Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation.–S. Yuhya, K. Kikuchi, Y. Shiohara, K. Terashima, and T. Yoshida; **7** (10), 2673–2679.
- Elastic constants of polycrystalline $Y_1Ba_2Cu_3O_x$.–Hassel Ledbetter; **7** (11), 2905–2907.
- Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; **7** (11), 2916–2919.
- Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process.–Yuan-Liang Wang, Z. Q. Tan, Yimei Zhu, A. R. Moodenbaugh, and M. Suenaga; **7** (12), 3175–3184.
- Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; **7** (12), 3185–3193.

$YBa_2Cu_3O_{7-x}$:Ag

- Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; **7** (12), 3185–3193.

$YBa_2Cu_3O_{7-x}$:H

- Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; **7** (7), 1652–1657.

$YBa_2Cu_3O_{7-x}$/Ag

- The development of high fracture toughness $YBa_2Cu_3O_{7-x}$/Ag composites.–Long S. Yeou and Kenneth W. White; **7** (1), 1–4.
- Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition.–Timothy L. Ward, Toivo T. Kodas, Altaf H. Carim, Donald M. Kroeger, and Huey Hsu; **7** (4), 827–836.

$YBa_2Cu_3O_{7-x}$/MgO

- Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; **7** (9), 2337–2342.
- Crystallinity of $Y_1Ba_2Cu_3O_{7-x}$ films grown on MgO by activated reactive evaporation.–Shiva Prakash and R. F. Bunshah; **7** (9), 2343–2348.
- Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

$YBa_2Cu_3O_{7-x}$/$SrTiO_3$

- Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; **7** (9), 2337–2342.
- Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

$YBa_2Cu_3O_{7-x}$/ZrO_2

- Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia.–D. K. Fork, S. M. Garrison, Marilyn Hawley, and T. H. Geballe; **7** (7), 1641–1651.

$YBa_2Cu_3O_{7-x}/ZrO_2-Y_2O_3$

– Sputtered YBCO films on metal substrates.–E. Yin, M. Rubin, and M. Dixon; **7** (7), 1636–1640.

($YBa_2Cu_3O_{7-x}$–Ag)

– Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method.–Yasumasa Takao, Masanobu Awano, and Hiroyoshi Takagi; **7** (11), 2942–2947.

($YBa_2Cu_3O_{7-x}$–SiO_2)

– Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method.–Yasumasa Takao, Masanobu Awano, and Hiroyoshi Takagi; **7** (11), 2942–2947.

$YBa_2Cu_3O_{7-x} \cdot (CeO_2)$

– Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

$YBa_2Cu_4O_8$

– Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

– Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method.–Shinobu Fujihara, Haoren Zhuang, Toshinobu Yoko, Hiromitsu Kozuka, and Sumio Sakka; **7** (9), 2355–2359.

Y_2BaCuO_5

– Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_7$.–R. J. Barham and D. C. Doetschman; **7** (3), 565–571.

$Y_2Ba_4Cu_7O_{15}$

– Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

Y_2O_3

– Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics.–Y-S. Her, E. Matijević, and W. R. Wilcox; **7** (8), 2269–2272.

Y_2O_3–SiO_2

– Crystallization of various compositions in the Y_2O_3–SiO_2 system.–Suresh Kumar and Charles H. Drummond, III; **7** (4), 997–1003.

$Y(OH)CO_3$

– Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics.–Y-S. Her, E. Matijević, and W. R. Wilcox; **7** (8), 2269–2272.

Zeolite

– Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms.–Yves Lefebvre, Serge Lacelle, and Carmel Jolicoeur; **7** (7), 1888–1891.

ZnO

– Sol-gel processing of varistor powders.–Gert Hohenberger and Gerhard Tomandl; **7** (3), 546–548.

– Nanoindentation of nanocrystalline ZnO.–M. J. Mayo, R. W. Siegel, Y. X. Liao, and W. D. Nix; **7** (4), 973–979.

– Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic.–Tapan K. Gupta; **7** (12), 3280–3295.

ZnO:Al

– Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic.–Tapan K. Gupta; **7** (12), 3280–3295.

ZnO : (Bi, Mn, Ti)

– Flat interfaces in zinc oxide-based varistor ceramics.–Gun Yong Sung, Stuart McKernan, and C. Barry Carter; **7** (2), 474–481.

ZnO:K

– Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic.–Tapan K. Gupta; **7** (12), 3280–3295.

Zr–Ba–Al–La–Th(glass)

– Highly stable fluoride glass.–Abdessamad Elyamani, Elias Snitzer, Robert Pafchek, and George H. Sigel, Jr.; **7** (6), 1541–1544.

Zr_3Al

– Disordering and amorphization of $L1_2$-type alloys by mechanical attrition.–T. Benameur and A. R. Yavari; **7** (11), 2971–2977.

ZrFy–BaF_2–LaF_3–AlF_3(glass)

– Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses.–A. M. Mailhot, A. Elyamani, and R. E. Riman; **7** (6), 1534–1540.

ZrO_2/Ni

– Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures.–C-D. Qin and B. Derby; **7** (6), 1480–1488.

ZrO_2/Si

– Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **7** (11), 3065–3071.

AUTHOR INDEX TO VOLUME 7

All authors of papers published in Volume 7 are listed alphabetically with the issue and page number following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. Page numbers are cited in ascending order.

A

Abe, Yoshihiro–Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_y$ glass-ceramics.–Kazumi Hirata, Yukio Kubo, and Yoshihiro Abe; **7** (1), 48–52.

–Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$.–Yoshihiro Abe, Kazumi Hirata, Hideo Hosono, and Yukio Kubo; **7** (7), 1599–1601(L).

Achenbach, Jan D.–Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices.–Jin O. Kim, Jan D. Achenbach, Meenam Shinn, and Scott A. Barnett; **7** (8), 2248–2256.

Adams, C. D.–Phase separation during co-deposition of Al–Ge thin films.–C. D. Adams, M. Atzmon, Y-T. Cheng, and D. J. Srolovitz; **7** (3), 653–666.

Adams, Donald F.–An investigation of the isotropy of epoxy polymers.–Edwin M. Odom and Donald F. Adams; **7** (12), 3352–3358.

Adams, J. B.–The application of the analytic embedded atom method to bcc metals and alloys.–A. M. Guellil and J. B. Adams; **7** (3), 639–652.

Adams, James B.–Self-diffusion along twist grain boundaries in Cu.–Miki Nomura and James B. Adams; **7** (12), 3202–3212.

Adams, P. M.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; **7** (9), 2546–2554.

Ager, Joel W., III–Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films.–Bharat Bhushan, Andrew J. Kellock, Nam-Hee Cho, and Joel W. Ager, III; **7** (2), 404–410.

Agrawal, D. K.–Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; **7** (8), 2294–2298.

Agrawal, Dinesh K.–Fabrication of porous hydroxyapatite ceramics by microwave processing.–Yi Fang, Dinesh K. Agrawal, Della M. Roy, and Rustum Roy; **7** (2), 490–494.

Agulló-López, F.–Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J. C. Soares, M. F. da Silva, J. A. Sanz-García, E. Dieguez, and F. Agulló-López; **7** (1), 130–135.

Ahrens, Thomas J.–Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; **7** (6), 1501–1518.

Albella, J. M.–Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders.–C. Gomez-Aleixandre, J. M. Albella, J. M. Martínez-Duart, and F. Orgaz; **7** (10), 2864–2868.

Alexandrescu, R.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; **7** (8), 2257–2268.

Allard, L. F.–Synthesis and characterization of SiC whiskers.–L. Wang, H. Wada, and L. F. Allard; **7** (1), 148–163.

–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis.–G. R. Fox, S. B. Krupanidhi, K. L. More, and L. F. Allard; **7** (11), 3039–3055.

Allem, R.–Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments.–R. Allem, F. Lavallée, G. L'Espérance, R. Schulz, and M. L. Trudeau; **7** (11), 2936–2941.

Alterescu, S.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Altstetter, C. J.–Characteristics of nanophase TiAl produced by inert gas condensation.–H. Chang, C. J. Altstetter, and R. S. Averback; **7** (11), 2962–2970.

Åman, C.–Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter.–C. Åman, J. B. C. Pettersson, H. Lindroth, and L. Holmlid; **7** (1), 100–104.

Amundson, Neal R.–Pulsed-power volume-heating chemical vapor infiltration.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **7** (9), 2447–2457.

Ancrenaz, P.–Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression.–P. Ancrenaz, C. Nguy, and C. Servant; **7** (9), 2387–2394.

Anderson, Alfred B.–Hydrogen binding and diffusion in diamond.–S. P. Mehandru, Alfred B. Anderson, and John C. Angus; **7** (3), 689–695.

Anderson, Marc A.–A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania.–Vincent A. Hackley, Marc A. Anderson, and Steve Spooner; **7** (9), 2555–2571.

Andersson, O. E.–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects.–M. Lelaurain, J. F. Marêché, E. McRae, O. E. Andersson, and B. Sundqvist; **7** (11), 2978–2988.

–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity.–O. E. Andersson, B. Sundqvist, E. McRae, J. F. Marêché, and M. Lelaurain; **7** (11), 2989–3000.

Andriasova, I. A.–Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

Angus, John C.–Hydrogen binding and diffusion in diamond.–S. P. Mehandru, Alfred B. Anderson, and John C. Angus; **7** (3), 689–695.

–Twinning and faceting in early stages of diamond growth by chemical vapor deposition.–John C. Angus, Mahendra Sunkara, Scott R. Sahaida, and Jeffrey T. Glass; **7** (11), 3001–3009.

Anholt, Micha–Fracture behavior of short-fiber reinforced materials.–Michael Murat, Micha Anholt, and H. Daniel Wagner; **7** (11), 3120–3131.

Aoki, K.–Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

Apte, Prasad–Synthesis of yttrium aluminum garnet by reverse strike precipitation.–Prasad Apte, Harry Burke, and Helen Pickup; **7** (3), 706–711.

Arai, K.–Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; **7** (9), 2337–2342.

Arai, T.–Two different low friction mechanisms of diamond-like carbon with silicon coatings formed by plasma-assisted chemical vapor deposition.–K. Oguri and T. Arai; **7** (6), 1313–1316(L).

Arnesen, T.–Laser processed Al_3Ti-based intermetallics: $Al_{5\pm x}$-$Ti_{2\pm y}$(Fe, Ni, or Cu)$_{1\pm z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

Asai, G.–Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys.–J. Rawers, G. Asai, R. Doan, and J. Dunning; **7** (5), 1083–1092.

Ascarelli, P.–Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase.–E. Molinari, R. Polini, M. L. Terranova, P. Ascarelli, and S. Fontana; **7** (7), 1778–1787.

Assink, Roger A.–Intercalation of molecular species into the interstitial sites of fullerene.–Roger A. Assink, James E. Schirber, Douglas A. Loy, Bruno Morosin, and Gary A. Carlson; **7** (8), 2136–2143.

Atake, Tooru–Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K.–Katsuya Honda, Tooru Atake, and Yasutoshi Saito; **7** (1), 80–84.

Atzmon, M.–Phase separation during co-deposition of Al–Ge thin films.–C. D. Adams, M. Atzmon, Y-T. Cheng, and D. J. Srolovitz; **7** (3), 653–666.

Averback, R. S.–Characteristics of nanophase TiAl produced by inert gas condensation.–H. Chang, C. J. Altstetter, and R. S. Averback; **7** (11), 2962–2970.

Awano, Masanobu–Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method.–Yasumasa Takao, Masanobu Awano, and Hiroyoshi Takagi; **7** (11), 2942–2947.

–Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; **7** (12), 3185–3193.

B

Babonneau, Florence–Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders.–Gian Domenico Sorarù, Alberto Ravagni, Roberto Dal Maschio, Giovanni Carturan, and Florence Babonneau; **7** (5), 1266–1270.

Babu, Suryadevara V.–Laser induced deposition of copper and lead powders.–Dontula Narasimharao, Suryadevara V. Babu, and Don H. Rasmussen; **7** (5), 1104–1114.

Bacsa, R.–Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates.–R. Bacsa, P. Ravindranathan, and J. P. Dougherty; **7** (2), 423–428.

Badrinarayan, S.–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Bai, H. Y.–Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H. Y. Bai, W. H. Wang, Y. Zhang, H. Chen, and W. K. Wang; **7** (6), 1423–1426.

Bailey, J. K.–The direct observation of structural development during vanadium pentoxide gelation.–J. K. Bailey, G. A. Pozarnsky, and M. L. Mecartney; **7** (9), 2530–2537.

Baker, I.–Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds.–P. R. Munroe and I. Baker; **7** (8), 2119–2125.

Balachandran, U.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; **7** (2), 283–291.

Ballal, A. K.–Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates.–A. K. Ballal, L. Salamanca-Riba, G. L. Doll, C. A. Taylor, II, and R. Clarke; **7** (7), 1618–1620(L).

Baratay, Fabrice–Nonlinear silicon oxide growth patterns in a gold-silicon system.–Gervais Leclerc, Louis Paquin, and Fabrice Baratay; **7** (9), 2458–2464.

Barham, R. J.–Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_{7-}$.–R. J. Barham and D. C. Doetschman; **7** (3), 565–571.

Barkatt, A.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Barna, P. B.–Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition.–P. B. Barna, A. Csanády, U. Timmer, and K. Urban; **7** (5), 1115–1125.

Barnett, S. A.–Growth, structure, and microhardness of epitaxial TiN/NbN superlattices.–M. Shinn, L. Hultman, and S. A. Barnett; **7** (4), 901–911.

Barnett, Scott A.–Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices.–Jin O. Kim, Jan D. Achenbach, Meenam Shinn, and Scott A. Barnett; **7** (8), 2248–2256.

Bartholomeusz, Michael F.–Modeling of crack tip dislocation emission in B2 intermetallic alloys.–Michael F. Bartholomeusz and John A. Wert; **7** (4), 919–925.

Battezzati, L.–Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix.–R. Dal Maschio, S. Dirè, G. Carturan, S. Enzo, and L. Battezzati; **7** (2), 435–443.

Bauer, M.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; **7** (1), 178–184.

Beard, B. C.–Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy.–B. C. Beard, H. W. Sandusky, B. C. Glancy, and W. L. Elban; **7** (12), 3266–3274.

Beauchamp, K. M.–Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}$/Dy_2O_3 multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R. Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; **7** (1), 29–33.

Beck, Donald D.–The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide.–Donald D. Beck and Richard W. Siegel; **7** (10), 2840–2845.

Beetz, C. P., Jr.–Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111).–S. H. Tan, C. P. Beetz, Jr., J. M. Carulli, Jr., B. Y. Lin, and D. F. Cummings; **7** (7), 1816–1821.

Béguin, F.–New evidence for supported metals in the reaction of KC_8 with metal chlorides.–A. Messaoudi and F. Béguin; **7** (2), 418–422.

Benameur, T.–Disordering and amorphization of $L1_2$-type alloys by mechanical attrition.–T. Benameur and A. R. Yavari; **7** (11), 2971–2977.

Berden, W. C. M.–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

Berkstresser, G.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

Bernardi, Johannes–Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$.–L. Rabenberg, Josef Fidler, and Johannes Bernardi; **7** (7), 1762–1768.

Berriche, R.–An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique.–V. Raman and R. Berriche; **7** (3), 627–638.

Bhadra, R.–Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; **7** (6), 1356–1369.

Bhalla, Amar S.–Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$.–A. V. Prasadarao, Ulagaraj Selvaraj, Sridhar Komarneni, and Amar S. Bhalla; **7** (10), 2859–2863.

Bhattacharya, Deepika–Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; **7** (10), 2639–2642(L).

Bhushan, Bharat–Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond

films.–Bharat Bhushan, Andrew J. Kellock, Nam-Hee Cho, and Joel W. Ager, III; 7 (2), 404–410.

–Processing of diamond/alumina composites for low wear applications.–May-Ying Chu, Bharat Bhushan, and Lutgard C. De Jonghe; 7 (11), 3010–3018.

Birkholz, M.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R. J. D. Tilley; 7 (7), 1829–1838.

Birnie, D. P., III–Copper vanadates as candidate materials for phase change optical memory.–D. P. Birnie, III, J. D. Weinberg, and D. G. Swanson; 7 (3), 741–744.

Birtcher, Robert C.–The amorphization of complex silicates by ion-beam irradiation.–Ray K. Eby, Rodney C. Ewing, and Robert C. Birtcher; 7 (11), 3080–3102.

Blanco, J. M.–Effect of the direction of field annealing on the stress + field induced magnetic anisotropy in Co–Fe–Ni amorphous alloys.–J. González and J. M. Blanco; 7 (7), 1602–1605(L).

Blanpain, B.–The effect of Cu on morphological instabilities in thin Al/Pt films.–E. G. Colgan and B. Blanpain; 7 (5), 1093–1095.

Boatner, L. A.–The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$.–J. Rankin, J. C. McCallum, and L. A. Boatner; 7 (3), 717–724.

–Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$.–B. C. Sales, B. C. Chakoumakos, L. A. Boatner, and J. O. Ramey; 7 (10), 2646–2649(L).

Boerma, D. O.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; 7 (10), 2689–2712.

Bohac, P.–Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment.–B. Heeb, S. Oesch, P. Bohac, and L. J. Gauckler; 7 (11), 2948–2955.

Boily, S.–A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; 7 (9), 2478–2487.

Bokhimi–Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system.–A. García-Ruiz, Bokhimi, and M. Portilla; 7 (1), 24–28.

Bond, G. M.–Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; 7 (6), 1501–1518.

Bonevich, John E.–The sintering behavior of ultrafine alumina particles.–John E. Bonevich and Laurence D. Marks; 7 (6), 1489–1500.

Boolchand, P.–A Mössbauer spectroscopy study of nanoscale Ge–Sn dispersions prepared by ball milling.–P. Boolchand and C. C. Koch; 7 (10), 2876–2883.

Booske, John H.–Mechanisms for nonthermal effects on ionic mobility during microwave processing of crystalline solids.–John H. Booske, Reid F. Cooper, and Ian Dobson; 7 (2), 495–501.

Bormann, R.–Ion irradiation induced phase formation in Al–Ni.–K. Kyllesbech Larsen, N. Karpe, J. Bøttiger, and R. Bormann; 7 (4), 861–867.

Boroomand, M.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; 7 (4), 808–812.

Borsella, E.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; 7 (8), 2257–2268.

Botti, S.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; 7 (8), 2257–2268.

Bøttiger, J.–Ion irradiation induced phase formation in Al–Ni.–K. Kyllesbech Larsen, N. Karpe, J. Bøttiger, and R. Bormann; 7 (4), 861–867.

–On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; 7 (4), 926–933.

Bou, P.–Diamond film nucleation and interface characterization.–P. Bou, L. Vandenbulcke, R. Herbin, and F. Hillion; 7 (8), 2151–2159.

Bourgerette, C.–Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy.–C. Bourgerette, A. Oberlin, and M. Inagaki; 7 (5), 1158–1173.

Bowman, R. R.–The effect of strain rate and temperature on the tensile properties of NiAl.–R. D. Noebe, C. L. Cullers, and R. R. Bowman; 7 (3), 605–612.

Bozkurt, B.–Expanding heat source model for thermal spalling of TiB_2 in electrical discharge machining.–A. M. Gadalla and B. Bozkurt; 7 (10), 2853–2858.

Brady, M.–Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; 7 (12), 3260–3265.

Brandle, C. D.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; 7 (10), 2650–2657.

Bravman, John C.–Separation of film thickness and grain boundary strengthening effects in Al thin films on Si.–Ramnath Venkatraman and John C. Bravman; 7 (8), 2040–2048.

Brec, R.–Structural study of room temperature synthesized nickel thiophosphate *a*–$NiPS_3$.–P. Fragnaud, E. Prouzet, and R. Brec; 7 (7), 1839–1846.

Breese, M. B. H.–Determination of size and distribution of second phases using nuclear microscopy.–M. B. H. Breese, L. T. Romano, C. J. Salter, G. W. Grime, and F. Watt; 7 (9), 2373–2378.

Brennan, S.–Observation of a rapid amorphization reaction.–T. C. Hufnagel, S. Brennan, A. P. Payne, and B. M. Clemens; 7 (8), 1976–1979(L).

Briant, C. L.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; 7 (6), 1317–1327.

Briggs, J. S.–Properties of $Bi_2Sr_2CaCu_2O_8$ thick films melt-processed at temperatures up to 950 °C.–W. C. McGinnis and J. S. Briggs; 7 (3), 585–591.

Brimhall, J. L.–Phase formation and stability in sputter deposited Be–Nb compounds.–J. L. Brimhall, L. A. Charlot, and S. M. Bruemmer; 7 (1), 89–99.

Brinkman, A. W.–X-ray photoelectron spectroscopy of nickel manganese oxide thermistors.–T. Hashemi and A. W. Brinkman; 7 (5), 1278–1282.

Brooks, Keith–Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; 7 (4), 992–996.

Brotzen, F. R.–On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation.–G. M. Pharr, W. C. Oliver, and F. R. Brotzen; 7 (3), 613–617.

Brow, R. K.–A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass.–R. K. Brow, Z. A. Osborne, and R. J. Kirkpatrick; 7 (7), 1892–1899.

Brown, J. R.–Vacancies and antisite defects in ordered alloys.–R. A. Johnson and J. R. Brown; 7 (12), 3213–3218.

Brown, P. W.–Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; 7 (8), 2294–2298.

Bruemmer, S. M.–Phase formation and stability in sputter deposited Be–Nb compounds.–J. L. Brimhall, L. A. Charlot, and S. M. Bruemmer; **7** (1), 89–99.

Brusatin, G.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; **7** (6), 1413–1422.

Buchanan, Relva C.–Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **7** (11), 3065–3071.

Buechele, A. C.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Bunker, B. C.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; **7** (7), 1876–1882.

Bunshah, R. F.–Crystallinity of $Y_1Ba_2Cu_3O_{7-x}$ films grown on MgO by activated reactive evaporation.–Shiva Prakash and R. F. Bunshah; **7** (9), 2343–2348.

Bura, A.–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

Burke, Harry–Synthesis of yttrium aluminum garnet by reverse strike precipitation.–Prasad Apte, Harry Burke, and Helen Pickup; **7** (3), 706–711.

Burns, Janet L.–Morphological studies of nanoclusters on grid-supported polymer thin films.–Richard J. Spontak, Janet L. Burns, and Charles J. Echer; **7** (9), 2593–2598.

Burns, S. J.–Anisotropic thermal conductivity of rare earth–transition metal thin films.–L. J. Shaw-Klein, T. K. Hatwar, S. J. Burns, S. D. Jacobs, and J. C. Lambropoulos; **7** (2), 329–334.

C

Callahan, Daniel L.–The extent of phase transformation in silicon hardness indentations.–Daniel L. Callahan and Jonathan C. Morris; **7** (7), 1614–1617(L).

Campion, Isabelle–Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **7** (11), 3065–3071.

Campostrini, R.–Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel.–R. Campostrini, G. Carturan, M. Ferrari, M. Montagna, and O. Pilla; **7** (3), 745–753.

Camus, G. M.–The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy.–G. M. Camus, D. J. Duquette, and N. S. Stoloff; **7** (2), 313–320.

Canovai, C. A.–Partial agglomeration during Co silicide film formation.–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; **7** (2), 269–272(L).

–Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. **7**, 269 (1992)].–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; **7** (11), 3159(A).

Canut, B.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; **7** (1), 178–184.

Carcia, P. F.–Microstructure of LaB_6-base thick film resistors.–Z. G. Li, P. F. Carcia, and P. C. Donohue; **7** (8), 2225–2229.

Cardinale, G. F.–Fracture strength measurement of filament assisted CVD polycrystalline diamond films.–G. F. Cardinale and C. J. Robinson; **7** (6), 1432–1437.

Carim, A. H.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; **7** (7), 1876–1882.

Carim, Altaf H.–Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition.–Timothy L. Ward, Toivo T. Kodas, Altaf H. Carim, Donald M. Kroeger, and Huey Hsu; **7** (4), 827–836.

Carlberg, Torbjörn–Reactions between liquid silicon and vitreous silica.–Zhensheng Liu and Torbjörn Carlberg; **7** (2), 352–358.

Carlson, Gary A.–Intercalation of molecular species into the interstitial sites of fullerene.–Roger A. Assink, James E. Schirber, Douglas A. Loy, Bruno Morosin, and Gary A. Carlson; **7** (8), 2136–2143.

Carmichael, C. A.–A study of pest oxidation in polycrystalline $MoSi_2$.–C. G. McKamey, F. Tortorelli, J. H. DeVan, and C. A. Carmichael; **7** (10), 2747–2755.

Carmona, F.–Temperature and pressure dependence of the conductivity anisotropy of unidirectional short carbon fiber filled polymers.–F. Carmona and A. El Amarti; **7** (1), 117–123.

Carter, C. Barry–Flat interfaces in zinc oxide-based varistor ceramics.–Gun Yong Sung, Stuart McKernan, and C. Barry Carter; **7** (2), 474–481.

–The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$.–Stuart McKernan, M. Grant Norton, and C. Barry Carter; **7** (5), 1052–1059.

–Direct observation of nucleation embryos during $NiFe_2O_4$ precipitation in NiO.–Scott R. Summerfelt and C. Barry Carter; **7** (5), 1271–1277.

–Solid krypton in MgO.–M. Grant Norton, C. Barry Carter, Elizabeth L. Fleischer, and James W. Mayer; **7** (12), 3171–3174(L).

Carturan, G.–Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix.–R. Dal Maschio, S. Dirè, G. Carturan, S. Enzo, and L. Battezzati; **7** (2), 435–443.

–Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel.–R. Campostrini, G. Carturan, M. Ferrari, M. Montagna, and O. Pilla; **7** (3), 745–753.

Carturan, Giovanni–Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders.–Gian Domenico Sorarù, Alberto Ravagni, Roberto Dal Maschio, Giovanni Carturan, and Florence Babonneau; **7** (5), 1266–1270.

Carulli, J. M., Jr.–Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111).–S. H. Tan, C. P. Beetz, Jr., J. M. Carulli, Jr., B. Y. Lin, and D. F. Cummings; **7** (7), 1816–1821.

Casale, C.–Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

Cassanho, A.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

Cave, J.–Bi-based high T_c superconducting fibers by melt extraction.–J. J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J. O. Ström-Olsen, and J. Cave; **7** (9), 2365–2372.

Cerio, F. M.–Diamond growth using carbon monoxide as a carbon source.–F. M. Cerio, W. A. Weimer, and C. E. Johnson; **7** (5), 1195–1203.

Cerio, Frank M.–Efficiency of methane and acetylene in forming diamond by microwave plasma assisted chemical vapor deposition.–Curtis E. Johnson, Wayne A. Weimer, and Frank M. Cerio; **7** (6), 1427–1431.

Chabala, J. M.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **7** (3), 572–579.

Chaker, M.–A study of the effect of composition on the microstructural evolution of a-Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M.A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J.C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; 7 (9), 2478–2487.

Chakoumakos, B.C.–Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$.–B.C. Sales, B.C. Chakoumakos, L.A. Boatner, and J.O. Ramey; 7 (10), 2646–2649(L).

Chan, Helen M.–On the constrained crystallization of synthetic anorthite ($CaO \cdot Al_2O_3 \cdot 2SiO_2$).–Nitin P. Padture and Helen M. Chan; 7 (1), 170–177.

Chang, C.T.–Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor.–D.H. Chen, S.R. Sheen, C.T. Chang, C.Y. Shei, and W-M. Hurng; 7 (9), 2317–2323.

Chang, Dick J.–Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites.–Gerald S. Rellick, Dick J. Chang, and Rafael J. Zaldivar; 7 (10), 2798–2809.

Chang, H.–Characteristics of nanophase TiAl produced by inert gas condensation.–H. Chang, C.J. Altstetter, and R.S. Averback; 7 (11), 2962–2970.

Chang, H.L.M.–Structural properties of epitaxial TiO_2 films grown on sapphire ($11\bar{2}0$) by MOCVD.–H.L.M. Chang, H. You, Y. Gao, J. Guo, C.M. Foster, R.P. Chiarello, T.J. Zhang, and D.J. Lam; 7 (9), 2495–2506.

Chang, J.J.–Bi-based high T_c superconducting fibers by melt extraction.–J.J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J.O. Ström-Olsen, and J. Cave; 7 (9), 2365–2372.

Chang, R.P.H.–Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces.–T.P. Ong, Fulin Xiong, R.P.H. Chang, and C.W. White; 7 (9), 2429–2439.

Chang, Y.A.–Phase equilibria and ternary phase formation in the In–Ni–P system.–S.E. Mohney and Y.A. Chang; 7 (4), 955–960.

Charlot, L.A.–Phase formation and stability in sputter deposited Be–Nb compounds.–J.L. Brimhall, L.A. Charlot, and S.M. Bruemmer; 7 (1), 89–99.

Chaudhry, M.I.–Absorption coefficient of β–SiC grown by chemical vapor deposition.–Attaullah Solangi and M.I. Chaudhry; 7 (3), 539–541(L).

Chaudhry, Sangeeta–Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films.–Sangeeta Chaudhry, Neeraj Khare, and A.K. Gupta; 7 (8), 2027–2034.

Chaudhuri, J.–Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study.–R. Debnath and J. Chaudhuri; 7 (12), 3348–3351.

Chayahara, Akiyoshi–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; 7 (7), 1652–1657.

Chen, C.–Investigation of the heat-affected zone fracture in Ni_3Al welds.–G.H. Chen and C. Chen; 7 (5), 1076–1082.

Chen, D.H.–Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor.–D.H. Chen, S.R. Sheen, C.T. Chang, C.Y. Shei, and W-M. Hurng; 7 (9), 2317–2323.

Chen, G.H.–Investigation of the heat-affected zone fracture in Ni_3Al welds.–G.H. Chen and C. Chen; 7 (5), 1076–1082.

Chen, H.–Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H.Y. Bai, W.H. Wang, Y. Zhang, H. Chen, and W.K. Wang; 7 (6), 1423–1426.

Chen, Nan–Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$.–Nan Chen, S.J. Rothman, J.L. Routbort, and K.C. Goretta; 7 (9), 2308–2316.

Cheng, Y.F.–TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys.–Y.F. Cheng, V. Hansen, J. Gjønnes, and L. Reine Wallenberg; 7 (12), 3235–3241.

Cheng, Y-T.–Phase separation during co-deposition of Al–Ge thin films.–C.D. Adams, M. Atzmon, Y-T. Cheng, and D.J. Srolovitz; 7 (3), 653–666.

Chern, C.S.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metal-organic chemical vapor deposition.–P. Lu, J. Zhao, C.S. Chern, Y.Q. Li, G.A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; 7 (8), 1993–2002.

Chi, K.M.–Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I), (hfac)Cu(1,5-COD).–A. Jain, K.M. Chi, M.J. Hampden-Smith, T.T. Kodas, J.D. Farr, and M.F. Paffett; 7 (2), 261–264(L).

Chi, P.–Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition.–B. Molnar, P. Chi, and D. Simons; 7 (8), 2186–2193.

Chiarello, R.P.–Structural properties of epitaxial TiO_2 films grown on sapphire ($11\bar{2}0$) by MOCVD.–H.L.M. Chang, H. You, Y. Gao, J. Guo, C.M. Foster, R.P. Chiarello, T.J. Zhang, and D.J. Lam; 7 (9), 2495–2506.

Chiarello, Ronald P.–Epitaxial growth of Cu_2O films on MgO by sputtering.–Dean J. Miller, Jeffrey D. Hettinger, Ronald P. Chiarello, and Hyung K. Kim; 7 (10), 2828–2832.

Cho, Nam-Hee–Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films.–Bharat Bhushan, Andrew J. Kellock, Nam-Hee Cho, and Joel W. Ager, III; 7 (2), 404–410.

Choi, D.–Preparation of molybdenum nitride thin films by N^+ ion implantation.–J-G. Choi, D. Choi, and L.T. Thompson; 7 (2), 374–378.

Choi, J-G.–Preparation of molybdenum nitride thin films by N^+ ion implantation.–J-G. Choi, D. Choi, and L.T. Thompson; 7 (2), 374–378.

Choo, W.K.–Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys.–C.T. Lee, K.H. Han, I.H. Kook, and W.K. Choo; 7 (7), 1690–1695.

Chou, Chen-Chia–Initial stage Fe-clustering in the Au–Fe spin-glass system.–Chen-Chia Chou and C.M. Wayman; 7 (2), 321–328.

Chou, ChinHao–Plasma production of metallic nanoparticles.–ChinHao Chou and Jonathan Phillips; 7 (8), 2107–2113.

Chou, T.C.–Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC.–T.C. Chou and A. Joshi; 7 (5), 1253–1265.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. Nb/$MoSi_2$ systems.–T.C. Chou, T.G. Nieh, T.Y. Tsui, G.M. Pharr, and W.C. Oliver; 7 (10), 2765–2773.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system.–T.C. Chou, T.G. Nieh, S.D. McAdams, G.M. Pharr, and W.C. Oliver; 7 (10), 2774–2784.

Choudhari, S.M.–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R.D. Vispute, S.B. Ogale, S.M. Choudhari, S.M. Kanetkar, S.K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S.V. Ghaisas; 7 (12), 3250–3254.

Chow, Lee–Growth of (100) oriented diamond thin films on ball structure diamond-like particles.–Lee Chow, Alan Horner, Hooman Sakouri, Bahram Roughani, and Swaminatha Sundaram; 7 (7), 1606–1609(L).

Christou, Aristotelis–Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon.–Alexandros Georgakilas, Athanasios Dimoulas, Aristotelis Christou, and John Stoemenos; 7 (8), 2194–2204.

Chu, C-J.–Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route.–S-J. Ting, C-J. Chu, and J.D. Mackenzie; 7 (1), 164–169.

Chu, May-Ying–Processing of diamond/alumina composites for low wear applications.–May-Ying Chu, Bharat Bhushan, and Lutgard C. De Jonghe; **7** (11), 3010–3018.

Chu, Peir-Yung–Phase transformation and preferred orientation in carboxylate derived ZrO_2 thin films on silicon substrates.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **7** (11), 3065–3071.

Chumbley, L. S.–Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$.–Ming Xu, E. T. Voiles, L. S. Chumbley, A. I. Goldman, and D. K. Finnemore; **7** (5), 1283–1285.

–Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen.–T. G. Holesinger, D. J. Miller, and L. S. Chumbley; **7** (7), 1658–1671.

–Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles.–T. G. Holesinger, D. J. Miller, S. Fleshler, and L. S. Chumbley; **7** (8), 2035–2039.

Clarke, D. R.–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; **7** (4), 961–972.

Clarke, R.–Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates.–A. K. Ballal, L. Salamanca-Riba, G. L. Doll, C. A. Taylor, II, and R. Clarke; **7** (7), 1618–1620(L).

Clauss, C.–Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J. L. Routbort, K. C. Goretta, D. J. Miller, D. B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

Clemens, B. M.–Metastable copper-chromium alloy films.–A. P. Payne and B. M. Clemens; **7** (6), 1370–1376.

–Observation of a rapid amorphization reaction.–T. C. Hufnagel, S. Brennan, A. P. Payne, and B. M. Clemens; **7** (8), 1976–1979(L).

Clevenger, L. A.–Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni.–E. Ma, L. A. Clevenger, and C. V. Thompson; **7** (6), 1350–1355.

Clinard, F. W., Jr.–Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)].–R. A. Youngman, T. E. Mitchell, F. W. Clinard, Jr., and G. F. Hurley; **7** (3), 772(E).

Colgan, E. G.–The effect of Cu on morphological instabilities in thin Al/Pt films.–E. G. Colgan and B. Blanpain; **7** (5), 1093–1095.

Conley, K. M.–Subcritical crack growth along epoxy/glass interfaces.–K. M. Conley, J. E. Ritter, and T. J. Lardner; **7** (9), 2621–2629.

Cook, R. F.–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; **7** (4), 961–972.

Cooper, Reid F.–Mechanisms for nonthermal effects on ionic mobility during microwave processing of crystalline solids.–John H. Booske, Reid F. Cooper, and Ian Dobson; **7** (2), 495–501.

Coppa, N. V.–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

Cosandey, F.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metal-organic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; **7** (8), 1993–2002.

Courtney, T. H.–Milling and mechanical alloying of inorganic nonmetallics.–T. Kosmac and T. H. Courtney; **7** (6), 1519–1525.

Craven, C. A.–Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Cros, B.–A study of the effect of composition on the microstructural evolution of $a\text{–}Si_xC_{1-x}$:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Crow, J. E.–Synthesis of high phase pure cuprate superconductors via xerogel precursors.–J. Macho, R. W. Schaeffer, G. H. Myer, R. E. Salomon, and J. E. Crow; **7** (5), 1046–1051.

–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

Csanády, A.–Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition.–P. B. Barna, A. Csanády, U. Timmer, and K. Urban; **7** (5), 1115–1125.

Cullers, C. L.–The effect of strain rate and temperature on the tensile properties of NiAl.–R. D. Noebe, C. L. Cullers, and R. R. Bowman; **7** (3), 605–612.

Cummings, D. F.–Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111).–S. H. Tan, C. P. Beetz, Jr., J. M. Carulli, Jr., B. Y. Lin, and D. F. Cummings; **7** (7), 1816–1821.

Cuomo, J. J.–Epitaxial growth of C_{60} thin films on mica.–W. Krakow, N. M. Rivera, R. A. Roy, R. S. Ruoff, and J. J. Cuomo; **7** (4), 784–787(L).

Curcio, F.–Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

Custer, J. S.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

D

Dal Maschio, R.–Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix.–R. Dal Maschio, S. Dirè, G. Carturan, S. Enzo, and L. Battezzati; **7** (2), 435–443.

Dal Maschio, Roberto–Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders.–Gian Domenico Sorarù, Alberto Ravagni, Roberto Dal Maschio, Giovanni Carturan, and Florence Babonneau; **7** (5), 1266–1270.

da Silva, M. F.–Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J. C. Soares, M. F. da Silva, J. A. Sanz-García, E. Dieguez, and F. Agulló-López; **7** (1), 130–135.

Date, S. K.–Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, V. G. Gunjikar, and S. K. Date; **7** (2), 429–434.

Davies, P. K.–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

Davis, B. M.–Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; **7** (6), 1356–1369.

Davis, D. D.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Deb, K. K.–Pyroelectric characteristics of modified barium titanate ceramics.–K. K. Deb, M. D. Hill, and J. F. Kelly; **7** (12), 3296–3305.

Debnath, R.–Inhibiting effect of $AlPO_4$ and SiO_2 on the anatase ⟶ rutile transformation reaction: An x-ray and laser Raman study.–R. Debnath and J. Chaudhuri; **7** (12), 3348–3351.

DebRoy, T.–Diamond growth with locally supplied methane and acetylene.–W. A. Yarbrough, K. Tankala, and T. DebRoy; **7** (2), 379–383.

de Castro, B.–A new class of composite materials: Matrix autoreinforced organic material–MARIOM.–A. Wyler, R. T. Markus, H. J. Wagner, and B. de Castro; **7** (8), 1990–1992(L).

De Hosson, J.T.M.–Determination of grain boundary geometry using TEM.–H. Jang, D. Farkas, and J.T.M. De Hosson; **7** (7), 1707–1717.

De Jonghe, Lutgard C.–Processing of diamond/alumina composites for low wear applications.–May-Ying Chu, Bharat Bhushan, and Lutgard C. De Jonghe; **7** (11), 3010–3018.

de Keijser, Th.H.–Ion beam synthesis of nitride layers in iron.–A.M. Vredenberg, C.M. Pérez-Martin, J.S. Custer, D.O. Boerma, L. de Wit, F.W. Saris, N.M. van der Pers, Th.H. de Keijser, and E.J. Mittemeijer; **7** (10), 2689–2712.

DeLuca, J.A.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J.E. Tkaczyk, C.L. Briant, J.A. DeLuca, E.L. Hall, P.L. Karas, K.W. Lay, E. Narumi, and D.T. Shaw; **7** (6), 1317–1327.

De Michele, G.–Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

Derby, B.–Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures.–C-D. Qin and B. Derby; **7** (6), 1480–1488.

Desgardin, G.–Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics.–I. Monot, J. Wang, G. Desgardin, and B. Raveau; **7** (2), 273–282.

Deshpande, S.B.–Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders.–H.S. Potdar, S.B. Deshpande, P.D. Godbole, V.G. Gunjikar, and S.K. Date; **7** (2), 429–434.

DeVan, J.H.–A study of pest oxidation in polycrystalline $MoSi_2$.–C.G. McKamey, F. Tortorelli, J.H. DeVan, and C.A. Carmichael; **7** (10), 2747–2755.

Dève, H.E.–Role of interface properties on the toughness of brittle matrix composites reinforced with ductile fibers.–H.E. Dève and S. Schmauder; **7** (11), 3132–3138.

Devenish, R.W.–The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R.W. Devenish, S. Mulley, B.T. Heaton, and G. Longoni; **7** (10), 2810–2816.

de Wit, L.–Ion beam synthesis of nitride layers in iron.–A.M. Vredenberg, C.M. Pérez-Martin, J.S. Custer, D.O. Boerma, L. de Wit, F.W. Saris, N.M. van der Pers, Th.H. de Keijser, and E.J. Mittemeijer; **7** (10), 2689–2712.

Dhote, A.M.–Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A.M. Dhote, S.C. Patil, S.M. Kanetkar, S.A. Gangal, and S.B. Ogale; **7** (7), 1685–1689.

Dickinson, J.T.–Scanning tunneling microscope observations of polymer fracture surfaces.–D.M. Kulawansa, S.C. Langford, and J.T. Dickinson; **7** (5), 1292–1302.

Dieguez, E.–Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J.C. Soares, M.F. da Silva, J.A. Sanz-García, E. Dieguez, and F. Agulló-López; **7** (1), 130–135.

Dikonimos-Makris, T.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; **7** (8), 2257–2268.

Dimigen, H.–Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

–The properties of W–C:H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

Dimoulas, Athanasios–Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon.–Alexandros Georgakilas, Athanasios Dimoulas, Aristotelis Christou, and John Stoemenos; **7** (8), 2194–2204.

Dinger, T.R.–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G.M. Pharr, W.C. Oliver, R.F. Cook, P.D. Kirchner, M.C. Kroll, T.R. Dinger, and D.R. Clarke; **7** (4), 961–972.

Dirè, S.–Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix.–R. Dal Maschio, S. Dirè, G. Carturan, S. Enzo, and L. Battezzati; **7** (2), 435–443.

Dixon, M.–Sputtered YBCO films on metal substrates.–E. Yin, M. Rubin, and M. Dixon; **7** (7), 1636–1640.

Doan, R.–Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys.–J. Rawers, G. Asai, R. Doan, and J. Dunning; **7** (5), 1083–1092.

Dobson, Ian–Mechanisms for nonthermal effects on ionic mobility during microwave processing of crystalline solids.–John H. Booske, Reid F. Cooper, and Ian Dobson; **7** (2), 495–501.

Doetschman, D.C.–Single crystal electron paramagnetic resonance study of Y_2BaCuO_5, a common impurity in the high temperature superconductor, $YBa_2Cu_3O_7$.–R.J. Barham and D.C. Doetschman; **7** (3), 565–571.

Doh, Jim–Optical properties of polycrystalline CdSe films.–Tapan K. Gupta and Jim Doh; **7** (5), 1243–1246.

Doll, G.L.–Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates.–A.K. Ballal, L. Salamanca-Riba, G.L. Doll, C.A. Taylor, II, and R. Clarke; **7** (7), 1618–1620(L).

Domínguez-Rodríguez, A.–Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J.L. Routbort, K.C. Goretta, D.J. Miller, D.B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

Donohue, P.C.–Microstructure of LaB_6-base thick film resistors.–Z.G. Li, P.F. Carcia, and P.C. Donohue; **7** (8), 2225–2229.

Dougherty, J.P.–Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates.–R. Bacsa, P. Ravindranathan, and J.P. Dougherty; **7** (2), 423–428.

Dow, John D.–InP under high pressures.–M-H. Tsai, John D. Dow, and R.V. Kasowski; **7** (8), 2205–2210.

Doychak, J.–Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures.–S.V. Raj, M. Hebsur, I.E. Locci, and J. Doychak; **7** (12), 3219–3234.

Dravid, Vinayak P.–Transmission electron microscopy of C_{70} single crystals at room temperature.–Vinayak P. Dravid, Xiwei Lin, Hong Zhang, Shengzhong Liu, and Manfred M. Kappes; **7** (9), 2440–2446.

Dresselhaus, M.S.–Metal-insulator transition in highly disordered carbon fibers.–K. Kuriyama and M.S. Dresselhaus; **7** (4), 940–945.

–Structural characterization of heat-treated activated carbon fibers.–A.M. Rao, A.W.P. Fung, M.S. Dresselhaus, and M. Endo; **7** (7), 1788–1794.

Drigo, A.V.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P.G. Merli, A. Migliori, G. Brusatin, A.V. Drigo, C. Gerardi, and A. Guerrieri; **7** (6), 1413–1422.

Drory, M.D.–Slow crack growth of CVD diamond.–M.D. Drory and C.F. Gardinier; **7** (4), 781–783(L).

Drumheller, John E.–Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R.S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; **7** (4), 837–843.

Drummond, Charles H., III–Crystallization of various compositions in the Y_2O_3–SiO_2 system.–Suresh Kumar and Charles H. Drummond, III; **7** (4), 997–1003.

Dudley, Michael–Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals.–Gong-Da Yao, Shang Yun Hou, Michael Dudley, and Julia M. Phillips; **7** (7), 1847–1855.

Dulski, P.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R.J.D. Tilley; **7** (7), 1829–1838.

Dunning, J.–Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys.–J. Rawers, G. Asai, R. Doan, and J. Dunning; **7** (5), 1083–1092.

Duquette, D. J.–The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy.–G. M. Camus, D. J. Duquette, and N. S. Stoloff; 7 (2), 313–320.

Durand, J.–A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; 7 (9), 2478–2487.

Dusek, J. T.–Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors.–J. P. Singh, R. A. Guttschow, J. T. Dusek, and R. B. Poeppel; 7 (9), 2324–2332.

Dyer, P. E.–An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite.–P. E. Dyer, S. T. Lau, G. A. Oldershaw, and D. Schudel; 7 (5), 1152–1157.

E

Eades, J. A.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; 7 (3), 572–579.

Eastman, M. P.–Solid solutions in the system Ag_2S–Ag_2Se.–N. E. Pingitore, B. F. Ponce, M. P. Eastman, F. Moreno, and C. Podpora; 7 (8), 2219–2224.

Eby, Ray K.–The amorphization of complex silicates by ion-beam irradiation.–Ray K. Eby, Rodney C. Ewing, and Robert C. Birtcher; 7 (11), 3080–3102.

Echer, Charles J.–Morphological studies of nanoclusters on grid-supported polymer thin films.–Richard J. Spontak, Janet L. Burns, and Charles J. Echer; 7 (9), 2593–2598.

Eckert, J.–Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; 7 (7), 1751–1761.

–Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; 7 (8), 1980–1983(L).

Economou, Demetre J.–Pulsed-power volume-heating chemical vapor infiltration.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; 7 (9), 2447–2457.

Eddy, C. R., Jr.–Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD.–C. R. Eddy, Jr., D. L. Youchison, B. D. Sartwell, and K. S. Grabowski; 7 (12), 3255–3259.

Edgar, J. H.–Prospects for device implementation of wide band gap semiconductors.–J. H. Edgar; 7 (1), 235–252.

Egami, T.–On the atomic interdiffusion in Co/Pt superlattices.–X. Yan, T. Egami, E. E. Marinero, R. F. C. Farrow, and C. H. Lee; 7 (6), 1309–1312(L).

Eklund, P. C.–Photoluminescence and optical absorption in CaS:Eu^{2+}:Sm^{3+} thin films.–J. G. Zhang, P. C. Eklund, Z. L. Hua, L. G. Salamanca-Riba, M. Wuttig, P. K. Soltani, and G. M. Storti; 7 (2), 411–417.

El Amarti, A.–Temperature and pressure dependence of the conductivity anisotropy of unidirectional short carbon fiber filled polymers.–F. Carmona and A. El Amarti; 7 (1), 117–123.

Elban, W. L.–Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy.–B. C. Beard, H. W. Sandusky, B. C. Glancy, and W. L. Elban; 7 (12), 3266–3274.

El-Eskandarany, M. Sherif–Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; 7 (4), 888–893.

El Khakani, M. A.–A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; 7 (9), 2478–2487.

Ellis, C.–Selective growth of diamond crystals on the apex of silicon pyramids.–R. Ramesham and C. Ellis; 7 (5), 1189–1194.

El-Mallawany, Raouf–Structural and vibrational investigations of thermal properties of tellurite glasses.–Raouf El-Mallawany; 7 (1), 224–228.

Elmasry, Mohamed–High temperature reactions within SiC–Al_2O_3 composites.–Ahmed Gadalla, Mohamed Elmasry, and Paisan Kongkachuichay; 7 (9), 2585–2592.

Elyamani, A.–Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses.–A. M. Mailhot, A. Elyamani, and R. E. Riman; 7 (6), 1534–1540.

Elyamani, Abdessamad–Highly stable fluoride glass.–Abdessamad Elyamani, Elias Snitzer, Robert Pafchek, and George H. Sigel, Jr.; 7 (6), 1541–1544.

Endo, M.–Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (5), 1178–1188.

–Structural characterization of heat-treated activated carbon fibers.–A. M. Rao, A. W. P. Fung, M. S. Dresselhaus, and M. Endo; 7 (7), 1788–1794.

–Preferred orientation of high performance carbon fibers.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (9), 2612–2620.

Enzo, S.–Phase separation in gel-derived materials, separation and crystallization of SnO_2 within an amorphous SiO_2 matrix.–R. Dal Maschio, S. Dirè, G. Carturan, S. Enzo, and L. Battezzati; 7 (2), 435–443.

–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; 7 (8), 2257–2268.

–Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; 7 (9), 2418–2423.

Ethier, Stéphane–Epitaxial growth of $Si_{1-x}Ge_x$ on Si(100)2 × 1: A molecular-dynamics study.–Stéphane Ethier and Laurent J. Lewis; 7 (10), 2817–2827.

Etzold, K. F.–Substrate and temperature effects in lead zirconate titanate films produced by facing targets sputtering.–R. A. Roy and K. F. Etzold; 7 (6), 1455–1464.

Everson, M. P.–Investigation of growth rates and morphology for diamond growth by chemical vapor deposition.–M. P. Everson and M. A. Tamor; 7 (6), 1438–1444.

Ewing, Rodney C.–The amorphization of complex silicates by ion-beam irradiation.–Ray K. Eby, Rodney C. Ewing, and Robert C. Birtcher; 7 (11), 3080–3102.

F

Fabes, B. D.–The determination of film hardness from the composite response of film and substrate to nanometer scale indentations.–B. D. Fabes, W. C. Oliver, R. A. McKee, and F. J. Walker; 7 (11), 3056–3064.

Fabietti, L. M.–Growth of noncrystallographic dendrites.–L. M. Fabietti and J. A. Sekhar; 7 (8), 1987–1989(L).

Fahey, R. E.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; 7 (10), 2650–2657.

Fan, Jia-Fa–Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide.–Koji Sugioka, Jia-Fa Fan, Koichi Toyoda, Hiromichi Waki, and Hiroshi Takai; 7 (1), 185–191.

Fang, Y.–Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; 7 (8), 2294–2298.

Fang, Yi–Fabrication of porous hydroxyapatite ceramics by microwave processing.–Yi Fang, Dinesh K. Agrawal, Della M. Roy, and Rustum Roy; 7 (2), 490–494.

Fantoni, R.–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; **7** (8), 2257–2268.

Farabaugh, Edward N.–Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles.–Lawrence H. Robins, Edward N. Farabaugh, and Albert Feldman; **7** (2), 394–403.

Farkas, D.–Determination of grain boundary geometry using TEM.–H. Jang, D. Farkas, and J. T. M. De Hosson; **7** (7), 1707–1717.

Farr, J. D.–Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I), (hfac)Cu(1,5-COD).–A. Jain, K. M. Chi, M. J. Hampden-Smith, T. T. Kodas, J. D. Farr, and M. F. Paffett; **7** (2), 261–264(L).

Farrow, R. F. C.–On the atomic interdiffusion in Co/Pt superlattices.–X. Yan, T. Egami, E. E. Marinero, R. F. C. Farrow, and C. H. Lee; **7** (6), 1309–1312(L).

Feigelson, R. S.–Surface migration and volume diffusion in the $AgGaSe_2$–Ag_2Se system.–N-H. Kim, R. S. Feigelson, and R. K. Route; **7** (5), 1215–1220.

Feldman, Albert–Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles.–Lawrence H. Robins, Edward N. Farabaugh, and Albert Feldman; **7** (2), 394–403.

Ferrari, M.–Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel.–R. Campostrini, G. Carturan, M. Ferrari, M. Montagna, and O. Pilla; **7** (3), 745–753.

Fidler, Josef–Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$.–L. Rabenberg, Josef Fidler, and Johannes Bernardi; **7** (7), 1762–1768.

Fiechter, S.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R. J. D. Tilley; **7** (7), 1829–1838.

Finnemore, D. K.–Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$.–Ming Xu, E. T. Voiles, L. S. Chumbley, A. I. Goldman, and D. K. Finnemore; **7** (5), 1283–1285.

Fischer, J. E.–Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; **7** (2), 335–340.

Fitzgerald, E. A.–Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen.–E. S. Hellman, E. H. Hartford, and E. A. Fitzgerald; **7** (4), 795–800.

Fleischer, Elizabeth L.–Solid krypton in MgO.–M. Grant Norton, C. Barry Carter, Elizabeth L. Fleischer, and James W. Mayer; **7** (12), 3171–3174(L).

Fleshler, S.–Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles.–T. G. Holesinger, D. J. Miller, S. Fleshler, and L. S. Chumbley; **7** (8), 2035–2039.

Foecke, T.–Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy.–S. R. Snyder, T. Foecke, H. S. White, and W. W. Gerberich; **7** (2), 341–344.

–Brittle fracture of nickel by dynamic indentation.–J. W. Hoehn, T. Foecke, and W. W. Gerberich; **7** (8), 1973–1975(L).

Foltyn, S.–Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R. E. Muenchausen, S. Foltyn, N. Nogar, and A. D. Rollett; **7** (3), 549–557.

Foltyn, S. R.–Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films.–X. D. Wu, L. Luo, R. E. Muenchausen, and S. R. Foltyn; **7** (3), 531–534(L).

Fontana, S.–Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase.–E. Molinari, R. Polini, M. L. Terranova, P. Ascarelli, and S. Fontana; **7** (7), 1778–1787.

Fork, D. K.–Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia.–D. K. Fork, S. M. Garrison, Marilyn Hawley, and T. H. Geballe; **7** (7), 1641–1651.

Foster, C. M.–Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; **7** (9), 2495–2506.

Fox, G. R.–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis.–G. R. Fox, S. B. Krupanidhi, K. L. More, and L. F. Allard; **7** (11), 3039–3055.

Fragnaud, P.–Structural study of room temperature synthesized nickel thiophosphate a–$NiPS_3$.–P. Fragnaud, E. Prouzet, and R. Brec; **7** (7), 1839–1846.

Frattini, R.–Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; **7** (9), 2418–2423.

Freeman, A. J.–Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl.–T. Hong and A. J. Freeman; **7** (1), 68–79.

–Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl.–W. Lin, Jian-hua Xu, and A. J. Freeman; **7** (3), 592–604.

–On the electronic basis of the phosphorus intergranular embrittlement of iron.–Ruqian Wu, A. J. Freeman, and G. B. Olson; **7** (9), 2403–2411.

Freiburg, Ch.–An $Al_{13}Co_4$ phase in the Al–Cu–Co alloy system.–B. Grushko and Ch. Freiburg; **7** (5), 1100–1103.

Fripiat, Jose J.–Interaction between atomic hydrogen and $YBa_2Cu_3O_7$.–Angel L. G. Ponce and Jose J. Fripiat; **7** (11), 2908–2915.

Froes, F. H.–Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S. N. Patankar, and F. H. Froes; **7** (8), 2114–2118.

Fujihara, Shinobu–Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method.–Shinobu Fujihara, Haoren Zhuang, Toshinobu Yoko, Hiromitsu Kozuka, and Sumio Sakka; **7** (9), 2355–2359.

Fukui, Toshimi–Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (1), 192–196.

–Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (4), 791–794(L).

–Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (7), 1883–1887.

–Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder.–Masahiko Okuyama, Toshimi Fukui, and Chihiro Sakurai; **7** (8), 2281–2287.

Fultz, B.–Kinetics of short- and long-range B2 ordering in ternary alloys.–B. Fultz; **7** (4), 946–954.

Fultz, Brent–A microstructural study of mechanical alloying of Fe and Sn powders.–Gérard Le Caër, Paolo Matteazzi, and Brent Fultz; **7** (6), 1387–1395.

Fung, A. W. P.–Structural characterization of heat-treated activated carbon fibers.–A. M. Rao, A. W. P. Fung, M. S. Dresselhaus, and M. Endo; **7** (7), 1788–1794.

Furuyama, M.–Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; **7** (5), 1178–1188.

–Preferred orientation of high performance carbon fibers.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; **7** (9), 2612–2620.

G

Gadalla, A. M.–Expanding heat source model for thermal spalling of TiB_2 in electrical discharge machining.–A. M. Gadalla and B. Bozkurt; **7** (10), 2853–2858.

Gadalla, Ahmed–High temperature reactions within $SiC–Al_2O_3$ composites.–Ahmed Gadalla, Mohamed Elmasry, and Paisan Kongkachuichay; **7** (9), 2585–2592.

Gallois, B.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metal-organic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; **7** (8), 1993–2002.

Gangal, S. A.–Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A. M. Dhote, S. C. Patil, S. M. Kanetkar, S. A. Gangal, and S. B. Ogale; **7** (7), 1685–1689.

Ganzerla, R.–Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; **7** (9), 2418–2423.

Gao, Y.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; **7** (2), 283–291.

–Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; **7** (9), 2495–2506.

García-Ruiz, A.–Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system.–A. García-Ruiz, Bokhimi, and M. Portilla; **7** (1), 24–28.

Gardiner, Robin–Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films.–Peter C. Van Buskirk, Robin Gardiner, Peter S. Kirlin, and Steven Nutt; **7** (3), 542–545(L).

Gardinier, C. F.–Slow crack growth of CVD diamond.–M. D. Drory and C. F. Gardinier; **7** (4), 781–783(L).

Garrison, S. M.–Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia.–D. K. Fork, S. M. Garrison, Marilyn Hawley, and T. H. Geballe; **7** (7), 1641–1651.

Gat, E.–A study of the effect of composition on the microstructural evolution of $a–Si_xC_{1-x}$:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Gauckler, L. J.–Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment.–B. Heeb, S. Oesch, P. Bohac, and L. J. Gauckler; **7** (11), 2948–2955.

Gault, C.–High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$.–S. Suasmoro, D. S. Smith, M. Lejeune, M. Huger, and C. Gault; **7** (7), 1629–1635.

Gea, L.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; **7** (1), 178–184.

Geballe, T. H.–Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia.–D. K. Fork, S. M. Garrison, Marilyn Hawley, and T. H. Geballe; **7** (7), 1641–1651.

Gengxiang, Hu–Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

Georgakilas, Alexandros–Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon.–Alexandros Georgakilas, Athanasios Dimoulas, Aristotelis Christou, and John Stoemenos; **7** (8), 2194–2204.

Gerardi, C.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; **7** (6), 1413–1422.

Gerberich, W. W.–Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy.–S. R. Snyder, T. Foecke, H. S. White, and W. W. Gerberich; **7** (2), 341–344.

–Microscratch analysis of the work of adhesion for Pt thin films on NiO.–S. Venkataraman, D. L. Kohlstedt, and W. W. Gerberich; **7** (5), 1126–1132.

–Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W. W. Gerberich, J. Heberlein, and E. Pfender; **7** (8), 1967–1969(L).

–Brittle fracture of nickel by dynamic indentation.–J. W. Hoehn, T. Foecke, and W. W. Gerberich; **7** (8), 1973–1975(L).

Gervais, M.–$YBa_2Cu_3O_{6+\delta}$ microcrystals by extraction of a nonstoichiometric melt.–N. Pellerin, M. Gervais, and P. Odier; **7** (3), 558–564.

Ghaisas, S. V.–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Ghaisas, Smita–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Giersig, M.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R. J. D. Tilley; **7** (7), 1829–1838.

Gilman, John J.–Insulator-metal transitions at microindentations.–John J. Gilman; **7** (3), 535–538(L).

Giorgi, M.–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

Giorgi, R.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; **7** (8), 2257–2268.

Gjønnes, J.–Laser processed Al_3Ti-based intermetallics: $Al_{5\pm x}Ti_{2\pm y}(Fe, Ni, or Cu)_{1\pm z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

–Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm x}Ti_{25-y}(Fe, Ni, or Cu)_{12.5-z}$ using ALCHEMI.–Y. Ma and J. Gjønnes; **7** (8), 2049–2058.

–TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys.–Y. F. Cheng, V. Hansen, J. Gjønnes, and L. Reine Wallenberg; **7** (12), 3235–3241.

Glancy, B. C.–Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy.–B. C. Beard, H. W. Sandusky, B. C. Glancy, and W. L. Elban; **7** (12), 3266–3274.

Glass, J. T.–*In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond.–B. R. Stoner, B. E. Williams, S. D. Wolter, K. Nishimura, and J. T. Glass; **7** (2), 257–260(L).

Glass, Jeffrey T.–Improved uniformity and selected area deposition of diamond by the oxy-acetylene flame method.–Jesko A. von Windheim and Jeffrey T. Glass; **7** (8), 2144–2150.

–Twinning and faceting in early stages of diamond growth by chemical vapor deposition.–John C. Angus, Mahendra Sunkara, Scott R. Sahaida, and Jeffrey T. Glass; **7** (11), 3001–3009.

Glicksman, M. E.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

Gobba, Wafaa A.–Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys.–J. D. Patterson, Wafaa A. Gobba, and S. L. Lehoczky; **7** (8), 2211–2218.

Godbole, M. J.–Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples.–M. J. Godbole, A. J. Pedraza, D. H. Lowndes, and J. R. Thompson, Jr.; **7** (4), 1004–1010.

Godbole, P. D.–Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, V. G. Gunjikar, and S. K. Date; **7** (2), 429–434.

Godbole, V. P.–Synthesis of diamond films on Hastelloy.–V. P. Godbole and J. Narayan; **7** (10), 2785–2790.

Gökoğlu, S. A.–Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties.–S. A. Gökoğlu, M. Kuczmarski, and L. C. Veitch; **7** (11), 3023–3031.

Goldman, A. I.–Synthesis and characterization of ceramic $(Sr_{1-x}$-$Ca_x)_2CuO_3$.–Ming Xu, E. T. Voiles, L. S. Chumbley, A. I. Goldman, and D. K. Finnemore; **7** (5), 1283–1285.

Goldman, A. M.–Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R. Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; **7** (1), 29–33.

Gomez-Aleixandre, C.–Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders.–C. Gomez-Aleixandre, J. M. Albella, J. M. Martínez-Duart, and F. Orgaz; **7** (10), 2864–2868.

González, J.–Effect of the direction of field annealing on the stress + field induced magnetic anisotropy in Co–Fe–Ni amorphous alloys.–J. González and J. M. Blanco; **7** (7), 1602–1605(L).

González-Carreño, T.–The formation of α–Fe_2O_3 monodispersed particles in solution.–M. P. Morales, T. González-Carreño, and C. J. Serna; **7** (9), 2538–2545.

Goodnow, D. C.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; **7** (7), 1876–1882.

Gordon, Roy G.–Chemical vapor deposition of aluminum nitride thin films.–Roy G. Gordon, Umar Riaz, and David M. Hoffman; **7** (7), 1679–1684.

Goretta, K. C.–Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$.–Nan Chen, S. J. Rothman, J. L. Routbort, and K. C. Goretta; **7** (9), 2308–2316.

–Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J. L. Routbort, K. C. Goretta, D. J. Miller, D. B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

Goto, Tomoko–Magnetization properties of solution-spun Y–Ba–Cu–O filament.–Tomoko Goto and Takaaki Sugishita; **7** (1), 11–15.

Gottlieb, M.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

Gouy-Pailler, Ph.–Characterization of tungsten-carbon layers deposited on stainless steel by reactive magnetron sputtering.–Y. Pauleau and Ph. Gouy-Pailler; **7** (8), 2070–2079.

Goyal, D.–TEM observations of the mechanism of delamination of chromium films from silicon substrates.–D. Goyal and A. H. King; **7** (2), 359–366.

Grabowski, K. S.–Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD.–C. R. Eddy, Jr., D. L. Youchison, B. D. Sartwell, and K. S. Grabowski; **7** (12), 3255–3259.

Graham, R. A.–Shock-induced reaction synthesis (SRS) of nickel aluminides.–N. N. Thadhani, S. Work, R. A. Graham, and W. F. Hammetter; **7** (5), 1063–1075.

Green, David J.–The effect of crack growth stability induced by residual compressive stresses on strength variability.–Rajan Tandon and David J. Green; **7** (3), 765–771.

Greer, A. L.–On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; **7** (4), 926–933.

Grill, A.–Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; **7** (12), 3260–3265.

Grime, G. W.–Determination of size and distribution of second phases using nuclear microscopy.–M. B. H. Breese, L. T. Romano, C. J. Salter, G. W. Grime, and F. Watt; **7** (9), 2373–2378.

Grimsditch, M.–Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; **7** (6), 1356–1369.

Groza, Joanna R.–Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes.–Joanna R. Groza, Subhash H. Risbud, and Kazuo Yamazaki; **7** (10), 2643–2645(L).

Gruen, D. M.–Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Grushko, B.–An $Al_{13}Co_4$ phase in the Al–Cu–Co alloy system.–B. Grushko and Ch. Freiburg; **7** (5), 1100–1103.

–On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys.–B. Grushko, R. Wittmann, and K. Urban; **7** (10), 2713–2723.

Guellil, A. M.–The application of the analytic embedded atom method to bcc metals and alloys.–A. M. Guellil and J. B. Adams; **7** (3), 639–652.

Guerrieri, A.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; **7** (6), 1413–1422.

Gujrathi, S.–A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x} : H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Gunjikar, V. G.–Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, V. G. Gunjikar, and S. K. Date; **7** (2), 429–434.

Guo, J.–Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; **7** (9), 2495–2506.

Gupta, A. K.–Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films.–Sangeeta Chaudhry, Neeraj Khare, and A. K. Gupta; **7** (8), 2027–2034.

Gupta, R. K.–Effective dispersants for concentrated, nonaqueous suspensions.–I. Sushumna, R. K. Gupta, and E. Ruckenstein; **7** (10), 2884–2893.

Gupta, Tapan K.–Optical properties of polycrystalline CdSe films.–Tapan K. Gupta and Jim Doh; **7** (5), 1243–1246.

–Kinetics of interfacial reaction between borosilicate glass and sapphire substrate.–Jau-Ho Jean and Tapan K. Gupta; **7** (9), 2514–2520.

–Crystallization kinetics of binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **7** (11), 3103–3111.

–Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic.–Tapan K. Gupta; **7** (12), 3280–3295.

–Isothermal and nonisothermal sintering kinetics of glass-filled ceramics.–Jau-Ho Jean and Tapan K. Gupta; **7** (12), 3342–3347.

Guttschow, R. A.–Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors.–J. P. Singh, R. A. Guttschow, J. T. Dusek, and R. B. Poeppel; **7** (9), 2324–2332.

H

Haasch, R. T.–The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys.–R. T. Haasch, A. M. Venezia, and C. M. Loxton; **7** (6), 1341–1349.

Hackley, Vincent A.–A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania.–Vincent A. Hackley, Marc A. Anderson, and Steve Spooner; 7 (9), 2555–2571.

Hadjipanayis, G.C.–Aerosol synthesis of gadolinium iron garnet particles.–H.K. Xu, C.M. Sorensen, K.J. Klabunde, and G.C. Hadjipanayis; 7 (3), 712–716.

Haga, T.–Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; 7 (11), 2916–2919.

Haley, T.E.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N.B. Singh, E.P.A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M.E. Glicksman, and T.E. Haley; 7 (9), 2507–2510.

Hall, E.L.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J.E. Tkaczyk, C.L. Briant, J.A. DeLuca, E.L. Hall, P.L. Karas, K.W. Lay, E. Narumi, and D.T. Shaw; 7 (6), 1317–1327.

Hamada, T.–Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (5), 1178–1188.

–Preferred orientation of high performance carbon fibers.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (9), 2612–2620.

Hammetter, W.F.–Shock-induced reaction synthesis (SRS) of nickel aluminides.–N.N. Thadhani, S. Work, R.A. Graham, and W.F. Hammetter; 7 (5), 1063–1075.

Hampden-Smith, M.J.–Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I),(hfac)Cu(1,5-COD).–A. Jain, K.M. Chi, M.J. Hampden-Smith, T.T. Kodas, J.D. Farr, and M.F. Paffett; 7 (2), 261–264(L).

Han, K.H.–Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys.–C.T. Lee, K.H. Han, I.H. Kook, and W.K. Choo; 7 (7), 1690–1695.

Hanada, S.–Environmental embrittlement of γ titanium aluminide.–T. Takasugi, S. Hanada, and M. Yoshida; 7 (10), 2739–2746.

Hanigofsky, John A.–Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system.–T.S. Moss, John A. Hanigofsky, and W.J. Lackey; 7 (3), 754–764.

Hansen, V.–TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys.–Y.F. Cheng, V. Hansen, J. Gjønnes, and L. Reine Wallenberg; 7 (12), 3235–3241.

Hara, N.–Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method.–Y. Masuda, R. Ogawa, Y. Kawate, T. Tateishi, and N. Hara; 7 (2), 292–298.

Hara, Naohiro–Microstructures of Bi-based oxide superconductors doped with Sb.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Naohiro Hara, and Tsuyoshi Tateishi; 7 (10), 2667–2672.

Haraguchi, Ichiroh–Particle size effects on colloidal processing of oxide powders.–Yoshihiro Hirata, Ichiroh Haraguchi, and Yoshimi Ishihara; 7 (9), 2572–2578.

Hare, T.M.–Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor.–M.W. Shin, T.M. Hare, A.I. Kingon, and C.C. Koch; 7 (12), 3194–3201.

Hartford, E.H.–Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen.–E.S. Hellman, E.H. Hartford, and E.A. Fitzgerald; 7 (4), 795–800.

Hartmann, A.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R.J.D. Tilley; 7 (7), 1829–1838.

Hashemi, T.–X-ray photoelectron spectroscopy of nickel manganese oxide thermistors.–T. Hashemi and A.W. Brinkman; 7 (5), 1278–1282.

Hashimoto, Takuya–Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; 7 (6), 1336–1340.

Hatanaka, Kazuhiro–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; 7 (7), 1652–1657.

Hatwar, T.K.–Anisotropic thermal conductivity of rare earth–transition metal thin films.–L.J. Shaw-Klein, T.K. Hatwar, S.J. Burns, S.D. Jacobs, and J.C. Lambropoulos; 7 (2), 329–334.

Hawkins, K.–Crystallographic changes in $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites: XPS and XAES investigations.–S. Myhra, J.C. Rivière, K. Hawkins, and T.J. White; 7 (2), 482–489.

Hawley, Marilyn–Effects of homoepitaxial surfaces and interface compounds on the in-plane epitaxy of YBCO films on yttria-stabilized zirconia.–D.K. Fork, S.M. Garrison, Marilyn Hawley, and T.H. Geballe; 7 (7), 1641–1651.

Hay, Jack C.–The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites.–Arthur J. Lucchesi, Jack C. Hay, and Kenneth W. White; 7 (7), 1795–1804.

Hayashi, Seiji–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; 7 (1), 5–10.

Hazzledine, P.M.–The crystallography of cleavage fracture in Al_3Sc.–J.H. Schneibel and P.M. Hazzledine; 7 (4), 868–875.

Headley, T.J.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B.A. Tuttle, T.J. Headley, B.C. Bunker, R.W. Schwartz, T.J. Zender, C.L. Hernandez, D.C. Goodnow, R.J. Tissot, J. Michael, and A.H. Carim; 7 (7), 1876–1882.

Heaton, B.T.–The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R.W. Devenish, S. Mulley, B.T. Heaton, and G. Longoni; 7 (10), 2810–2816.

Heberlein, J.–Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W.W. Gerberich, J. Heberlein, and E. Pfender; 7 (8), 1967–1969(L).

Hebsur, M.–Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures.–S.V. Raj, M. Hebsur, I.E. Locci, and J. Doychak; 7 (12), 3219–3234.

Hebsur, Mohan G.–Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy.–Mohan G. Hebsur, Ivan E. Locci, S.V. Raj, and Michael V. Nathal; 7 (7), 1696–1706.

Heeb, B.–Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment.–B. Heeb, S. Oesch, P. Bohac, and L.J. Gauckler; 7 (11), 2948–2955.

Heidelbach, F.–Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R.E. Muenchausen, S. Foltyn, N. Nogar, and A.D. Rollett; 7 (3), 549–557.

Heinisch, H.L.–An atomic simulation of the influence of hydrogen on the fracture behavior of nickel.–R.G. Hoagland and H.L. Heinisch; 7 (8), 2080–2088.

Hellman, E.S.–Molecular beam epitaxy of dysprosium barium cuprous oxides using molecular oxygen.–E.S. Hellman, E.H. Hartford, and E.A. Fitzgerald; 7 (4), 795–800.

Hemker, K.J.–A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments.–K.J. Hemker, M.J. Mills, and W.D. Nix; 7 (8), 2059–2069.

Henager, C.H., Jr.–Optical and physical properties of sputtered Si:Al:O:N films.–R.W. Knoll and C.H. Henager, Jr.; 7 (5), 1247–1252.

Her, Y-S.–Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics.–Y-S. Her, E. Matijević, and W. R. Wilcox; **7** (8), 2269–2272.

Herbin, R.–Diamond film nucleation and interface characterization.–P. Bou, L. Vandenbulcke, R. Herbin, and F. Hillion; **7** (8), 2151–2159.

Hernandez, C. L.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; **7** (7), 1876–1882.

Hettinger, Jeffrey D.–Epitaxial growth of Cu_2O films on MgO by sputtering.–Dean J. Miller, Jeffrey D. Hettinger, Ronald P. Chiarello, and Hyung K. Kim; **7** (10), 2828–2832.

Higuchi, K.–Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition.–M. Kohzaki, K. Higuchi, S. Noda, and K. Uchida; **7** (7), 1769–1777.

Hill, M. D.–Pyroelectric characteristics of modified barium titanate ceramics.–K. K. Deb, M. D. Hill, and J. F. Kelly; **7** (12), 3296–3305.

Hillion, F.–Diamond film nucleation and interface characterization.–P. Bou, L. Vandenbulcke, R. Herbin, and F. Hillion; **7** (8), 2151–2159.

Hinks, D. G.–Chemistry and structural modulations in $Bi_2Sr_2CuO_6$.–Y. Shen, D. R. Richards, D. G. Hinks, and A. W. Mitchell; **7** (4), 844–852.

Hirata, Kazumi–Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_x$ glass-ceramics.–Kazumi Hirata, Yukio Kubo, and Yoshihiro Abe; **7** (1), 48–52.

–Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$.–Yoshihiro Abe, Kazumi Hirata, Hideo Hosono, and Yukio Kubo; **7** (7), 1599–1601(L).

Hirata, Yoshihiro–Particle size effects on colloidal processing of oxide powders.–Yoshihiro Hirata, Ichiroh Haraguchi, and Yoshimi Ishihara; **7** (9), 2572–2578.

Hirayama, Shigekazu–Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films.–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (7), 1805–1808.

–Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. **7**, 1805 (1992)].–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (11), 3160(E).

Hirth, John P.–Analysis of extended dislocation faults.–Arun M. Kumar and John P. Hirth; **7** (7), 1718–1721.

Hishiyama, Yoshihiro–Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction.–Michio Inagaki and Yoshihiro Hishiyama; **7** (5), 1174–1177.

–Electron channeling effect on highly oriented graphites–Size evaluation and oriented mapping of crystals.–Akira Yoshida and Yoshihiro Hishiyama; **7** (6), 1400–1405.

Hlavacek, Vladimir–Modeling of a–Si:H deposition in a dc glow discharge reactor.–Dariusz Orlicki, Vladimir Hlavacek, and Hendrik J. Viljoen; **7** (8), 2160–2181.

Hoagland, R. G.–An atomic simulation of the influence of hydrogen on the fracture behavior of nickel.–R. G. Hoagland and H. L. Heinisch; **7** (8), 2080–2088.

Hoehn, J. W.–Brittle fracture of nickel by dynamic indentation.–J. W. Hoehn, T. Foecke, and W. W. Gerberich; **7** (8), 1973–1975(L).

Hoffman, David M.–Chemical vapor deposition of aluminum nitride thin films.–Roy G. Gordon, Umar Riaz, and David M. Hoffman; **7** (7), 1679–1684.

Hohenberger, Gert–Sol-gel processing of varistor powders.–Gert Hohenberger and Gerhard Tomandl; **7** (3), 546–548(L).

Hojaji, H.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Holesinger, T. G.–Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen.–T. G. Holesinger, D. J. Miller, and L. S. Chumbley; **7** (7), 1658–1671.

–Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles.–T. G. Holesinger, D. J. Miller, S. Fleshler, and L. S. Chumbley; **7** (8), 2035–2039.

Holmlid, L.–Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter.–C. Åman, J. B. C. Pettersson, H. Lindroth, and L. Holmlid; **7** (1), 100–104.

Holzer, J. C.–Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; **7** (7), 1751–1761.

–Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; **7** (8), 1980–1983(L).

Homma, N.–Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, H. Takahashi, S. Okayama, T. Morishita, and S. Tanaka; **7** (4), 813–818.

–Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; **7** (11), 2916–2919.

Honda, Katsuya–Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K.–Katsuya Honda, Tooru Atake, and Yasutoshi Saito; **7** (1), 80–84.

Hong, Gye-Won–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Hong, T.–Effect of stoichiometry on the structural properties and the electronic structure of intermetallics: Anti-phase boundary energies in FeAl and NiAl.–T. Hong and A. J. Freeman; **7** (1), 68–79.

Hopkins, R.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

Horn, Roger G.–Repulsive interaction between coplanar cracks in the double-cantilever geometry.–Kai-tak Wan, Brian R. Lawn, and Roger G. Horn; **7** (6), 1584–1588.

Horner, Alan–Growth of (100) oriented diamond thin films on ball structure diamond-like particles.–Lee Chow, Alan Horner, Hooman Sakouri, Bahram Roughani, and Swaminatha Sundaram; **7** (7), 1606–1609(L).

Hosono, Hideo–Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$.–Yoshihiro Abe, Kazumi Hirata, Hideo Hosono, and Yukio Kubo; **7** (7), 1599–1601(L).

Hou, S. Y.–Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process.–M. P. Siegal, S. Y. Hou, Julia M. Phillips, T. H. Tiefel, and J. H. Marshall; **7** (10), 2658–2666.

Hou, Shang Yun–Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals.–Gong-Da Yao, Shang Yun Hou, Michael Dudley, and Julia M. Phillips; **7** (7), 1847–1855.

Hrabe, Zdenek–The influence of water vapor on thermal transformations of boehmite.–Zdenek Hrabe, Sridhar Komarneni, Ladislav Pach, and Rustum Roy; **7** (2), 444–449.

Hsu, Huey–Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition.–Timothy L. Ward, Toivo T. Kodas, Altaf H. Carim, Donald M. Kroeger, and Huey Hsu; **7** (4), 827–836.

Hu, S.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M.

Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Hua, Z. L.–Photoluminescence and optical absorption in CaS : Eu^{2+} : Sm^{3+} thin films.–J. G. Zhang, P. C. Eklund, Z. L. Hua, L. G. Salamanca-Riba, M. Wuttig, P. K. Soltani, and G. M. Storti; **7** (2), 411–417.

Hübsch, H.–Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

–The properties of W–C : H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

Hufnagel, T. C.–Observation of a rapid amorphization reaction.–T. C. Hufnagel, S. Brennan, A. P. Payne, and B. M. Clemens; **7** (8), 1976–1979(L).

Huger, M.–High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$.–S. Suasmoro, D. S. Smith, M. Lejeune, M. Huger, and C. Gault; **7** (7), 1629–1635.

Hultman, L.–Growth, structure, and microhardness of epitaxial TiN/NbN superlattices.–M. Shinn, L. Hultman, and S. A. Barnett; **7** (4), 901–911.

Hung, Cheng-Hung–Formation of mixed oxide powders in flames: Part I. TiO_2–SiO_2.–Cheng-Hung Hung and Joseph L. Katz; **7** (7), 1861–1869.

–Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2.–Cheng-Hung Hung, Philippe F. Miquel, and Joseph L. Katz; **7** (7), 1870–1875.

Hung, L. S.–$Bi_2Sr_2CaCu_2O_{8+x}$ films prepared by fluorinated precursors in dry ambient.–L. S. Hung; **7** (11), 2956–2961.

Hung, M.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; **7** (4), 808–812.

Hurley, G. F.–Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)].–R. A. Youngman, T. E. Mitchell, F. W. Clinard, Jr., and G. F. Hurley; **7** (3), 772(E).

Hurng, W-M.–Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor.–D. H. Chen, S. R. Sheen, C. T. Chang, C. Y. Shei, and W-M. Hurng; **7** (9), 2317–2323.

I

Ibrahim, Manjula M.–Determination of particle size distribution in an Fe_2O_3-based catalyst using magnetometry and x-ray diffraction.–Manjula M. Ibrahim, Jianmin Zhao, and Mohindar S. Seehra; **7** (7), 1856–1860.

Ichimura, Hiroshi–Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test.–Shuji Yamamoto and Hiroshi Ichimura; **7** (8), 2240–2247.

Ikeda, Kazuto–Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212.–Kazuto Ikeda, Kenshi Takamuku, Koji Yamaguchi, Rittaporn Itti, and Naoki Koshizuka; **7** (5), 1060–1062.

Imbrogno, W. D.–Hydrotalcite formation on aluminum sheet and powder.–A. J. Perrotta, S. Y. Tzeng, W. D. Imbrogno, R. Rolles, and M. S. Weather; **7** (12), 3306–3313.

Inagaki, M.–Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy.–C. Bourgerette, A. Oberlin, and M. Inagaki; **7** (5), 1158–1173.

Inagaki, Michio–Structural and textural changes from polyimide Kapton to graphite: Part II. Magnetoresistance and x-ray diffraction.–Michio Inagaki and Yoshihiro Hishiyama; **7** (5), 1174–1177.

–Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution.–Osamu Yamamoto, Tadashi Sasamoto, and Michio Inagaki; **7** (9), 2488–2491.

Iqbal, T.–Effect of processing on the optical scattering of AlF_3-based glasses.–T. Iqbal, M. R. Shahriari, G. H. Sigel, Jr., A. E. Neeves, and W. A. Reed; **7** (1), 219–223.

Irvine, J. T. S.–Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$.–D. C. Sinclair, J. T. S. Irvine, and A. R. West; **7** (1), 43–47.

Ishihara, Yoshimi–Particle size effects on colloidal processing of oxide powders.–Yoshihiro Hirata, Ichiroh Haraguchi, and Yoshimi Ishihara; **7** (9), 2572–2578.

Ishioka, Munehiro–Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, and Kenji Matsubara; **7** (11), 3019–3022.

Ito, W.–Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; **7** (11), 2916–2919.

Itti, Rittaporn–Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212.–Kazuto Ikeda, Kenshi Takamuku, Koji Yamaguchi, Rittaporn Itti, and Naoki Koshizuka; **7** (5), 1060–1062.

Izumi, K.–Buried oxide layers formed by low-dose oxygen implantation.–S. Nakashima and K. Izumi; **7** (4), 788–790(L).

Izumi, Teruo–Growth mechanism of $YBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method.–Teruo Izumi and Yuh Shiohara; **7** (1), 16–23.

–Reaction mechanism of Y-system superconductors in the MPMG method.–Teruo Izumi, Yuichi Nakamura, Tae-Hyun Sung, and Yuh Shiohara; **7** (4), 801–807.

–Diffusion solidification model on Y-system superconductors.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **7** (7), 1621–1628.

J

Jacobs, S. D.–Anisotropic thermal conductivity of rare earth–transition metal thin films.–L. J. Shaw-Klein, T. K. Hatwar, S. J. Burns, S. D. Jacobs, and J. C. Lambropoulos; **7** (2), 329–334.

Jain, A.–Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I),(hfac)-Cu(1,5-COD).–A. Jain, K. M. Chi, M. J. Hampden-Smith, T. T. Kodas, J. D. Farr, and M. F. Paffett; **7** (2), 261–264(L).

Jang, H.–Determination of grain boundary geometry using TEM.–H. Jang, D. Farkas, and J. T. M. De Hosson; **7** (7), 1707–1717.

Jang, Hyun M.–Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels.–Hyun M. Jang, Kwang S. Kim, and Chang J. Jung; **7** (8), 2273–2280.

Janting, J.–On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; **7** (4), 926–933.

Jean, A.–A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x} : H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Jean, Jau-Ho–Kinetics of interfacial reaction between borosilicate glass and sapphire substrate.–Jau-Ho Jean and Tapan K. Gupta; **7** (9), 2514–2520.

–Crystallization kinetics of binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **7** (11), 3103–3111.

–Isothermal and nonisothermal sintering kinetics of glass-filled ceramics.–Jau-Ho Jean and Tapan K. Gupta; **7** (12), 3342–3347.

Jenssen, H. P.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

Jiang, X.–The properties of W–C : H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

Johansen, A.–On glass formation in rapidly solidified aluminum-based alloys.–Q. Li, E. Johnson, A. Johansen, and L. Sarholt-Kristensen; **7** (10), 2756–2764.

Johnson, B. R.–Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R. Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; **7** (1), 29–33.

Johnson, C. E.–Diamond growth using carbon monoxide as a carbon source.–F. M. Cerio, W. A. Weimer, and C. E. Johnson; **7** (5), 1195–1203.

Johnson, Curtis E.–Efficiency of methane and acetylene in forming diamond by microwave plasma assisted chemical vapor deposition.–Curtis E. Johnson, Wayne A. Weimer, and Frank M. Cerio; **7** (6), 1427–1431.

–Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film.–Herman Lock, Gary E. Maciel, and Curtis E. Johnson; **7** (10), 2791–2797.

Johnson, E.–On glass formation in rapidly solidified aluminum-based alloys.–Q. Li, E. Johnson, A. Johansen, and L. Sarholt-Kristensen; **7** (10), 2756–2764.

Johnson, P. F.–Data from recording microhardness testers.–W. Mason, P. F. Johnson, and J. R. Varner; **7** (11), 3112–3119.

Johnson, R. A.–Stability of tight-packed metals with the embedded-atom method.–R. A. Johnson; **7** (4), 883–887.

–Vacancies and antisite defects in ordered alloys.–R. A. Johnson and J. R. Brown; **7** (12), 3213–3218.

Johnson, W. L.–Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; **7** (7), 1751–1761.

–Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; **7** (8), 1980–1983(L).

–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering.–J. A. Kittl, W. L. Johnson, and C. W. Nieh; **7** (8), 2003–2016.

Jolicoeur, Carmel–Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms.–Yves Lefebvre, Serge Lacelle, and Carmel Jolicoeur; **7** (7), 1888–1891.

Jones, J. W.–Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al.–C. G. McKamey, P. J. Maziasz, and J. W. Jones; **7** (8), 2089–2106.

Joshi, A.–Solid state interfacial reactions of Ti_3Al with Si_3N_4 and SiC.–T. C. Chou and A. Joshi; **7** (5), 1253–1265.

Jung, Chang J.–Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels.–Hyun M. Jang, Kwang S. Kim, and Chang J. Jung; **7** (8), 2273–2280.

K

Kane, W.–Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; **7** (12), 3260–3265.

Kanetkar, S. M.–Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A. M. Dhote, S. C. Patil, S. M. Kanetkar, S. A. Gangal, and S. B. Ogale; **7** (7), 1685–1689.

–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Kani, Keiko–Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; **7** (12), 3185–3193.

Kannan, K. R.–Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of Fe^0–Al_2O_3 metal-ceramic composites.–M. Verelst, K. R. Kannan, G. N. Subbanna, C. N. R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Kappes, Manfred M.–Transmission electron microscopy of C_{70} single crystals at room temperature.–Vinayak P. Dravid, Xiwei Lin, Hong Zhang, Shengzhong Liu, and Manfred M. Kappes; **7** (9), 2440–2446.

Kapsa, Ph.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; **7** (1), 178–184.

Karas, P. L.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; **7** (6), 1317–1327.

Karpe, N.–Ion irradiation induced phase formation in Al–Ni.–K. Kyllesbech Larsen, N. Karpe, J. Bøttiger, and R. Bormann; **7** (4), 861–867.

–On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; **7** (4), 926–933.

Kasowski, R. V.–InP under high pressures.–M-H. Tsai, John D. Dow, and R. V. Kasowski; **7** (8), 2205–2210.

Katayama, Saichi–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; **7** (7), 1652–1657.

Katz, Joseph L.–Formation of mixed oxide powders in flames: Part I. TiO_2–SiO_2.–Cheng-Hung Hung and Joseph L. Katz; **7** (7), 1861–1869.

–Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2.–Cheng-Hung Hung, Philippe F. Miquel, and Joseph L. Katz; **7** (7), 1870–1875.

Kawano, T.–Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$.–T. Kawano, F. Munakata, H. Yamauchi, and S. Tanaka; **7** (2), 299–302.

Kawata, H.–Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S. R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; **7** (3), 725–733.

Kawate, Y.–Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method.–Y. Masuda, R. Ogawa, Y. Kawate, T. Tateishi, and N. Hara; **7** (2), 292–298.

Kawate, Yoshio–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

–Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.

–Microstructures of Bi-based oxide superconductors doped with Sb.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Naohiro Hara, and Tsuyoshi Tateishi; **7** (10), 2667–2672.

Kazelas, D. B.–Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J. L. Routbort, K. C. Goretta, D. J. Miller, D. B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

Kear, B.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; **7** (8), 1993–2002.

Keck, Jeffrey D.–Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation.–David H. Zeuch, Stephen T. Montgomery, and Jeffrey D. Keck; **7** (12), 3314–3332.

Kellock, Andrew J.–Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and dia-

mond films.–Bharat Bhushan, Andrew J. Kellock, Nam-Hee Cho, and Joel W. Ager, III; **7** (2), 404–410.

Kelly, J. F.–Pyroelectric characteristics of modified barium titanate ceramics.–K. K. Deb, M. D. Hill, and J. F. Kelly; **7** (12), 3296–3305.

Kelly, James F.–Compositional homogeneity in processing precursor powders to the $Ba_2YCu_3O_{7-x}$ high T_c superconductor.–James F. Kelly and Joseph J. Ritter; **7** (3), 580–584.

Kervalishvili, P. J.–Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

Ketterson, J. B.–Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; **7** (6), 1356–1369.

Khare, Neeraj–Growth kinetics of high T_c phase in Bi–Sr–Ca–Cu–O thick films.–Sangeeta Chaudhry, Neeraj Khare, and A. K. Gupta; **7** (8), 2027–2034.

Kieffer, J. C.–A study of the effect of composition on the microstructural evolution of $a\text{–}Si_xC_{1-x}$:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Kikuchi, K.–Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation.–S. Yuhya, K. Kikuchi, Y. Shiohara, K. Terashima, and T. Yoshida; **7** (10), 2673–2679.

Kim, Byoung-Hwan–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Kim, Chan-Joong–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Kim, Chun-Taik–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Kim, Hyung K.–Epitaxial growth of Cu_2O films on MgO by sputtering.–Dean J. Miller, Jeffrey D. Hettinger, Ronald P. Chiarello, and Hyung K. Kim; **7** (10), 2828–2832.

Kim, Jin O.–Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices.–Jin O. Kim, Jan D. Achenbach, Meenam Shinn, and Scott A. Barnett; **7** (8), 2248–2256.

Kim, Ki-Baik–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Kim, Kwang S.–Chemical processing and densification characteristics of lithium aluminosilicate (LAS) gels.–Hyun M. Jang, Kwang S. Kim, and Chang J. Jung; **7** (8), 2273–2280.

Kim, Myung Jin–Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate.–Myung Jin Kim and Egon Matijević; **7** (4), 912–918.

Kim, N-H.–Surface migration and volume diffusion in the $AgGaSe_2$–Ag_2Se system.–N-H. Kim, R. S. Feigelson, and R. K. Route; **7** (5), 1215–1220.

King, A. H.–TEM observations of the mechanism of delamination of chromium films from silicon substrates.–D. Goyal and A. H. King; **7** (2), 359–366.

Kingon, A. I.–Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor.–M. W. Shin, T. M. Hare, A. I. Kingon, and C. C. Koch; **7** (12), 3194–3201.

Kirchner, P. D.–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; **7** (4), 961–972.

Kirkpatrick, R. J.–A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass.–R. K. Brow, Z. A. Osborne, and R. J. Kirkpatrick; **7** (7), 1892–1899.

Kirlin, Peter S.–Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films.–Peter C. Van Buskirk, Robin Gardiner, Peter S. Kirlin, and Steven Nutt; **7** (3), 542–545(L).

Kittl, J. A.–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering.–J. A. Kittl, W. L. Johnson, and C. W. Nieh; **7** (8), 2003–2016.

Klabunde, K. J.–Aerosol synthesis of gadolinium iron garnet particles.–H. K. Xu, C. M. Sorensen, K. J. Klabunde, and G. C. Hadjipanayis; **7** (3), 712–716.

Knoll, R. W.–Optical and physical properties of sputtered Si : Al : O : N films.–R. W. Knoll and C. H. Henager, Jr.; **7** (5), 1247–1252.

Koch, C. C.–A Mössbauer spectroscopy study of nanoscale Ge–Sn dispersions prepared by ball milling.–P. Boolchand and C. C. Koch; **7** (10), 2876–2883.

–Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor.–M. W. Shin, T. M. Hare, A. I. Kingon, and C. C. Koch; **7** (12), 3194–3201.

Kodama, Yasuharu–Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor.–Norimitsu Murayama, Yasuharu Kodama, Shuji Sakaguchi, and Fumihiro Wakai; **7** (1), 34–37.

Kodas, T. T.–Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper(I), (hfac)Cu(1,5-COD).–A. Jain, K. M. Chi, M. J. Hampden-Smith, T. T. Kodas, J. D. Farr, and M. F. Paffett; **7** (2), 261–264(L).

Kodas, Toivo T.–Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition.–Timothy L. Ward, Toivo T. Kodas, Altaf H. Carim, Donald M. Kroeger, and Huey Hsu; **7** (4), 827–836.

–Role of particle evaporation during synthesis of lead oxide by aerosol decomposition.–Shirley W. Lyons, Yun Xiong, Timothy L. Ward, Toivo T. Kodas, and Sotiris E. Pratsinis; **7** (12), 3333–3341.

Kohiki, Shigemi–X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films.–Shigemi Kohiki, Mikihiko Nishitani, Takayuki Negami, and Takahiro Wada; **7** (8), 1984–1986(L).

Kohlstedt, D. L.–Microscratch analysis of the work of adhesion for Pt thin films on NiO.–S. Venkataraman, D. L. Kohlstedt, and W. W. Gerberich; **7** (5), 1126–1132.

Kohzaki, M.–Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition.–M. Kohzaki, K. Higuchi, S. Noda, and K. Uchida; **7** (7), 1769–1777.

Koinuma, Hideomi–Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; **7** (6), 1336–1340.

Kolawa, E.–Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems.–J. S. Reid, E. Kolawa, and M-A. Nicolet; **7** (9), 2424–2428.

Komarneni, Sridhar–The influence of water vapor on thermal transformations of boehmite.–Zdenek Hrabe, Sridhar Komarneni, Ladislav Pach, and Rustum Roy; **7** (2), 444–449.

–Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; **7** (4), 992–996.

–Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$.–A. V. Prasadarao, Ulagaraj Selvaraj, Sridhar Komarneni, and Amar S. Bhalla; **7** (10), 2859–2863.

Kondo, Seiichi–Superconducting characteristics and the thermal stability of tungsten-based amorphous thin films.–Seiichi Kondo; **7** (4), 853–860.

Kondo, W.–Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; **7** (9), 2337–2342.

Kongkachuichay, Paisan–High temperature reactions within SiC–Al_2O_3 composites.–Ahmed Gadalla, Mohamed Elmasry, and Paisan Kongkachuichay; 7 (9), 2585–2592.

Kook, I. H.–Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys.–C. T. Lee, K. H. Han, I. H. Kook, and W. K. Choo; 7 (7), 1690–1695.

Koshizuka, Naoki–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; 7 (1), 5–10.

–Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212.–Kazuto Ikeda, Kenshi Takamuku, Koji Yamaguchi, Rittaporn Itti, and Naoki Koshizuka; 7 (5), 1060–1062.

Kosmac, T.–Milling and mechanical alloying of inorganic nonmetallics.–T. Kosmac and T. H. Courtney; 7 (6), 1519–1525.

Kozuka, Hiromitsu–Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method.–Shinobu Fujihara, Haoren Zhuang, Toshinobu Yoko, Hiromitsu Kozuka, and Sumio Sakka; 7 (9), 2355–2359.

Krakow, W.–Epitaxial growth of C_{60} thin films on mica.–W. Krakow, N. M. Rivera, R. A. Roy, R. S. Ruoff, and J. J. Cuomo; 7 (4), 784–787(L).

Krill, C. E., III–Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; 7 (7), 1751–1761.

–Reversible grain size changes in ball-milled nanocrystalline Fe–Cu alloys.–J. Eckert, J. C. Holzer, C. E. Krill, III, and W. L. Johnson; 7 (8), 1980–1983(L).

Kriven, Waltraud M.–Interfacial structure and chemistry in a ceramic/polymer composite material.–Oludele O. Popoola and Waltraud M. Kriven; 7 (6), 1545–1552.

–Erratum: "Interfacial structure and chemistry in a ceramic/polymer composite material" [J. Mater. Res. 7, 1545 (1992)].–Oludele O. Popoola and Waltraud M. Kriven; 7 (9), 2630(E).

Kroeger, Donald M.–Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition.–Timothy L. Ward, Toivo T. Kodas, Altaf H. Carim, Donald M. Kroeger, and Huey Hsu; 7 (4), 827–836.

Kroll, M. C.–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; 7 (4), 961–972.

Krupanidhi, S. B.–Pulsed excimer laser deposition and characterization of ferroelectric $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films.–D. Roy and S. B. Krupanidhi; 7 (9), 2521–2529.

–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis.–G. R. Fox, S. B. Krupanidhi, K. L. More, and L. F. Allard; 7 (11), 3039–3055.

Kubo, Yukio–Effect of oxygen absorption on superconducting properties of $BiSrCaCu_2Al_{0.5}O_x$ glass-ceramics.–Kazumi Hirata, Yukio Kubo, and Yoshihiro Abe; 7 (1), 48–52.

–Effect of Al_2O_3 additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $BiSrCaCu_2O_x$.–Yoshihiro Abe, Kazumi Hirata, Hideo Hosono, and Yukio Kubo; 7 (7), 1599–1601(L).

Kubozoe, Tadayoshi–Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment.–Yoshihisa Watanabe, Tadayoshi Kubozoe, and Yoshikazu Nakamura; 7 (6), 1396–1399.

Kuczmarski, M.–Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties.–S. A. Gökoğlu, M. Kuczmarski, and L. C. Veitch; 7 (11), 3023–3031.

Kulawansa, D. M.–Scanning tunneling microscope observations of polymer fracture surfaces.–D. M. Kulawansa, S. C. Langford, and J. T. Dickinson; 7 (5), 1292–1302.

Kulesha, G. A.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; 7 (8), 1993–2002.

Kulkarni, S. K.–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; 7 (12), 3250–3254.

Kumagai, T.–Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; 7 (9), 2337–2342.

Kumar, Arun M.–Analysis of extended dislocation faults.–Arun M. Kumar and John P. Hirth; 7 (7), 1718–1721.

Kumar, K. S.–Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$.–K. S. Kumar and J. D. Whittenberger; 7 (5), 1043–1045(L).

Kumar, Suresh–Crystallization of various compositions in the Y_2O_3–SiO_2 system.–Suresh Kumar and Charles H. Drummond, III; 7 (4), 997–1003.

Kura, Takeshi–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; 7 (7), 1652–1657.

Kuriyama, K.–Metal-insulator transition in highly disordered carbon fibers.–K. Kuriyama and M. S. Dresselhaus; 7 (4), 940–945.

Kurtz, Stewart–Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; 7 (4), 992–996.

Kuwahara, Yoshitaka–Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; 7 (12), 3185–3193.

L

Lacelle, Serge–Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms.–Yves Lefebvre, Serge Lacelle, and Carmel Jolicoeur; 7 (7), 1888–1891.

Lackey, W. J.–Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system.–T. S. Moss, John A. Hanigofsky, and W. J. Lackey; 7 (3), 754–764.

Laibowitz, R.–Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; 7 (12), 3260–3265.

Lalla, N. P.–Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy.–N. P. Lalla, R. S. Tiwari, and O. N. Srivastava; 7 (1), 53–61.

Lam, D. J.–Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; 7 (9), 2495–2506.

La Mantia, Antonio–Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study.–Antonino Scandurra, Antonino Licciardello, Alberto Torrisi, Antonio La Mantia, and Orazio Puglisi; 7 (9), 2395–2402.

Lamarre, A.–The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system.–A. Van Neste, A. Lamarre, M. L. Trudeau, and R. Schulz; 7 (9), 2412–2417.

Lambrecht, Walter R. L.–Electronic structure and total energy of diamond/BeO interfaces.–Walter R. L. Lambrecht and Benjamin Segall; 7 (3), 696–705.

Lambropoulos, J. C.–Anisotropic thermal conductivity of rare earth–transition metal thin films.–L. J. Shaw-Klein, T. K. Hatwar, S. J. Burns, S. D. Jacobs, and J. C. Lambropoulos; **7** (2), 329–334.

Langford, S. C.–Scanning tunneling microscope observations of polymer fracture surfaces.–D. M. Kulawansa, S. C. Langford, and J. T. Dickinson; **7** (5), 1292–1302.

Lapasset, G.–A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy.–L. Potez, A. Loiseau, S. Naka, and G. Lapasset; **7** (4), 876–882.

Lardner, T. J.–Subcritical crack growth along epoxy/glass interfaces.–K. M. Conley, J. E. Ritter, and T. J. Lardner; **7** (9), 2621–2629.

Larsen, K. Kyllesbech–Ion irradiation induced phase formation in Al–Ni.–K. Kyllesbech Larsen, N. Karpe, J. Bøttiger, and R. Bormann; **7** (4), 861–867.

–On the chemical diffusion in layered thin films containing amorphous Co–Zr, Ni–Zr, and Fe–Zr.–N. Karpe, J. Bøttiger, A. L. Greer, J. Janting, and K. Kyllesbech Larsen; **7** (4), 926–933.

Lashmore, David S.–Cracks and dislocations in face-centered cubic metallic multilayers.–David S. Lashmore and Robb Thomson; **7** (9), 2379–2386.

Lau, S. T.–An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite.–P. E. Dyer, S. T. Lau, G. A. Oldershaw, and D. Schudel; **7** (5), 1152–1157.

Laurent, Ch.–Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of Fe^0–Al_2O_3 metal-ceramic composites.–M. Verelst, K. R. Kannan, G. N. Subbanna, C. N. R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Laursen, T. A.–A study of the mechanics of microindentation using finite elements.–T. A. Laursen and J. C. Simo; **7** (3), 618–626.

Lavallée, F.–Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments.–R. Allem, F. Lavallée, G. L'Espérance, R. Schulz, and M. L. Trudeau; **7** (11), 2936–2941.

Lawn, Brian R.–Repulsive interaction between coplanar cracks in the double-cantilever geometry.–Kai-tak Wan, Brian R. Lawn, and Roger G. Horn; **7** (6), 1584–1588.

Lay, K. W.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; **7** (6), 1317–1327.

Lazic, V.–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

Le Caër, Gérard–A microstructural study of mechanical alloying of Fe and Sn powders.–Gérard Le Caër, Paolo Matteazzi, and Brent Fultz; **7** (6), 1387–1395.

Leclerc, Gervais–Nonlinear silicon oxide growth patterns in a gold-silicon system.–Gervais Leclerc, Louis Paquin, and Fabrice Baratay; **7** (9), 2458–2464.

Ledbetter, Hassel–Elastic constants of polycrystalline $Y_1Ba_2Cu_3O_x$.–Hassel Ledbetter; **7** (11), 2905–2907(L).

Lee, C. H.–On the atomic interdiffusion in Co/Pt superlattices.–X. Yan, T. Egami, E. E. Marinero, R. F. C. Farrow, and C. H. Lee; **7** (6), 1309–1312(L).

Lee, C. T.–Phase and lattice parameter relationships in rapidly solidified and heat-treated $(Mn_{0.53}Al_{0.47})_{100-x}C_x$ pseudo-binary alloys.–C. T. Lee, K. H. Han, I. H. Kook, and W. K. Choo; **7** (7), 1690–1695.

Lee, E. H.–Improved hardness and wear properties of B-ion implanted polycarbonate.–E. H. Lee, Gopal R. Rao, and L. K. Mansur; **7** (7), 1900–1911.

Lee, Sanboh–Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures.–Hung-Ye Lin, Yu-Zen Tsai, and Sanboh Lee; **7** (10), 2833–2839.

Lefebvre, Yves–Surface fractal dimensions of some industrial minerals from gas-phase adsorption isotherms.–Yves Lefebvre, Serge Lacelle, and Carmel Jolicoeur; **7** (7), 1888–1891.

Lehoczky, S. L.–Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys.–J. D. Patterson, Wafaa A. Gobba, and S. L. Lehoczky; **7** (8), 2211–2218.

Lejeune, M.–High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$.–S. Suasmoro, D. S. Smith, M. Lejeune, M. Huger, and C. Gault; **7** (7), 1629–1635.

Lelaurain, M.–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects.–M. Lelaurain, J. F. Marêché, E. McRae, O. E. Andersson, and B. Sundqvist; **7** (11), 2978–2988.

–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity.–O. E. Andersson, B. Sundqvist, E. McRae, J. F. Marêché, and M. Lelaurain; **7** (11), 2989–3000.

Lenarda, M.–Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; **7** (9), 2418–2423.

L'Espérance, G.–Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments.–R. Allem, F. Lavallée, G. L'Espérance, R. Schulz, and M. L. Trudeau; **7** (11), 2936–2941.

Lessing, Paul A.–Modified resin–intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors.–Lone-Wen Tai and Paul A. Lessing; **7** (2), 502–510.

–Modified resin–intermediate processing of perovskite powders: Part II. Processing for fine, nonagglomerated Sr-doped lanthanum chromite powders.–Lone-Wen Tai and Paul A. Lessing; **7** (2), 511–519.

Leung, M. S.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; **7** (9), 2546–2554.

Levi-Setti, R.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **7** (3), 572–579.

Lévy, F.–Growth mechanisms and near-interface structure in relation to orientation of MoS_2 sputtered thin films.–J. Moser and F. Lévy; **7** (3), 734–740.

Lewis, Laurent J.–Epitaxial growth of $Si_{1-x}Ge_x$ on Si(100)2 × 1: A molecular-dynamics study.–Stéphane Ethier and Laurent J. Lewis; **7** (10), 2817–2827.

Li, D. J.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **7** (3), 572–579.

Li, D. X.–Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; **7** (6), 1356–1369.

Li, J. C. M.–Photoelastic and finite element analysis of different size spheres in contact.–C. W. Shih, W. S. Schlein, and J. C. M. Li; **7** (4), 1011–1017.

Li, Li–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; **7** (9), 2546–2554.

Li, Q.–On glass formation in rapidly solidified aluminum-based alloys.–Q. Li, E. Johnson, A. Johansen, and L. Sarholt-Kristensen; **7** (10), 2756–2764.

Li, Y. Q.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A.

Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; 7 (8), 1993–2002.

Li, Z. G.–Microstructure of LaB_6-base thick film resistors.–Z. G. Li, P. F. Carcia, and P. C. Donohue; 7 (8), 2225–2229.

Lian, Li–Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; 7 (8), 2182–2185.

–*In situ* observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique.–Li Lian, Lu Taijing, Kazufumi Sakai, and Tomoya Ogawa; 7 (12), 3275–3279.

Liao, Y. X.–Nanoindentation of nanocrystalline ZnO.–M. J. Mayo, R. W. Siegel, Y. X. Liao, and W. D. Nix; 7 (4), 973–979.

Licciardello, Antonino–Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study.–Antonino Scandurra, Antonino Licciardello, Alberto Torrisi, Antonio La Mantia, and Orazio Puglisi; 7 (9), 2395–2402.

Lin, B. Y.–Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111).–S. H. Tan, C. P. Beetz, Jr., J. M. Carulli, Jr., B. Y. Lin, and D. F. Cummings; 7 (7), 1816–1821.

Lin, C. H.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; 7 (3), 572–579.

Lin, C. T.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; 7 (9), 2546–2554.

Lin, Hung-Ye–Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures.–Hung-Ye Lin, Yu-Zen Tsai, and Sanboh Lee; 7 (10), 2833–2839.

Lin, W.–Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl.–W. Lin, Jian-hua Xu, and A. J. Freeman; 7 (3), 592–604.

Lin, Xiwei–Transmission electron microscopy of C_{70} single crystals at room temperature.–Vinayak P. Dravid, Xiwei Lin, Hong Zhang, Shengzhong Liu, and Manfred M. Kappes; 7 (9), 2440–2446.

Lindroth, H.–Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter.–C. Åman, J. B. C. Pettersson, H. Lindroth, and L. Holmlid; 7 (1), 100–104.

Ling, H. C.–TEM studies of microstructure and composition of low-firing lead-magnesium-niobate ceramics.–S. Yegnasubramanian and H. C. Ling; 7 (1), 197–202.

Lipeles, R. A.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; 7 (9), 2546–2554.

Liu, B. X.–Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation.–B. X. Liu, C. H. Shang, and C. H. Liu; 7 (1), 85–88.

Liu, C. H.–Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation.–B. X. Liu, C. H. Shang, and C. H. Liu; 7 (1), 85–88.

Liu, G.–Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; 7 (6), 1501–1518.

Liu, Shengzhong–Transmission electron microscopy of C_{70} single crystals at room temperature.–Vinayak P. Dravid, Xiwei Lin, Hong Zhang, Shengzhong Liu, and Manfred M. Kappes; 7 (9), 2440–2446.

Liu, Zhensheng–Reactions between liquid silicon and vitreous silica.–Zhensheng Liu and Torbjörn Carlberg; 7 (2), 352–358.

Locci, I. E.–Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures.–S. V. Raj, M. Hebsur, I. E. Locci, and J. Doychak; 7 (12), 3219–3234.

Locci, Ivan E.–Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy.–Mohan G. Hebsur, Ivan E. Locci, S. V. Raj, and Michael V. Nathal; 7 (7), 1696–1706.

Lock, Herman–Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film.–Herman Lock, Gary E. Maciel, and Curtis E. Johnson; 7 (10), 2791–2797.

Loiseau, A.–A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy.–L. Potez, A. Loiseau, S. Naka, and G. Lapasset; 7 (4), 876–882.

Longoni, G.–The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R. W. Devenish, S. Mulley, B. T. Heaton, and G. Longoni; 7 (10), 2810–2816.

Loubet, J. L.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; 7 (1), 178–184.

Lowndes, D. H.–Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples.–M. J. Godbole, A. J. Pedraza, D. H. Lowndes, and J. R. Thompson, Jr.; 7 (4), 1004–1010.

Loxton, C. M.–The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys.–R. T. Haasch, A. M. Venezia, and C. M. Loxton; 7 (6), 1341–1349.

Loy, Douglas A.–Intercalation of molecular species into the interstitial sites of fullerene.–Roger A. Assink, James E. Schirber, Douglas A. Loy, Bruno Morosin, and Gary A. Carlson; 7 (8), 2136–2143.

Lu, P.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; 7 (8), 1993–2002.

Lucchesi, Arthur J.–The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites.–Arthur J. Lucchesi, Jack C. Hay, and Kenneth W. White; 7 (7), 1795–1804.

Lulli, G.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; 7 (6), 1413–1422.

Luo, J. S.–Epitaxial growth of $YBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; 7 (10), 2680–2688.

Luo, L.–Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films.–X. D. Wu, L. Luo, R. E. Muenchausen, and S. R. Foltyn; 7 (3), 531–534(L).

Luton, Michael J.–Elevated temperature compressive properties of reaction milled NiAl–AlN and Zr-doped NiAl–AlN composites.–J. Daniel Whittenberger and Michael J. Luton; 7 (10), 2724–2732.

Luzzi, D. E.–Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; 7 (2), 335–340.

Lyons, Shirley W.–Role of particle evaporation during synthesis of lead oxide by aerosol decomposition.–Shirley W. Lyons, Yun Xiong, Timothy L. Ward, Toivo T. Kodas, and Sotiris E. Pratsinis; 7 (12), 3333–3341.

M

Ma, E.–Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni.–E. Ma, L. A. Clevenger, and C. V. Thompson; 7 (6), 1350–1355.

Ma, Kunsong–Sol-gel processing of high-T_c superconductors in the Bi–(Pb)–Sr–Ca–Cu–O system.–Kunsong Ma and Alain C. Pierre; 7 (6), 1328–1335.

Ma, Y.–Laser processed Al_3Ti-based intermetallics: $Al_{5\pm x}Ti_{2\pm y}$(Fe, Ni, or Cu)$_{1\pm z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

–Ternary atom location in $L1_2$-structured intermetallic phases: $Al_{62.5\pm x}Ti_{25-y}$(Fe, Ni, or Cu)$_{12.5-z}$ using ALCHEMI.–Y. Ma and J. Gjønnes; **7** (8), 2049–2058.

Maartense, I.–Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders.–Asok K. Sarkar, I. Maartense, and T. L. Peterson; **7** (7), 1672–1678.

Mabuchi, H.–Processing of TiAl–Ti_2AlN composites and their compressive properties.–H. Mabuchi, H. Tsuda, Y. Nakayama, and E. Sukedai; **7** (4), 894–900.

Macho, J.–Synthesis of high phase pure cuprate superconductors via xerogel precursors.–J. Macho, R. W. Schaeffer, G. H. Myer, R. E. Salomon, and J. E. Crow; **7** (5), 1046–1051.

Maciel, Gary E.–Natural-abundance ^{13}C dynamic nuclear polarization experiments on chemical vapor deposited diamond film.–Herman Lock, Gary E. Maciel, and Curtis E. Johnson; **7** (10), 2791–2797.

Mackenzie, J. D.–Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route.–S-J. Ting, C-J. Chu, and J. D. Mackenzie; **7** (1), 164–169.

MacLaren, J. M.–Electronic structure of planar faults in TiAl.–C. Woodward, J. M. MacLaren, and S. Rao; **7** (7), 1735–1750.

Mahamuni, S.–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Maheo, Y.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; **7** (1), 178–184.

Mailhot, A. M.–Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses.–A. M. Mailhot, A. Elyamani, and R. E. Riman; **7** (6), 1534–1540.

Manabe, T.–Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; **7** (9), 2337–2342.

Mansur, L. K.–Improved hardness and wear properties of B-ion implanted polycarbonate.–E. H. Lee, Gopal R. Rao, and L. K. Mansur; **7** (7), 1900–1911.

Marêché, J. F.–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects.–M. Lelaurain, J. F. Marêché, E. McRae, O. E. Andersson, and B. Sundqvist; **7** (11), 2978–2988.

–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity.–O. E. Andersson, B. Sundqvist, E. McRae, J. F. Marêché, and M. Lelaurain; **7** (11), 2989–3000.

Marinero, E. E.–On the atomic interdiffusion in Co/Pt superlattices.–X. Yan, T. Egami, E. E. Marinero, R. F. C. Farrow, and C. H. Lee; **7** (6), 1309–1312(L).

Marks, L. D.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **7** (3), 572–579.

Marks, Laurence D.–The sintering behavior of ultrafine alumina particles.–John E. Bonevich and Laurence D. Marks; **7** (6), 1489–1500.

Markus, R. T.–A new class of composite materials: Matrix autoreinforced organic material–MARIOM.–A. Wyler, R. T. Markus, H. J. Wagner, and B. de Castro; **7** (8), 1990–1992(L).

Maroni, V. A.–Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Marshall, J. H.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

–Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process.–M. P. Siegal, S. Y. Hou, Julia M. Phillips, T. H. Tiefel, and J. H. Marshall; **7** (10), 2658–2666.

Martin, David C.–Dislocation mediated lattice bending in 1,6-di (N-carbazolyl)-2,4 hexadiyne (DCHD) polydiacetylene droplets.–Patricia M. Wilson and David C. Martin; **7** (11), 3150–3158.

Martínez-Duart, J. M.–Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders.–C. Gomez-Aleixandre, J. M. Albella, J. M. Martínez-Duart, and F. Orgaz; **7** (10), 2864–2868.

Martini, O.–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

Mason, W.–Data from recording microhardness testers.–W. Mason, P. F. Johnson, and J. R. Varner; **7** (11), 3112–3119.

Masuda, Y.–Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method.–Y. Masuda, R. Ogawa, Y. Kawate, T. Tateishi, and N. Hara; **7** (2), 292–298.

Masuda, Yoshio–Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.

–Microstructures of Bi-based oxide superconductors doped with Sb.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Naohiro Hara, and Tsuyoshi Tateishi; **7** (10), 2667–2672.

Masumoto, T.–NMR studies on amorphous, icosahedral, and crystalline phases.–T. Shinohara, A. P. Tsai, and T. Masumoto; **7** (1), 62–67.

–^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; **7** (8), 1970–1972(L).

Matijević, E.–Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics.–Y-S. Her, E. Matijević, and W. R. Wilcox; **7** (8), 2269–2272.

Matijević, Egon–Preparation and characterization of uniform submicrometer metal niobate particles: Part II. Magnesium niobate and potassium niobate.–Myung Jin Kim and Egon Matijević; **7** (4), 912–918.

Matsubara, Kazuo–Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.

Matsubara, Kenji–Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, and Kenji Matsubara; **7** (11), 3019–3022.

Matteazzi, Paolo–A microstructural study of mechanical alloying of Fe and Sn powders.–Gérard Le Caër, Paolo Matteazzi, and Brent Fultz; **7** (6), 1387–1395.

Mattiot, F. Polla–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

Mayer, James W.–Solid krypton in MgO.–M. Grant Norton, C. Barry Carter, Elizabeth L. Fleischer, and James W. Mayer; **7** (12), 3171–3174(L).

Mayo, M. J.–Nanoindentation of nanocrystalline ZnO.–M. J. Mayo, R. W. Siegel, Y. X. Liao, and W. D. Nix; **7** (4), 973–979.

Mazelsky, R.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

Maziasz, P. J.–Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al.–C. G. McKamey, P. J. Maziasz, and J. W. Jones; **7** (8), 2089–2106.

McAdams, S. D.–Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system.–T. C. Chou, T. G. Nieh, S. D. McAdams, G. M. Pharr, and W. C. Oliver; **7** (10), 2774–2784.

McCallum, J. C.–The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$.–J. Rankin, J. C. McCallum, and L. A. Boatner; **7** (3), 717–724.

McFerran, W. H.–Combustion synthesis of cubic Al_3Ti alloys.–R. N. Wright, B. H. Rabin, and W. H. McFerran; **7** (10), 2733–2738.

McGhie, A. R.–Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; **7** (2), 335–340.

McGinnis, W. C.–Properties of $Bi_2Sr_2CaCu_2O_8$ thick films melt-processed at temperatures up to 950 °C.–W. C. McGinnis and J. S. Briggs; **7** (3), 585–591.

McHargue, Carl J.–The deformation behavior of ceramic crystals subjected to very low load (nano)indentations.–Trevor F. Page, Warren C. Oliver, and Carl J. McHargue; **7** (2), 450–473.

McKamey, C. G.–Effect of addition of molybdenum or niobium on creep-rupture properties of Fe_3Al.–C. G. McKamey, P. J. Maziasz, and J. W. Jones; **7** (8), 2089–2106.

–A study of pest oxidation in polycrystalline $MoSi_2$.–C. G. McKamey, F. Tortorelli, J. H. DeVan, and C. A. Carmichael; **7** (10), 2747–2755.

McKee, R. A.–The determination of film hardness from the composite response of film and substrate to nanometer scale indentations.–B. D. Fabes, W. C. Oliver, R. A. McKee, and F. J. Walker; **7** (11), 3056–3064.

McKernan, Stuart–Flat interfaces in zinc oxide-based varistor ceramics.–Gun Yong Sung, Stuart McKernan, and C. Barry Carter; **7** (2), 474–481.

–The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$.–Stuart McKernan, M. Grant Norton, and C. Barry Carter; **7** (5), 1052–1059.

McNeill, J. D.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr,Ti)O_3$, and $(Pb_{1-x},La_x)(Zr_y,Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; **7** (9), 2546–2554.

McRae, E.–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects.–M. Lelaurain, J. F. Marêché, E. McRae, O. E. Andersson, and B. Sundqvist; **7** (11), 2978–2988.

–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity.–O. E. Andersson, B. Sundqvist, E. McRae, J. F. Marêché, and M. Lelaurain; **7** (11), 2989–3000.

Mecartney, M. L.–Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R. Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; **7** (1), 29–33.

–The direct observation of structural development during vanadium pentoxide gelation.–J. K. Bailey, G. A. Pozarnsky, and M. L. Mecartney; **7** (9), 2530–2537.

Mehandru, S. P.–Hydrogen binding and diffusion in diamond.–S. P. Mehandru, Alfred B. Anderson, and John C. Angus; **7** (3), 689–695.

Merchant, N.–Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Merkle, K. L.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; **7** (2), 283–291.

Merli, P. G.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; **7** (6), 1413–1422.

Messaoudi, A.–New evidence for supported metals in the reaction of KC_8 with metal chlorides.–A. Messaoudi and F. Béguin; **7** (2), 418–422.

Messersmith, Phillip B.–Synthesis of nanocomposites: Organoceramics.–Phillip B. Messersmith and Samuel I. Stupp; **7** (9), 2599–2611.

Metz, E. P. A.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

Miaoulis, Ioannis N.–Thermal effects of scanning speed and constitutional supercooling during zone-melting recrystallization of silicon-on-insulator structures.–Sharon M. Yoon and Ioannis N. Miaoulis; **7** (1), 124–129.

Michael, J.–Microstructural evolution of $Pb(Zr,Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; **7** (7), 1876–1882.

Migliori, A.–Radiation damage evolution and its relation with dopant distribution during self-annealing implantation of As in silicon.–G. Lulli, P. G. Merli, A. Migliori, G. Brusatin, A. V. Drigo, C. Gerardi, and A. Guerrieri; **7** (6), 1413–1422.

Miller, D. J.–Crystallization of Bi–Sr–Ca–Cu–O glasses in oxygen.–T. G. Holesinger, D. J. Miller, and L. S. Chumbley; **7** (7), 1658–1671.

–Processing of Bi–Sr–Ca–Cu–O glasses using platinum and alumina crucibles.–T. G. Holesinger, D. J. Miller, S. Fleshler, and L. S. Chumbley; **7** (8), 2035–2039.

–Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J. L. Routbort, K. C. Goretta, D. J. Miller, D. B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

Miller, Dean J.–Epitaxial growth of Cu_2O films on MgO by sputtering.–Dean J. Miller, Jeffrey D. Hettinger, Ronald P. Chiarello, and Hyung K. Kim; **7** (10), 2828–2832.

Mills, M. J.–A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments.–K. J. Hemker, M. J. Mills, and W. D. Nix; **7** (8), 2059–2069.

Mingolo, N.–Production of amorphous metallic surfaces by means of a pulsed glow discharge electron beam.–N. Mingolo and J. J. Rocca; **7** (5), 1096–1099.

Miquel, Philippe F.–Formation of mixed oxide powders in flames: Part II. SiO_2–GeO_2 and Al_2O_3–TiO_2.–Cheng-Hung Hung, Philippe F. Miquel, and Joseph L. Katz; **7** (7), 1870–1875.

Mitchell, A. W.–Chemistry and structural modulations in $Bi_2Sr_2CuO_6$.–Y. Shen, D. R. Richards, D. G. Hinks, and A. W. Mitchell; **7** (4), 844–852.

Mitchell, T. E.–CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **7** (1), 136–147.

–Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)].–R. A. Youngman, T. E. Mitchell, F. W. Clinard, Jr., and G. F. Hurley; **7** (3), 772(E).

–CVD Si_3N_4 on single crystal SiC: Part II. High resolution electron microscopy and atomic models of the interface.–O. Unal and T. E. Mitchell; **7** (6), 1445–1454.

Mittemeijer, E. J.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

Miyatake, Takayuki–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu

Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

Mizuta, S.–Preparation of $YBa_2Cu_3O_{7-y}$ films on $SrTiO_3$ and MgO by the dipping-pyrolysis process under low-$p(O_2)$ heat treatment.–T. Manabe, K. Arai, W. Kondo, S. Mizuta, and T. Kumagai; **7** (9), 2337–2342.

Mohney, S. E.–Phase equilibria and ternary phase formation in the In–Ni–P system.–S. E. Mohney and Y. A. Chang; **7** (4), 955–960.

Molinari, E.–Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase.–E. Molinari, R. Polini, M. L. Terranova, P. Ascarelli, and S. Fontana; **7** (7), 1778–1787.

Moliterni, A. G. G.–On-line gas-phase optical diagnostics in plasma CVD deposition of carbon films.–R. Fantoni, M. Giorgi, A. G. G. Moliterni, W. C. M. Berden, V. Lazic, O. Martini, and F. Polla Mattiot; **7** (5), 1204–1214.

Molnar, B.–Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition.–B. Molnar, P. Chi, and D. Simons; **7** (8), 2186–2193.

–Observations on the electrical characterization of the heteroepitaxially grown cubic SiC.–B. Molnar; **7** (9), 2465–2477.

Monot, I.–Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics.–I. Monot, J. Wang, G. Desgardin, and B. Raveau; **7** (2), 273–282.

Montagna, M.–Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel.–R. Campostrini, G. Carturan, M. Ferrari, M. Montagna, and O. Pilla; **7** (3), 745–753.

Montgomery, Stephen T.–Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation.–David H. Zeuch, Stephen T. Montgomery, and Jeffrey D. Keck; **7** (12), 3314–3332.

Moodenbaugh, A. R.–Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process.–Yuan-Liang Wang, Z. Q. Tan, Yimei Zhu, A. R. Moodenbaugh, and M. Suenaga; **7** (12), 3175–3184.

Moon, Hong-Chul–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Morales, M. P.–The formation of α–Fe_2O_3 monodispersed particles in solution.–M. P. Morales, T. González-Carreño, and C. J. Serna; **7** (9), 2538–2545.

More, K. L.–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part I. Composition and structure analysis.–G. R. Fox, S. B. Krupanidhi, K. L. More, and L. F. Allard; **7** (11), 3039–3055.

Morell, José I.–Pulsed-power volume-heating chemical vapor infiltration.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **7** (9), 2447–2457.

Morelli, Donald T.–Thermal conductivity of high temperature superconductor substrate materials: Lanthanum aluminate and neodymium aluminate.–Donald T. Morelli; **7** (9), 2492–2494.

Moreno, F.–Solid solutions in the system Ag_2S–Ag_2Se.–N. E. Pingitore, B. F. Ponce, M. P. Eastman, F. Moreno, and C. Podpora; **7** (8), 2219–2224.

Morishita, T.–Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, H. Takahashi, S. Okayama, T. Morishita, and S. Tanaka; **7** (4), 813–818.

–TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition.–H. Takahashi, K. Ohata, and T. Morishita; **7** (9), 2333–2336.

–Effects of the self-bias voltage on crystallinity and superconductivity of a-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; **7** (11), 2916–2919.

Morjan, I.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; **7** (8), 2257–2268.

Morosin, Bruno–Intercalation of molecular species into the interstitial sites of fullerene.–Roger A. Assink, James E. Schirber, Douglas A. Loy, Bruno Morosin, and Gary A. Carlson; **7** (8), 2136–2143.

Morris, D. G.–Dislocations in plastically deformed $L1_2$ compounds based on Al_3Ti.–D. G. Morris; **7** (2), 303–312.

Morris, Jonathan C.–The extent of phase transformation in silicon hardness indentations.–Daniel L. Callahan and Jonathan C. Morris; **7** (7), 1614–1617(L).

Moser, J.–Growth mechanisms and near-interface structure in relation to orientation of MoS_2 sputtered thin films.–J. Moser and F. Lévy; **7** (3), 734–740.

Moss, T. S.–Thermodynamic analysis for the chemical vapor deposition of composite coatings from the Al–B–Ti–N–H–Cl–Ar system.–T. S. Moss, John A. Hanigofsky, and W. J. Lackey; **7** (3), 754–764.

Muenchausen, R. E.–Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films.–X. D. Wu, L. Luo, R. E. Muenchausen, and S. R. Foltyn; **7** (3), 531–534(L).

–Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R. E. Muenchausen, S. Foltyn, N. Nogar, and A. D. Rollett; **7** (3), 549–557.

Mukhopadhyay, D.–Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S. N. Patankar, and F. H. Froes; **7** (8), 2114–2118.

Mulley, S.–The application of transmission electron microscopy to the study of high nuclearity carbonyl clusters (HNCC's).–R. W. Devenish, S. Mulley, B. T. Heaton, and G. Longoni; **7** (10), 2810–2816.

Munakata, F.–Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$.–T. Kawano, F. Munakata, H. Yamauchi, and S. Tanaka; **7** (2), 299–302.

Munroe, P. R.–Effect of accelerating voltage on planar and axial channeling in ordered intermetallic compounds.–P. R. Munroe and I. Baker; **7** (8), 2119–2125.

Murahara, M.–Photochemical modification of polytetrafluoroethylene into oleophilic property using an ArF excimer laser.–M. Okoshi, M. Murahara, and K. Toyoda; **7** (7), 1912–1916.

Murakami, Mitsuaki–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; **7** (7), 1652–1657.

Murat, Michael–Fracture behavior of short-fiber reinforced materials.–Michael Murat, Micha Anholt, and H. Daniel Wagner; **7** (11), 3120–3131.

Murayama, Norimitsu–Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor.–Norimitsu Murayama, Yasuharu Kodama, Shuji Sakaguchi, and Fumihiro Wakai; **7** (1), 34–37.

Musci, M.–Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

Myer, G. H.–Synthesis of high phase pure cuprate superconductors via xerogel precursors.–J. Macho, R. W. Schaeffer, G. H. Myer, R. E. Salomon, and J. E. Crow; **7** (5), 1046–1051.

–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

Myhra, S.–Crystallographic changes in $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites: XPS and XAES investigations.–S. Myhra, J. C. Rivière, K. Hawkins, and T. J. White; **7** (2), 482–489.

N

Nagelberg, Alan S.–Observations on the role of Mg and Si in the directed oxidation of Al–Mg–Si alloys.–Alan S. Nagelberg; **7** (2), 265–268(L).

Naka, S.–A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy.–L. Potez, A. Loiseau, S. Naka, and G. Lapasset; **7** (4), 876–882.

Nakabayashi, Masaaki–Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; **7** (6), 1336–1340.

Nakamura, Yoshikazu–Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment.–Yoshihisa Watanabe, Tadayoshi Kubozoe, and Yoshikazu Nakamura; **7** (6), 1396–1399.

–Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films.–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (7), 1805–1808.

–AFM observations of the surface morphology of metallic glasses $Fe_{78}B_{13}Si_9$ in the early stage of crystallization.–Yoshihisa Watanabe and Yoshikazu Nakamura; **7** (8), 2126–2130.

–Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. **7**, 1805 (1992)].–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (11), 3160(E).

Nakamura, Yuichi–Reaction mechanism of Y-system superconductors in the MPMG method.–Teruo Izumi, Yuichi Nakamura, Tae-Hyun Sung, and Yuh Shiohara; **7** (4), 801–807.

–Diffusion solidification model on Y-system superconductors.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **7** (7), 1621–1628.

Nakashima, S.–Buried oxide layers formed by low-dose oxygen implantation.–S. Nakashima and K. Izumi; **7** (4), 788–790(L).

Nakayama, Y.–Processing of TiAl–Ti_2AlN composites and their compressive properties.–H. Mabuchi, H. Tsuda, Y. Nakayama, and E. Sukedai; **7** (4), 894–900.

Nango, Nobuhito–Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; **7** (8), 2182–2185.

Narasimharao, Dontula–Laser induced deposition of copper and lead powders.–Dontula Narasimharao, Suryadevara V. Babu, and Don H. Rasmussen; **7** (5), 1104–1114.

Narayan, J.–Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; **7** (10), 2639–2642(L).

–Synthesis of diamond films on Hastelloy.–V. P. Godbole and J. Narayan; **7** (10), 2785–2790.

Narayanan, S.–Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection.–K. K. Raina, S. Narayanan, and R. K. Pandey; **7** (9), 2303–2307.

Narumi, E.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; **7** (6), 1317–1327.

Nason, D. O.–On controlled solidification studies of some TiO_2 binary alloys.–C. T. Yen, D. O. Nason, and W. A. Tiller; **7** (4), 980–991.

Nathal, Michael V.–Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy.–Mohan G. Hebsur, Ivan E. Locci, S. V. Raj, and Michael V. Nathal; **7** (7), 1696–1706.

Navrotsky, Alexandra–Thermochemistry of the Y_2O_3–BaO–Cu–O system.–Zhigang Zhou and Alexandra Navrotsky; **7** (11), 2920–2935.

Naylor, D. L.–Development of suspensions of rod-shaped β–FeOOH particles in infrared transmitting solvents for use as artificial Kerr media.–D. L. Naylor; **7** (8), 2288–2293.

Neeves, A. E.–Effect of processing on the optical scattering of AlF_3-based glasses.–T. Iqbal, M. R. Shahriari, G. H. Sigel, Jr., A. E. Neeves, and W. A. Reed; **7** (1), 219–223.

Negami, Takayuki–X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films.–Shigemi Kohiki, Mikihiko Nishitani, Takayuki Negami, and Takahiro Wada; **7** (8), 1984–1986(L).

Nelson, J.–Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W. W. Gerberich, J. Heberlein, and E. Pfender; **7** (8), 1967–1969(L).

Nguy, C.–Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression.–P. Ancrenaz, C. Nguy, and C. Servant; **7** (9), 2387–2394.

Nicholson, Patrick S.–The effect of oxygen partial pressure on the formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10-x}$.–Wen Zhu and Patrick S. Nicholson; **7** (1), 38–42.

Nicolet, M-A.–Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems.–J. S. Reid, E. Kolawa, and M-A. Nicolet; **7** (9), 2424–2428.

Nieh, C. W.–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films grown *in situ* by sequential ion beam sputtering.–J. A. Kittl, W. L. Johnson, and C. W. Nieh; **7** (8), 2003–2016.

Nieh, T. G.–Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. Nb/$MoSi_2$ systems.–T. C. Chou, T. G. Nieh, T. Y. Tsui, G. M. Pharr, and W. C. Oliver; **7** (10), 2765–2773.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system.–T. C. Chou, T. G. Nieh, S. D. McAdams, G. M. Pharr, and W. C. Oliver; **7** (10), 2774–2784.

Nishikawa, Satoshi–Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition.–Satoshi Nishikawa, Kouichi Tani, and Tetsuo Yamaji; **7** (2), 345–351.

Nishimura, K.–*In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond.–B. R. Stoner, B. E. Williams, S. D. Wolter, K. Nishimura, and J. T. Glass; **7** (2), 257–260(L).

Nishitani, Mikihiko–X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films.–Shigemi Kohiki, Mikihiko Nishitani, Takayuki Negami, and Takahiro Wada; **7** (8), 1984–1986(L).

Nishitani, S. R.–Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S. R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; **7** (3), 725–733.

Nix, W. D.–Nanoindentation of nanocrystalline ZnO.–M. J. Mayo, R. W. Siegel, Y. X. Liao, and W. D. Nix; **7** (4), 973–979.

–A study of stress-driven diffusive growth of voids in encapsulated interconnect lines.–Anne I. Sauter and W. D. Nix; **7** (5), 1133–1143.

–Analysis of the accuracy of the bulge test in determining the mechanical properties of thin films.–Martha K. Small and W. D. Nix; **7** (6), 1553–1563.

–A critical analysis of existing models for plastic flow in Ni_3Al: Comparisons with transient deformation experiments.–K. J. Hemker, M. J. Mills, and W. D. Nix; **7** (8), 2059–2069.

–A new bulge test technique for the determination of Young's modulus and Poisson's ratio of thin films.–J. J. Vlassak and W. D. Nix; **7** (12), 3242–3249.

Niznansky, D.–Preparation and characterization of $NH_4Bi_3F_{10}$.–D. Niznansky and J. L. Rehspringer; **7** (9), 2511–2513.

Noda, S.–Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition.–M. Kohzaki, K. Higuchi, S. Noda, and K. Uchida; **7** (7), 1769–1777.

Noebe, R. D.–The effect of strain rate and temperature on the tensile properties of NiAl.–R. D. Noebe, C. L. Cullers, and R. R. Bowman; **7** (3), 605–612.

Nogar, N.–Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R. E. Muenchausen, S. Foltyn, N. Nogar, and A. D. Rollett; **7** (3), 549–557.

Nomura, Miki–Self-diffusion along twist grain boundaries in Cu.–Miki Nomura and James B. Adams; **7** (12), 3202–3212.

Norris, P.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metal-organic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; **7** (8), 1993–2002.

Norton, M. Grant–The 45° grain boundaries in $YBa_2Cu_3O_{7-\delta}$.–Stuart McKernan, M. Grant Norton, and C. Barry Carter; **7** (5), 1052–1059.

–Solid krypton in MgO.–M. Grant Norton, C. Barry Carter, Elizabeth L. Fleischer, and James W. Mayer; **7** (12), 3171–3174(L).

Notaro, M.–Laser synthesis of vanadium-titanium oxide catalysts.–M. Musci, M. Notaro, F. Curcio, C. Casale, and G. De Michele; **7** (10), 2846–2852.

Nutt, Gerald L.–Finite element simulation of exfoliation experiments.–Gerald L. Nutt; **7** (1), 203–213.

Nutt, Steven–Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films.–Peter C. Van Buskirk, Robin Gardiner, Peter S. Kirlin, and Steven Nutt; **7** (3), 542–545(L).

Nyberg, Eric A.–Zirconia and organotitanate film formation on graphite fiber reinforcement for metal matrix composites.–R. V. Subramanian and Eric A. Nyberg; **7** (3), 677–688.

O

Oberlin, A.–Structural and textural changes from polyimide Kapton to graphite: Part I. Optical microscopy and transmission electron microscopy.–C. Bourgerette, A. Oberlin, and M. Inagaki; **7** (5), 1158–1173.

Oblas, D. W.–Topographic/structure changes of implanted Si_3N_4.–D. W. Oblas, V. K. Sarin, and K. Ostreicher; **7** (9), 2579–2584.

Ochi, Mitsukazu–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; **7** (7), 1652–1657.

Odier, P.–$YBa_2Cu_3O_{6+\delta}$ microcrystals by extraction of a nonstoichiometric melt.–N. Pellerin, M. Gervais, and P. Odier; **7** (3), 558–564.

Odom, Edwin M.–An investigation of the isotropy of epoxy polymers.–Edwin M. Odom and Donald F. Adams; **7** (12), 3352–3358.

Oesch, S.–Microstructure of melt-processed $Bi_2Sr_2CaCu_2O_y$ and reaction mechanisms during post heat treatment.–B. Heeb, S. Oesch, P. Bohac, and L. J. Gauckler; **7** (11), 2948–2955.

Ogale, S. B.–Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A. M. Dhote, S. C. Patil, S. M. Kanetkar, S. A. Gangal, and S. B. Ogale; **7** (7), 1685–1689.

–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Oganezov, K. A.–Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

Ogawa, R.–Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method.–Y. Masuda, R. Ogawa, Y. Kawate, T. Tateishi, and N. Hara; **7** (2), 292–298.

Ogawa, Rikuro–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

–Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.

–Microstructures of Bi-based oxide superconductors doped with Sb.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Naohiro Hara, and Tsuyoshi Tateishi; **7** (10), 2667–2672.

Ogawa, Tomoya–Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; **7** (8), 2182–2185.

–*In situ* observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique.–Li Lian, Lu Taijing, Kazufumi Sakai, and Tomoya Ogawa; **7** (12), 3275–3279.

Oguri, K.–Two different low friction mechanisms of diamond-like carbon with silicon coatings formed by plasma-assisted chemical vapor deposition.–K. Oguri and T. Arai; **7** (6), 1313–1316(L).

Ohashi, Tetsuya–Suppression of dislocation accumulation in GaAs film on Si substrate by combination of impurity doping and selective area growth.–Tetsuya Ohashi; **7** (11), 3032–3038.

Ohata, K.–TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition.–H. Takahashi, K. Ohata, and T. Morishita; **7** (9), 2333–2336.

Okada, Toshihiko–Mechanical properties of vapor-grown carbon fibers prepared from benzene in Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, and Kenji Matsubara; **7** (11), 3019–3022.

Okayama, S.–Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, H. Takahashi, S. Okayama, T. Morishita, and S. Tanaka; **7** (4), 813–818.

–Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; **7** (11), 2916–2919.

Okoshi, M.–Photochemical modification of polytetrafluoroethylene into oleophilic property using an ArF excimer laser.–M. Okoshi, M. Murahara, and K. Toyoda; **7** (7), 1912–1916.

Okuyama, Masahiko–Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (1), 192–196.

–Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (4), 791–794(L).

–Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (7), 1883–1887.

–Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder.–Masahiko Okuyama, Toshimi Fukui, and Chihiro Sakurai; **7** (8), 2281–2287.

Oldershaw, G. A.–An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite.–P. E. Dyer, S. T. Lau, G. A. Oldershaw, and D. Schudel; **7** (5), 1152–1157.

Oliver, W. C.–On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation.–G. M. Pharr, W. C. Oliver, and F. R. Brotzen; **7** (3), 613–617.

–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; **7** (4), 961–972.

–An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments.–W. C. Oliver and G. M. Pharr; **7** (6), 1564–1583.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. $Nb/MoSi_2$ systems.–T. C. Chou, T. G. Nieh, T. Y. Tsui, G. M. Pharr, and W. C. Oliver; **7** (10), 2765–2773.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system.–T. C. Chou, T. G.

Nieh, S. D. McAdams, G. M. Pharr, and W. C. Oliver; 7 (10), 2774–2784.

–The determination of film hardness from the composite response of film and substrate to nanometer scale indentations.–B. D. Fabes, W. C. Oliver, R. A. McKee, and F. J. Walker; 7 (11), 3056–3064.

Oliver, Warren C.–The deformation behavior of ceramic crystals subjected to very low load (nano)indentations.–Trevor F. Page, Warren C. Oliver, and Carl J. McHargue; 7 (2), 450–473.

Olson, G. B.–On the electronic basis of the phosphorus intergranular embrittlement of iron.–Ruqian Wu, A. J. Freeman, and G. B. Olson; 7 (9), 2403–2411.

Ong, T. P.–Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces.–T. P. Ong, Fulin Xiong, R. P. H. Chang, and C. W. White; 7 (9), 2429–2439.

O'Reilly, J. W.–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; 7 (8), 2017–2026.

Orgaz, F.–Crystallization and sintering characteristics of chemically vapor deposited silicon nitride powders.–C. Gomez-Aleixandre, J. M. Albella, J. M. Martínez-Duart, and F. Orgaz; 7 (10), 2864–2868.

Orlicki, Dariusz–Modeling of a–Si:H deposition in a dc glow discharge reactor.–Dariusz Orlicki, Vladimir Hlavacek, and Hendrik J. Viljoen; 7 (8), 2160–2181.

Osborne, Z. A.–A multinuclear MAS NMR study of the short-range structure of fluorophosphate glass.–R. K. Brow, Z. A. Osborne, and R. J. Kirkpatrick; 7 (7), 1892–1899.

Osburn, C. M.–Partial agglomeration during Co silicide film formation.–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; 7 (2), 269–272(L).

–Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. 7, 269 (1992)].–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; 7 (11), 3159(A).

Ostreicher, K.–Topographic/structure changes of implanted Si_3N_4.–D. W. Oblas, V. K. Sarin, and K. Ostreicher; 7 (9), 2579–2584.

P

Pach, Ladislav–The influence of water vapor on thermal transformations of boehmite.–Zdenek Hrabe, Sridhar Komarneni, Ladislav Pach, and Rustum Roy; 7 (2), 444–449.

Padture, Nitin P.–On the constrained crystallization of synthetic anorthite ($CaO \cdot Al_2O_3 \cdot 2SiO_2$).–Nitin P. Padture and Helen M. Chan; 7 (1), 170–177.

Pafchek, Robert–Highly stable fluoride glass.–Abdessamad Elyamani, Elias Snitzer, Robert Pafchek, and George H. Sigel, Jr.; 7 (6), 1541–1544.

Paffett, M. F.–Chemical vapor deposition of copper via disproportionation of hexafluoroacetylacetonato(1,5-cyclooctadiene)copper (I),(hfac)Cu(1,5-COD).–A. Jain, K. M. Chi, M. J. Hampden-Smith, T. T. Kodas, J. D. Farr, and M. F. Paffett; 7 (2), 261–264(L).

Page, Trevor F.–The deformation behavior of ceramic crystals subjected to very low load (nano)indentations.–Trevor F. Page, Warren C. Oliver, and Carl J. McHargue; 7 (2), 450–473.

Pandey, R. K.–Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection.–K. K. Raina, S. Narayanan, and R. K. Pandey; 7 (9), 2303–2307.

Paquin, Louis–Nonlinear silicon oxide growth patterns in a gold-silicon system.–Gervais Leclerc, Louis Paquin, and Fabrice Baratay; 7 (9), 2458–2464.

Parrill, T. M.–Transmission infrared study of acid-catalyzed sol-gel silica coatings during room ambient drying.–T. M. Parrill; 7 (8), 2230–2239.

Patankar, S. N.–Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S. N. Patankar, and F. H. Froes; 7 (8), 2114–2118.

Patil, S. C.–Metallization of glass/ceramic from solutions of organometallic compounds by laser induced pyrolysis.–A. M. Dhote, S. C. Patil, S. M. Kanetkar, S. A. Gangal, and S. B. Ogale; 7 (7), 1685–1689.

Patterson, B. M.–Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films.–K. M. Unruh, B. M. Patterson, and S. I. Shah; 7 (1), 214–218.

Patterson, J. D.–Electron mobility in *n*-type $Hg_{1-x}Cd_xTe$ and $Hg_{1-x}Zn_xTe$ alloys.–J. D. Patterson, Wafaa A. Gobba, and S. L. Lehoczky; 7 (8), 2211–2218.

Pauleau, Y.–Characterization of tungsten-carbon layers deposited on stainless steel by reactive magnetron sputtering.–Y. Pauleau and Ph. Gouy-Pailler; 7 (8), 2070–2079.

Payne, A. P.–Metastable copper-chromium alloy films.–A. P. Payne and B. M. Clemens; 7 (6), 1370–1376.

–Observation of a rapid amorphization reaction.–T. C. Hufnagel, S. Brennan, A. P. Payne, and B. M. Clemens; 7 (8), 1976–1979(L).

Pedraza, A. J.–Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples.–M. J. Godbole, A. J. Pedraza, D. H. Lowndes, and J. R. Thompson, Jr.; 7 (4), 1004–1010.

Pellerin, N.–$YBa_2Cu_3O_{6+\delta}$ microcrysta!s by extraction of a nonstoichiometric melt.–N. Pellerin, M. Gervais, and P. Odier; 7 (3), 558–564.

Pépin, H.–A study of the effect of composition on the microstructural evolution of a–Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; 7 (9), 2478–2487.

Pérez-Martin, C. M.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; 7 (10), 2689–2712.

Perrotta, A. J.–Hydrotalcite formation on aluminum sheet and powder.–A. J. Perrotta, S. Y. Tzeng, W. D. Imbrogno, R. Rolles, and M. S. Weather; 7 (12), 3306–3313.

Peterson, T. L.–Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders.–Asok K. Sarkar, I. Maartense, and T. L. Peterson; 7 (7), 1672–1678.

Petrovic, J. J.–CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface.–O. Unal, J. J. Petrovic, and T. E. Mitchell; 7 (1), 136–147.

Pettersson, J. B. C.–Visible luminescence from particles on surfaces: Evidence of de-excitation of Rydberg matter.–C. Åman, J. B. C. Pettersson, H. Lindroth, and L. Holmlid; 7 (1), 100–104.

Petuskey, W. T.–Phase relationships in the Ti–Si–C system at high pressures.–S. Sambasivan and W. T. Petuskey; 7 (6), 1473–1479.

Pfender, E.–Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W. W. Gerberich, J. Heberlein, and E. Pfender; 7 (8), 1967–1969(L).

Pharr, G. M.–On the generality of the relationship among contact stiffness, contact area, and elastic modulus during indentation.–G. M. Pharr, W. C. Oliver, and F. R. Brotzen; 7 (3), 613–617.

–Electrical resistance of metallic contacts on silicon and germanium during indentation.–G. M. Pharr, W. C. Oliver, R. F. Cook, P. D. Kirchner, M. C. Kroll, T. R. Dinger, and D. R. Clarke; 7 (4), 961–972.

–An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments.–W. C. Oliver and G. M. Pharr; 7 (6), 1564–1583.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. Nb/$MoSi_2$ systems.–T. C. Chou, T. G. Nieh, T. Y. Tsui, G. M. Pharr, and W. C. Oliver; 7 (10), 2765–2773.

–Mechanical properties and microstructures of metal/ceramic microlaminates: Part II. A Mo/Al_2O_3 system.–T. C. Chou, T. G. Nieh, S. D. McAdams, G. M. Pharr, and W. C. Oliver; 7 (10), 2774–2784.

Phillips, Jonathan–Plasma production of metallic nanoparticles.–ChinHao Chou and Jonathan Phillips; 7 (8), 2107–2113.

Phillips, Julia M.–Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals.–Gong-Da Yao, Shang Yun Hou, Michael Dudley, and Julia M. Phillips; 7 (7), 1847–1855.

–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; 7 (10), 2650–2657.

–Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process.–M. P. Siegal, S. Y. Hou, Julia M. Phillips, T. H. Tiefel, and J. H. Marshall; 7 (10), 2658–2666.

Picht, Friederike–Rate limitation in low pressure diamond growth.–Hans Rau and Friederike Picht; 7 (4), 934–939.

Pickup, Helen–Synthesis of yttrium aluminum garnet by reverse strike precipitation.–Prasad Apte, Harry Burke, and Helen Pickup; 7 (3), 706–711.

Pierre, Alain C.–Sol-gel processing of high-T_c superconductors in the Bi–(Pb)–Sr–Ca–Cu–O system.–Kunsong Ma and Alain C. Pierre; 7 (6), 1328–1335.

Pilla, O.–Luminescence of Eu^{3+} ions during thermal densification of SiO_2 gel.–R. Campostrini, G. Carturan, M. Ferrari, M. Montagna, and O. Pilla; 7 (3), 745–753.

Pingitore, N. E.–Solid solutions in the system Ag_2S–Ag_2Se.–N. E. Pingitore, B. F. Ponce, M. P. Eastman, F. Moreno, and C. Podpora; 7 (8), 2219–2224.

Pirouz, P.–On diamond-hexagonal germanium.–S-Q. Xiao and P. Pirouz; 7 (6), 1406–1412.

Podpora, C.–Solid solutions in the system Ag_2S–Ag_2Se.–N. E. Pingitore, B. F. Ponce, M. P. Eastman, F. Moreno, and C. Podpora; 7 (8), 2219–2224.

Poeppel, R. B.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; 7 (2), 283–291.

–Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors.–J. P. Singh, R. A. Guttschow, J. T. Dusek, and R. B. Poeppel; 7 (9), 2324–2332.

Polini, R.–Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase.–E. Molinari, R. Polini, M. L. Terranova, P. Ascarelli, and S. Fontana; 7 (7), 1778–1787.

Ponce, Angel L. G.–Interaction between atomic hydrogen and $YBa_2Cu_3O_7$.–Angel L. G. Ponce and Jose J. Fripiat; 7 (11), 2908–2915.

Ponce, B. F.–Solid solutions in the system Ag_2S–Ag_2Se.–N. E. Pingitore, B. F. Ponce, M. P. Eastman, F. Moreno, and C. Podpora; 7 (8), 2219–2224.

Popescu, C.–Composite Si/C/N powder production by laser induced gas phase reactions.–E. Borsella, S. Botti, R. Fantoni, R. Alexandrescu, I. Morjan, C. Popescu, T. Dikonimos-Makris, R. Giorgi, and S. Enzo; 7 (8), 2257–2268.

Popoola, Oludele O.–Interfacial structure and chemistry in a ceramic/polymer composite material.–Oludele O. Popoola and Waltraud M. Kriven; 7 (6), 1545–1552.

–Erratum: "Interfacial structure and chemistry in a ceramic/polymer composite material" [J. Mater. Res. 7, 1545 (1992)].–Oludele O. Popoola and Waltraud M. Kriven; 7 (9), 2630(E).

Portilla, M.–Solid solutions in the $Ba_2Y_{1-x}Cu_xWO_{6-y}$ system.–A. García-Ruiz, Bokhimi, and M. Portilla; 7 (1), 24–28.

Potdar, H. S.–Low temperature synthesis of ultrafine strontium titanate ($SrTiO_3$) powders.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, V. G. Gunjikar, and S. K. Date; 7 (2), 429–434.

Potez, L.–A study of Al_2Ti precipitation in a Cu-modified Al_3Ti alloy.–L. Potez, A. Loiseau, S. Naka, and G. Lapasset; 7 (4), 876–882.

Pozarnsky, G. A.–The direct observation of structural development during vanadium pentoxide gelation.–J. K. Bailey, G. A. Pozarnsky, and M. L. Mecartney; 7 (9), 2530–2537.

Prakash, Shiva–Crystallinity of $Y_1Ba_2Cu_3O_{7-x}$ films grown on MgO by activated reactive evaporation.–Shiva Prakash and R. F. Bunshah; 7 (9), 2343–2348.

Prasadarao, A. V.–Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; 7 (4), 992–996.

–Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$.–A. V. Prasadarao, Ulagaraj Selvaraj, Sridhar Komarneni, and Amar S. Bhalla; 7 (10), 2859–2863.

Pratsinis, Sotiris E.–Role of particle evaporation during synthesis of lead oxide by aerosol decomposition.–Shirley W. Lyons, Yun Xiong, Timothy L. Ward, Toivo T. Kodas, and Sotiris E. Pratsinis; 7 (12), 3333–3341.

Prouzet, E.–Structural study of room temperature synthesized nickel thiophosphate a–$NiPS_3$.–P. Fragnaud, E. Prouzet, and R. Brec; 7 (7), 1839–1846.

Puglisi, Orazio–Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study.–Antonino Scandurra, Antonino Licciardello, Alberto Torrisi, Antonio La Mantia, and Orazio Puglisi; 7 (9), 2395–2402.

Q

Qin, C-D.–Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures.–C-D. Qin and B. Derby; 7 (6), 1480–1488.

R

Rabenberg, L.–Observation and characterization of a twinned monoclinic phase as a product of the solid state decomposition of $Nd_2Fe_{14}B$.–L. Rabenberg, Josef Fidler, and Johannes Bernardi; 7 (7), 1762–1768.

Rabin, B. H.–Combustion synthesis of cubic Al_3Ti alloys.–R. N. Wright, B. H. Rabin, and W. H. McFerran; 7 (10), 2733–2738.

Radousky, H. B.–A review of the superconducting and normal state properties of $Y_{1-x}Pr_xBa_2Cu_3O_7$.–H. B. Radousky; 7 (7), 1917–1955.

Raina, K. K.–Thin film growth of the 2122-phase of BCSCO superconductor with high degree of crystalline perfection.–K. K. Raina, S. Narayanan, and R. K. Pandey; 7 (9), 2303–2307.

Raj, S. V.–Influence of processing on the microstructure and mechanical properties of a $NbAl_3$-base alloy.–Mohan G. Hebsur, Ivan E. Locci, S. V. Raj, and Michael V. Nathal; 7 (7), 1696–1706.

–Effect of oxidation on the mechanical properties of a $NbAl_3$ alloy at intermediate temperatures.–S. V. Raj, M. Hebsur, I. E. Locci, and J. Doychak; 7 (12), 3219–3234.

Raman, V.–An investigation of the creep processes in tin and aluminum using a depth-sensing indentation technique.–V. Raman and R. Berriche; 7 (3), 627–638.

Ramesham, R.–Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation.–R. Ramesham and T. Roppel; 7 (5), 1144–1151.

–Selective growth of diamond crystals on the apex of silicon pyramids.–R. Ramesham and C. Ellis; 7 (5), 1189–1194.

Ramey, J. O.–Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$.–B. C. Sales, B. C. Chakoumakos, L. A. Boatner, and J. O. Ramey; 7 (10), 2646–2649(L).

Ramos, S. M. M.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; 7 (1), 178–184.

Rankin, J.–The effect of annealing environments on the epitaxial recrystallization of ion-beam-amorphized $SrTiO_3$.–J. Rankin, J. C. McCallum, and L. A. Boatner; 7 (3), 717–724.

Rao, A. M.–Structural characterization of heat-treated activated carbon fibers.–A. M. Rao, A. W. P. Fung, M. S. Dresselhaus, and M. Endo; **7** (7), 1788–1794.

Rao, C. N. R.–Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of Fe^0–Al_2O_3 metal-ceramic composites.–M. Verelst, K. R. Kannan, G. N. Subbanna, C. N. R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Rao, Gopal R.–Improved hardness and wear properties of B-ion implanted polycarbonate.–E. H. Lee, Gopal R. Rao, and L. K. Mansur; **7** (7), 1900–1911.

Rao, S.–Electronic structure of planar faults in TiAl.–C. Woodward, J. M. MacLaren, and S. Rao; **7** (7), 1735–1750.

Rasmussen, Don H.–Laser induced deposition of copper and lead powders.–Dontula Narasimharao, Suryadevara V. Babu, and Don H. Rasmussen; **7** (5), 1104–1114.

Rau, Hans–Rate limitation in low pressure diamond growth.–Hans Rau and Friederike Picht; **7** (4), 934–939.

Ravagni, Alberto–Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders.–Gian Domenico Sorarù, Alberto Ravagni, Roberto Dal Maschio, Giovanni Carturan, and Florence Babonneau; **7** (5), 1266–1270.

Raveau, B.–Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics.–I. Monot, J. Wang, G. Desgardin, and B. Raveau; **7** (2), 273–282.

Ravi, K. V.–Morphological instabilities in the low pressure synthesis of diamond.–K. V. Ravi; **7** (2), 384–393.

Ravindranathan, P.–Electrochemical, hydrothermal, and electrochemical-hydrothermal synthesis of barium titanate thin films on titanium substrates.–R. Bacsa, P. Ravindranathan, and J. P. Dougherty; **7** (2), 423–428.

Rawers, J.–Mechanical and microstructural properties of nitrogen-high pressure melted Fe–Cr–Ni alloys.–J. Rawers, G. Asai, R. Doan, and J. Dunning; **7** (5), 1083–1092.

Rebouta, L.–Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J. C. Soares, M. F. da Silva, J. A. Sanz-García, E. Dieguez, F. Agulló-López, and; **7** (1), 130–135.

Reed, W. A.–Effect of processing on the optical scattering of AlF_3-based glasses.–T. Iqbal, M. R. Shahriari, G. H. Sigel, Jr., A. E. Neeves, and W. A. Reed; **7** (1), 219–223.

Rehspringer, J. L.–Preparation and characterization of $NH_4Bi_3F_{10}$.–D. Niznansky and J. L. Rehspringer; **7** (9), 2511–2513.

Reichelt, K.–Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

–The properties of W–C:H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

Reid, J. S.–Thermodynamics of (Cr, Mo, Nb, Ta, V, or W)–Si–Cu ternary systems.–J. S. Reid, E. Kolawa, and M-A. Nicolet; **7** (9), 2424–2428.

Rellick, Gerald S.–Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites.–Gerald S. Rellick, Dick J. Chang, and Rafael J. Zaldivar; **7** (10), 2798–2809.

Riaz, Umar–Chemical vapor deposition of aluminum nitride thin films.–Roy G. Gordon, Umar Riaz, and David M. Hoffman; **7** (7), 1679–1684.

Richards, D. R.–Chemistry and structural modulations in $Bi_2Sr_2CuO_6$.–Y. Shen, D. R. Richards, D. G. Hinks, and A. W. Mitchell; **7** (4), 844–852.

Ricketts-Foot, D. A.–Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; **7** (2), 335–340.

Riman, R. E.–Reactive atmosphere synthesis of sol-gel heavy metal fluoride glasses.–A. M. Mailhot, A. Elyamani, and R. E. Riman; **7** (6), 1534–1540.

Risbud, Subhash H.–Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes.–Joanna R. Groza, Subhash H. Risbud, and Kazuo Yamazaki; **7** (10), 2643–2645(L).

Ritter, J. E.–Subcritical crack growth along epoxy/glass interfaces.–K. M. Conley, J. E. Ritter, and T. J. Lardner; **7** (9), 2621–2629.

Ritter, Joseph J.–Compositional homogeneity in processing precursor powders to the $Ba_2YCu_3O_{7-x}$ high T_c superconductor.–James F. Kelly and Joseph J. Ritter; **7** (3), 580–584.

Rivera, N. M.–Epitaxial growth of C_{60} thin films on mica.–W. Krakow, N. M. Rivera, R. A. Roy, R. S. Ruoff, and J. J. Cuomo; **7** (4), 784–787(L).

Rivière, J. C.–Crystallographic changes in $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites: XPS and XAES investigations.–S. Myhra, J. C. Rivière, K. Hawkins, and T. J. White; **7** (2), 482–489.

Robins, Lawrence H.–Spatially and spectrally resolved cathodoluminescence of hot-filament chemical-vapor-deposited diamond particles.–Lawrence H. Robins, Edward N. Farabaugh, and Albert Feldman; **7** (2), 394–403.

Robinson, C. J.–Fracture strength measurement of filament assisted CVD polycrystalline diamond films.–G. F. Cardinale and C. J. Robinson; **7** (6), 1432–1437.

Rocca, J. J.–Production of amorphous metallic surfaces by means of a pulsed glow discharge electron beam.–N. Mingolo and J. J. Rocca; **7** (5), 1096–1099.

Rolles, R.–Hydrotalcite formation on aluminum sheet and powder.–A. J. Perrotta, S. Y. Tzeng, W. D. Imbrogno, R. Rolles, and M. S. Weather; **7** (12), 3306–3313.

Rollett, A. D.–Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R. E. Muenchausen, S. Foltyn, N. Nogar, and A. D. Rollett; **7** (3), 549–557.

Romano, L. T.–Determination of size and distribution of second phases using nuclear microscopy.–M. B. H. Breese, L. T. Romano, C. J. Salter, G. W. Grime, and F. Watt; **7** (9), 2373–2378.

Romanow, W. J.–Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; **7** (2), 335–340.

Roppel, T.–Selective growth of polycrystalline diamond thin films on a variety of substrates using selective damaging by ultrasonic agitation.–R. Ramesham and T. Roppel; **7** (5), 1144–1151.

Rothman, S. J.–Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$.–Nan Chen, S. J. Rothman, J. L. Routbort, and K. C. Goretta; **7** (9), 2308–2316.

Rottman, Craig–Equilibrium shapes of semicoherent inclusions.–Craig Rottman; **7** (4), 1029–1036.

Roughani, Bahram–Growth of (100) oriented diamond thin films on ball structure diamond-like particles.–Lee Chow, Alan Horner, Hooman Sakouri, Bahram Roughani, and Swaminatha Sundaram; **7** (7), 1606–1609(L).

Rousseaux, F.–A study of the effect of composition on the microstructural evolution of a-Si_xC_{1-x}:H PECVD films: IR absorption and XPS characterizations.–E. Gat, M. A. El Khakani, M. Chaker, A. Jean, S. Boily, H. Pépin, J. C. Kieffer, J. Durand, B. Cros, F. Rousseaux, and S. Gujrathi; **7** (9), 2478–2487.

Rousset, A.–Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of Fe^0–Al_2O_3 metal-ceramic composites.–M. Verelst, K. R. Kannan, G. N. Subbanna, C. N. R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Routbort, J. L.–Tracer diffusion of Ba and Y in $YBa_2Cu_3O_x$.–Nan Chen, S. J. Rothman, J. L. Routbort, and K. C. Goretta; **7** (9), 2308–2316.

–Compressive creep of dense $Bi_2Sr_{1.7}CaCu_2O_x$.–J. L. Routbort, K. C. Goretta, D. J. Miller, D. B. Kazelas, C. Clauss, and A. Domínguez-Rodríguez; **7** (9), 2360–2364.

Route, R. K.–Surface migration and volume diffusion in the $AgGaSe_2$–Ag_2Se system.–N-H. Kim, R. S. Feigelson, and R. K. Route; **7** (5), 1215–1220.

Rowland, S. Clark–The purification of elemental sulfur.–Sherman Susman, S. Clark Rowland, and Kenneth J. Volin; **7** (6), 1526–1533.

Roy, D.–Pulsed excimer laser deposition and characterization of ferroelectric $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films.–D. Roy and S. B. Krupanidhi; **7** (9), 2521–2529.

Roy, D. M.–Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; **7** (8), 2294–2298.

Roy, Della M.–Fabrication of porous hydroxyapatite ceramics by microwave processing.–Yi Fang, Dinesh K. Agrawal, Della M. Roy, and Rustum Roy; **7** (2), 490–494.

Roy, R.–Ultrasonically accelerated synthesis of hydroxyapatite.–Y. Fang, D. K. Agrawal, D. M. Roy, R. Roy, and P. W. Brown; **7** (8), 2294–2298.

Roy, R. A.–Epitaxial growth of C_{60} thin films on mica.–W. Krakow, N. M. Rivera, R. A. Roy, R. S. Ruoff, and J. J. Cuomo; **7** (4), 784–787(L).

–Substrate and temperature effects in lead zirconate titanate films produced by facing targets sputtering.–R. A. Roy and K. F. Etzold; **7** (6), 1455–1464.

Roy, Rita–The formation of intermetallics in Cu/In thin films.–Rita Roy, S. K. Sen, and Suchitra Sen; **7** (6), 1377–1386.

Roy, Rustum–The influence of vapor on thermal transformations of boehmite.–Zdenek Hrabe, Sridhar Komarneni, Ladislav Pach, and Rustum Roy; **7** (2), 444–449.

–Fabrication of porous hydroxyapatite ceramics by microwave processing.–Yi Fang, Dinesh K. Agrawal, Della M. Roy, and Rustum Roy; **7** (2), 490–494.

Rozgonyi, G. A.–Partial agglomeration during Co silicide film formation.–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; **7** (2), 269–272(L).

–Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. **7**, 269 (1992)].–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; **7** (11), 3159(A).

Ruano, Oscar A.–Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature.–Eric M. Taleff, Oscar A. Ruano, Jeff Wolfenstine, and Oleg D. Sherby; **7** (8), 2131–2135.

Rubin, M.–Sputtered YBCO films on metal substrates.–E. Yin, M. Rubin, and M. Dixon; **7** (7), 1636–1640.

Rubins, R. S.–Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R. S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; **7** (4), 837–843.

Ruckenstein, E.–Effective dispersants for concentrated, nonaqueous suspensions.–I. Sushumna, R. K. Gupta, and E. Ruckenstein; **7** (10), 2884–2893.

Rudkowska, G.–Bi-based high T_c superconducting fibers by melt extraction.–J. J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J. O. Ström-Olsen, and J. Cave; **7** (9), 2365–2372.

Rudkowski, P.–Bi-based high T_c superconducting fibers by melt extraction.–J. J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J. O. Ström-Olsen, and J. Cave; **7** (9), 2365–2372.

Ruoff, R. S.–Epitaxial growth of C_{60} thin films on mica.–W. Krakow, N. M. Rivera, R. A. Roy, R. S. Ruoff, and J. J. Cuomo; **7** (4), 784–787(L).

S

Sahaida, Scott R.–Twinning and faceting in early stages of diamond growth by chemical vapor deposition.–John C. Angus, Mahendra Sunkara, Scott R. Sahaida, and Jeffrey T. Glass; **7** (11), 3001–3009.

Saito, Yasutoshi–Infrared spectra of oxide films on SUS430 stainless steel formed at temperatures between 473 and 1073 K.–Katsuya Honda, Tooru Atake, and Yasutoshi Saito; **7** (1), 80–84.

Sakaguchi, Shuji–Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor.–Norimitsu Murayama, Yasuharu Kodama, Shuji Sakaguchi, and Fumihiro Wakai; **7** (1), 34–37.

Sakai, Kazufumi–*In situ* observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique.–Li Lian, Lu Taijing, Kazufumi Sakai, and Tomoya Ogawa; **7** (12), 3275–3279.

Sakai, Mototsugu–Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite.–Takayuki Suzuki, Masahiro Sato, and Mototsugu Sakai; **7** (10), 2869–2875.

Sakka, Sumio–Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.

–Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method.–Shinobu Fujihara, Haoren Zhuang, Toshinobu Yoko, Hiromitsu Kozuka, and Sumio Sakka; **7** (9), 2355–2359.

Sakouri, Hooman–Growth of (100) oriented diamond thin films on ball structure diamond-like particles.–Lee Chow, Alan Horner, Hooman Sakouri, Bahram Roughani, and Swaminatha Sundaram; **7** (7), 1606–1609(L).

Sakurai, Chihiro–Effects of heating rate on sintering of alkoxide-derived $BaTi_5O_{11}$ powder.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (1), 192–196.

–Preparation of $Pb(Zr_{1-x}Ti_x)O_3$ powders from complex alkoxide and their lower-temperature crystallization.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (4), 791–794(L).

–Preparation of $Ba(Mg_{1/3}Nb_{2/3})O_3$ ceramics as microwave dielectrics through alkoxide-hydroxide route.–Toshimi Fukui, Chihiro Sakurai, and Masahiko Okuyama; **7** (7), 1883–1887.

–Effects of seeding on phase transformation and mechanical properties in complex-alkoxide-derived cordierite gel powder.–Masahiko Okuyama, Toshimi Fukui, and Chihiro Sakurai; **7** (8), 2281–2287.

Salamanca-Riba, L.–Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates.–A. K. Ballal, L. Salamanca-Riba, G. L. Doll, C. A. Taylor, II, and R. Clarke; **7** (7), 1618–1620(L).

Salamanca-Riba, L. G.–Photoluminescence and optical absorption in $CaS:Eu^{2+}:Sm^{3+}$ thin films.–J-G. Zhang, P. C. Eklund, Z. L. Hua, L. G. Salamanca-Riba, M. Wuttig, P. K. Soltani, and G. M. Storti; **7** (2), 411–417.

Sales, B. C.–Structural evolution of the amorphous solids produced by heating crystalline $MgHPO_4 \cdot 3H_2O$.–B. C. Sales, B. C. Chakoumakos, L. A. Boatner, and J. O. Ramey; **7** (10), 2646–2649(L).

Salomon, R. E.–Synthesis of high phase pure cuprate superconductors via xerogel precursors.–J. Macho, R. W. Schaeffer, G. H. Myer, R. E. Salomon, and J. E. Crow; **7** (5), 1046–1051.

–Preparation, thermal processing behavior, and characterization of YBCO from freeze-dried nitrate precursors.–N. V. Coppa, G. H. Myer, R. E. Salomon, A. Bura, J. W. O'Reilly, J. E. Crow, and P. K. Davies; **7** (8), 2017–2026.

Salter, C. J.–Determination of size and distribution of second phases using nuclear microscopy.–M. B. H. Breese, L. T. Romano, C. J. Salter, G. W. Grime, and F. Watt; **7** (9), 2373–2378.

Sambasivan, S.–Phase relationships in the Ti–Si–C system at high pressures.–S. Sambasivan and W. T. Petuskey; **7** (6), 1473–1479.

Sandhage, K. H.–Epitaxial growth of $YBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Sandusky, H. W.–Defect density measurements in shocked single crystal ammonium perchlorate by x-ray photoelectron spectroscopy.–B. C. Beard, H. W. Sandusky, B. C. Glancy, and W. L. Elban; **7** (12), 3266–3274.

Sanz-García, J. A.–Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J. C. Soares, M. F. da Silva, J. A. Sanz-García, E. Dieguez, and F. Agulló-López; **7** (1), 130–135.

Sarholt-Kristensen, L.–On glass formation in rapidly solidified aluminum-based alloys.–Q. Li, E. Johnson, A. Johansen, and L. Sarholt-Kristensen; **7** (10), 2756–2764.

Sarin, V. K.–Topographic/structure changes of implanted Si_3N_4.–D. W. Oblas, V. K. Sarin, and K. Ostreicher; **7** (9), 2579–2584.

Saris, F. W.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

Sarkar, Asok K.–Limit of superconductivity in silver/superconductor metal-matrix composites prepared with Bi–Pb–Sr–Ca–Cu–O ceramic powders.–Asok K. Sarkar, I. Maartense, and T. L. Peterson; **7** (7), 1672–1678.

Sartwell, B. D.–Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD.–C. R. Eddy, Jr., D. L. Youchison, B. D. Sartwell, and K. S. Grabowski; **7** (12), 3255–3259.

Sasamoto, Tadashi–Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution.–Osamu Yamamoto, Tadashi Sasamoto, and Michio Inagaki; **7** (9), 2488–2491.

Satho, Mamoru–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; **7** (7), 1652–1657.

Sato, Masahiro–Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite.–Takayuki Suzuki, Masahiro Sato, and Mototsugu Sakai; **7** (10), 2869–2875.

Sato, T.–^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M: Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; **7** (8), 1970–1972(L).

Sauter, Anne I.–A study of stress-driven diffusive growth of voids in encapsulated interconnect lines.–Anne I. Sauter and W. D. Nix; **7** (5), 1133–1143.

Scandurra, Antonino–Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study.–Antonino Scandurra, Antonino Licciardello, Alberto Torrisi, Antonio La Mantia, and Orazio Puglisi; **7** (9), 2395–2402.

Scanlan, B. W.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; **7** (9), 2546–2554.

Schaeffer, R. W.–Synthesis of high phase pure cuprate superconductors via xerogel precursors.–J. Macho, R. W. Schaeffer, G. H. Myer, R. E. Salomon, and J. E. Crow; **7** (5), 1046–1051.

Schirber, James E.–Intercalation of molecular species into the interstitial sites of fullerene.–Roger A. Assink, James E. Schirber, Douglas A. Loy, Bruno Morosin, and Gary A. Carlson; **7** (8), 2136–2143.

Schlein, W. S.–Photoelastic and finite element analysis of different size spheres in contact.–C. W. Shih, W. S. Schlein, and J. C. M. Li; **7** (4), 1011–1017.

Schmauder, S.–Role of interface properties on the toughness of brittle matrix composites reinforced with ductile fibers.–H. E. Dève and S. Schmauder; **7** (11), 3132–3138.

Schmidt, K.–Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

–The properties of W–C:H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

Schneibel, J. H.–The crystallography of cleavage fracture in Al_3Sc.–J. H. Schneibel and P. M. Hazzledine; **7** (4), 868–875.

Schudel, D.–An investigation of XeCl laser ablation of polyetheretherketone (PEEK)-carbon fiber composite.–P. E. Dyer, S. T. Lau, G. A. Oldershaw, and D. Schudel; **7** (5), 1152–1157.

Schulz, R.–The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system.–A. Van Neste, A. Lamarre, M. L. Trudeau, and R. Schulz; **7** (9), 2412–2417.

–Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments.–R. Allem, F. Lavallée, G. L'Espérance, R. Schulz, and M. L. Trudeau; **7** (11), 2936–2941.

Schwartz, R. W.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; **7** (7), 1876–1882.

Schwarz, R. B.–Elastic moduli of $MoSi_2$-based materials.–S. R. Srinivasan and R. B. Schwarz; **7** (7), 1610–1613(L).

Seehra, Mohindar S.–Determination of particle size distribution in an Fe_2O_3-based catalyst using magnetometry and x-ray diffraction.–Manjula M. Ibrahim, Jianmin Zhao, and Mohindar S. Seehra; **7** (7), 1856–1860.

Segall, Benjamin–Electronic structure and total energy of diamond/BeO interfaces.–Walter R. L. Lambrecht and Benjamin Segall; **7** (3), 696–705.

Seidman, D. N.–Elastic and nanostructural properties of Cu/Pd superlattices.–B. M. Davis, D. X. Li, D. N. Seidman, J. B. Ketterson, R. Bhadra, and M. Grimsditch; **7** (6), 1356–1369.

Seinfeld, John H.–Selective nucleation of silicon clusters in CVD.–Frank G. Shi and John H. Seinfeld; **7** (7), 1809–1815.

Sekhar, J. A.–Growth of noncrystallographic dendrites.–L. M. Fabietti and J. A. Sekhar; **7** (8), 1987–1989(L).

Selvaduray, G.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; **7** (2), 283–291.

Selvaraj, Ulagaraj–Sol-gel processing of $PbTiO_3$ and $Pb(Zr_{0.52}Ti_{0.48})O_3$ fibers.–Ulagaraj Selvaraj, A. V. Prasadarao, Sridhar Komarneni, Keith Brooks, and Stewart Kurtz; **7** (4), 992–996.

–Sol-gel synthesis of $Ln_2(Ln = La, Nd)Ti_2O_7$.–A. V. Prasadarao, Ulagaraj Selvaraj, Sridhar Komarneni, and Amar S. Bhalla; **7** (10), 2859–2863.

Sen, S. K.–The formation of intermetallics in Cu/In thin films.–Rita Roy, S. K. Sen, and Suchitra Sen; **7** (6), 1377–1386.

Sen, Suchitra–The formation of intermetallics in Cu/In thin films.–Rita Roy, S. K. Sen, and Suchitra Sen; **7** (6), 1377–1386.

Sengupta, S.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

Serna, C. J.–The formation of α–Fe_2O_3 monodispersed particles in solution.–M. P. Morales, T. González-Carreño, and C. J. Serna; **7** (9), 2538–2545.

Servant, C.–Effect of additional elements on the mechanical and microstructural properties of copper polycrystal under dynamic compression.–P. Ancrenaz, C. Nguy, and C. Servant; **7** (9), 2387–2394.

Shah, S. I.–Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films.–K. M. Unruh, B. M. Patterson, and S. I. Shah; **7** (1), 214–218.

Shahriari, M. R.–Effect of processing on the optical scattering of AlF_3-based glasses.–T. Iqbal, M. R. Shahriari, G. H. Sigel, Jr., A. E. Neeves, and W. A. Reed; **7** (1), 219–223.

Shang, C. H.–Metastable phases formed in Fe–Cu–Si multilayered films by ion irradiation.–B. X. Liu, C. H. Shang, and C. H. Liu; **7** (1), 85–88.

Sharan, S.–Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; **7** (10), 2639–2642(L).

Shaw, D. T.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; **7** (6), 1317–1327.

Shaw-Klein, L. J.–Anisotropic thermal conductivity of rare earth–transition metal thin films.–L. J. Shaw-Klein, T. K. Hatwar, S. J. Burns, S. D. Jacobs, and J. C. Lambropoulos; **7** (2), 329–334.

Sheen, S. R.–Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor.–D. H. Chen, S. R. Sheen, C. T. Chang, C. Y. Shei, and W-M. Hurng; **7** (9), 2317–2323.

Shei, C. Y.–Studies of theoretical and experimental precipitation conditions of Y^{+3}, Ba^{+2}, and Cu^{+2} ions in oxalate-diethylamine media in the preparation of $YBa_2Cu_3O_y$ superconductor.–D. H. Chen, S. R. Sheen, C. T. Chang, C. Y. Shei, and W-M. Hurng; **7** (9), 2317–2323.

Shen, Y.–Chemistry and structural modulations in $Bi_2Sr_2CuO_6$.–Y. Shen, D. R. Richards, D. G. Hinks, and A. W. Mitchell; **7** (4), 844–852.

Sherby, Oleg D.–Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature.–Eric M. Taleff, Oscar A. Ruano, Jeff Wolfenstine, and Oleg D. Sherby; **7** (8), 2131–2135.

Shi, Donglu–Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R. S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; **7** (4), 837–843.

Shi, Frank G.–Selective nucleation of silicon clusters in CVD.–Frank G. Shi and John H. Seinfeld; **7** (7), 1809–1815.

Shi, H.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; **7** (2), 283–291.

Shibutani, Kazuyuki–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

Shih, C. W.–Photoelastic and finite element analysis of different size spheres in contact.–C. W. Shih, W. S. Schlein, and J. C. M. Li; **7** (4), 1011–1017.

Shih, H. C.–The interfacial structure and composition of diamond films grown on various substrates.–C. P. Sung and H. C. Shih; **7** (1), 105–116.

Shimamura, S.–Computer modeling of thermal shock-induced crack growth in brittle materials.–S. Shimamura and Y. Sotoike; **7** (5), 1286–1291.

Shin, M. W.–Grain growth kinetics and microstructures of the high T_c $GdBa_2Cu_3O_{7-\delta}$ superconductor.–M. W. Shin, T. M. Hare, A. I. Kingon, and C. C. Koch; **7** (12), 3194–3201.

Shinn, M.–Growth, structure, and microhardness of epitaxial TiN/NbN superlattices.–M. Shinn, L. Hultman, and S. A. Barnett; **7** (4), 901–911.

Shinn, Meenam–Effective elastic constants and acoustic properties of single-crystal TiN/NbN superlattices.–Jin O. Kim, Jan D. Achenbach, Meenam Shinn, and Scott A. Barnett; **7** (8), 2248–2256.

Shinohara, T.–NMR studies on amorphous, icosahedral, and crystalline phases.–T. Shinohara, A. P. Tsai, and T. Masumoto; **7** (1), 62–67.

–^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; **7** (8), 1970–1972(L).

Shinozaki, Douglas M.–Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region.–Brian W. Yates and Douglas M. Shinozaki; **7** (2), 520–524.

Shiohara, Y.–Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation.–S. Yuhya, K. Kikuchi, Y. Shiohara, K. Terashima, and T. Yoshida; **7** (10), 2673–2679.

Shiohara, Yuh–Growth mechanism of $YBa_2Cu_3O_y$ superconductors prepared by the horizontal Bridgman method.–Teruo Izumi and Yuh Shiohara; **7** (1), 16–23.

–Reaction mechanism of Y-system superconductors in the MPMG method.–Teruo Izumi, Yuichi Nakamura, Tae-Hyun Sung, and Yuh Shiohara; **7** (4), 801–807.

–Diffusion solidification model on Y-system superconductors.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **7** (7), 1621–1628.

Shipu, Chen–Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

Shiraishi, Tadashi–Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; **7** (6), 1336–1340.

Siegal, M. P.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

–Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process.–M. P. Siegal, S. Y. Hou, Julia M. Phillips, T. H. Tiefel, and J. H. Marshall; **7** (10), 2658–2666.

Siegel, R. W.–Nanoindentation of nanocrystalline ZnO.–M. J. Mayo, R. W. Siegel, Y. X. Liao, and W. D. Nix; **7** (4), 973–979.

Siegel, Richard W.–The dissociative adsorption of hydrogen sulfide over nanophase titanium dioxide.–Donald D. Beck and Richard W. Siegel; **7** (10), 2840–2845.

Sigel, G. H., Jr.–Effect of processing on the optical scattering of AlF_3-based glasses.–T. Iqbal, M. R. Shahriari, G. H. Sigel, Jr., A. E. Neeves, and W. A. Reed; **7** (1), 219–223.

Sigel, George H., Jr.–Highly stable fluoride glass.–Abdessamad Elyamani, Elias Snitzer, Robert Pafchek, and George H. Sigel, Jr.; **7** (6), 1541–1544.

Simo, J. C.–A study of the mechanics of microindentation using finite elements.–T. A. Laursen and J. C. Simo; **7** (3), 618–626.

Simons, D.–Silicon cross doping and its effect on the Si or Be implantation doping of gallium arsenide grown on (100) silicon by metalorganic chemical vapor deposition.–B. Molnar, P. Chi, and D. Simons; **7** (8), 2186–2193.

Sinclair, D. C.–Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$.–D. C. Sinclair, J. T. S. Irvine, and A. R. West; **7** (1), 43–47.

Singh, J. P.–Role of p_{O_2} in microstructural development and properties of $YBa_2Cu_3O_x$ superconductors.–J. P. Singh, R. A. Guttschow, J. T. Dusek, and R. B. Poeppel; **7** (9), 2324–2332.

Singh, N. B.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N. B. Singh, E. P. A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M. E. Glicksman, and T. E. Haley; **7** (9), 2507–2510.

Singh, R. K.–Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; **7** (10), 2639–2642(L).

Sinha, S.–Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Small, Martha K.–Analysis of the accuracy of the bulge test in determining the mechanical properties of thin films.–Martha K. Small and W. D. Nix; **7** (6), 1553–1563.

Smith, D. S.–High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$.–S. Suasmoro, D. S. Smith, M. Lejeune, M. Huger, and C. Gault; **7** (7), 1629–1635.

Snitzer, Elias–Highly stable fluoride glass.–Abdessamad Elyamani, Elias Snitzer, Robert Pafchek, and George H. Sigel, Jr.; **7** (6), 1541–1544.

Snyder, S. R.–Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy.–S. R. Snyder, T. Foecke, H. S. White, and W. W. Gerberich; **7** (2), 341–344.

Soares, J. C.–Lattice site for transition and rare-earth impurities in $LiNbO_3$ by ion-beam methods.–L. Rebouta, J. C. Soares, M. F. da Silva, J. A. Sanz-García, E. Dieguez, and F. Agulló-López; **7** (1), 130–135.

Sodonis, A.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **7** (3), 572–579.

Solangi, Attaullah–Absorption coefficient of β–SiC grown by chemical vapor deposition.–Attaullah Solangi and M.I. Chaudhry; **7** (3), 539–541(L).

Soltani, P.K.–Photoluminescence and optical absorption in CaS:Eu^{2+}:Sm^{3+} thin films.–J.G. Zhang, P.C. Eklund, Z.L. Hua, L.G. Salamanca-Riba, M. Wuttig, P.K. Soltani, and G.M. Storti; **7** (2), 411–417.

Sorarù, Gian Domenico–Polymer-derived Si_3N_4–ZrO_2 nanocomposite powders.–Gian Domenico Sorarù, Alberto Ravagni, Roberto Dal Maschio, Giovanni Carturan, and Florence Babonneau; **7** (5), 1266–1270.

Sorensen, C.M.–Aerosol synthesis of gadolinium iron garnet particles.–H.K. Xu, C.M. Sorensen, K.J. Klabunde, and G.C. Hadjipanayis; **7** (3), 712–716.

Sotoike, Y.–Computer modeling of thermal shock-induced crack growth in brittle materials.–S. Shimamura and Y. Sotoike; **7** (5), 1286–1291.

Spontak, Richard J.–Morphological studies of nanoclusters on grid-supported polymer thin films.–Richard J. Spontak, Janet L. Burns, and Charles J. Echer; **7** (9), 2593–2598.

Spooner, Steve–A small-angle x-ray scattering study of microstructure evolution during sintering of sol-gel-derived porous nanophase titania.–Vincent A. Hackley, Marc A. Anderson, and Steve Spooner; **7** (9), 2555–2571.

Srinivasan, S.R.–Elastic moduli of $MoSi_2$-based materials.–S.R. Srinivasan and R.B. Schwarz; **7** (7), 1610–1613(L).

Srivastava, O.N.–Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy.–N.P. Lalla, R.S. Tiwari, and O.N. Srivastava; **7** (1), 53–61.

Srolovitz, D.J.–Phase separation during co-deposition of Al–Ge thin films.–C.D. Adams, M. Atzmon, Y-T. Cheng, and D.J. Srolovitz; **7** (3), 653–666.

Stewart, A.–On the growth of $Hg_2Cl_{(1-x)2}Br_{x2}$ single crystals.–N.B. Singh, E.P.A. Metz, A. Stewart, M. Gottlieb, R. Hopkins, R. Mazelsky, M.E. Glicksman, and T.E. Haley; **7** (9), 2507–2510.

Stoemenos, John–Alloy clustering and defect structure in the molecular beam epitaxy of $In_{0.53}Ga_{0.47}As$ on silicon.–Alexandros Georgakilas, Athanasios Dimoulas, Aristotelis Christou, and John Stoemenos; **7** (8), 2194–2204.

Stoloff, N.S.–The influence of test frequency, temperature, and environment on the fatigue resistance of an Ni_3Al–B/Cr/Zr intermetallic alloy.–G.M. Camus, D.J. Duquette, and N.S. Stoloff; **7** (2), 313–320.

Stoner, B.R.–*In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond.–B.R. Stoner, B.E. Williams, S.D. Wolter, K. Nishimura, and J.T. Glass; **7** (2), 257–260(L).

Storaro, L.–Structural studies of Al-based powders prepared by chemical methods.–M. Lenarda, R. Ganzerla, L. Storaro, R. Frattini, and S. Enzo; **7** (9), 2418–2423.

Storti, G.M.–Photoluminescence and optical absorption in CaS:Eu^{2+}:Sm^{3+} thin films.–J-G. Zhang, P.C. Eklund, Z.L. Hua, L.G. Salamanca-Riba, M. Wuttig, P.K. Soltani, and G.M. Storti; **7** (2), 411–417.

Strauss, A.J.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M.P. Siegal, R.B. van Dover, T.H. Tiefel, J.H. Marshall, C.D. Brandle, G. Berkstresser, A.J. Strauss, R.E. Fahey, S. Sengupta, A. Cassanho, and H.P. Jenssen; **7** (10), 2650–2657.

Ström-Olsen, J.O.–Bi-based high T_c superconducting fibers by melt extraction.–J.J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J.O. Ström-Olsen, and J. Cave; **7** (9), 2365–2372.

Stupp, Samuel I.–Synthesis of nanocomposites: Organoceramics.–Phillip B. Messersmith and Samuel I. Stupp; **7** (9), 2599–2611.

Suasmoro, S.–High temperature ultrasonic characterization of intrinsic and microstructural changes in ceramic $YBa_2Cu_3O_{7-\delta}$.–S. Suasmoro, D.S. Smith, M. Lejeune, M. Huger, and C. Gault; **7** (7), 1629–1635.

Subbanna, G.N.–Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of Fe^0–Al_2O_3 metal-ceramic composites.–M. Verelst, K.R. Kannan, G.N. Subbanna, C.N.R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Subramanian, R.V.–Zirconia and organotitanate film formation on graphite fiber reinforcement for metal matrix composites.–R.V. Subramanian and Eric A. Nyberg; **7** (3), 677–688.

Suemune, Youichi–Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; **7** (6), 1336–1340.

Suenaga, M.–Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process.–Yuan-Liang Wang, Z.Q. Tan, Yimei Zhu, A.R. Moodenbaugh, and M. Suenaga; **7** (12), 3175–3184.

Sugioka, Koji–Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide.–Koji Sugioka, Jia-Fa Fan, Koichi Toyoda, Hiromichi Waki, and Hiroshi Takai; **7** (1), 185–191.

Sugishita, Takaaki–Magnetization properties of solution-spun Y–Ba–Cu–O filament.–Tomoko Goto and Takaaki Sugishita; **7** (1), 11–15.

Suhr, Dong-Soo–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; **7** (9), 2349–2354.

Sukedai, E.–Processing of TiAl–Ti_2AlN composites and their compressive properties.–H. Mabuchi, H. Tsuda, Y. Nakayama, and E. Sukedai; **7** (4), 894–900.

Sumiyama, K.–Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

Summerfelt, Scott R.–Direct observation of nucleation embryos during $NiFe_2O_4$ precipitation in NiO.–Scott R. Summerfelt and C. Barry Carter; **7** (5), 1271–1277.

Sundaram, Swaminatha–Growth of (100) oriented diamond thin films on ball structure diamond-like particles.–Lee Chow, Alan Horner, Hooman Sakouri, Bahram Roughani, and Swaminatha Sundaram; **7** (7), 1606–1609(L).

Sundqvist, B.–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part I. Structural aspects.–M. Lelaurain, J.F. Marêché, E. McRae, O.E. Andersson, and B. Sundqvist; **7** (11), 2978–2988.

–A study of temperature and pressure induced structural and electronic changes in $SbCl_5$ intercalated graphite: Part II. Experimental data for *c*-axis resistivity.–O.E. Andersson, B. Sundqvist, E. McRae, J.F. Marêché, and M. Lelaurain; **7** (11), 2989–3000.

Sung, C.P.–The interfacial structure and composition of diamond films grown on various substrates.–C.P. Sung and H.C. Shih; **7** (1), 105–116.

Sung, Gun Yong–Flat interfaces in zinc oxide-based varistor ceramics.–Gun Yong Sung, Stuart McKernan, and C. Barry Carter; **7** (2), 474–481.

Sung, Tae-Hyun–Reaction mechanism of Y-system superconductors in the MPMG method.–Teruo Izumi, Yuichi Nakamura, Tae-Hyun Sung, and Yuh Shiohara; **7** (4), 801–807.

Sunkara, Mahendra–Twinning and faceting in early stages of diamond growth by chemical vapor deposition.–John C. Angus, Mahendra Sunkara, Scott R. Sahaida, and Jeffrey T. Glass; **7** (11), 3001–3009.

Suryanarayana, C.–Grain size effects in nanocrystalline materials.–C. Suryanarayana, D. Mukhopadhyay, S.N. Patankar, and F.H. Froes; **7** (8), 2114–2118.

Sushumna, I.–Effective dispersants for concentrated, nonaqueous suspensions.–I. Sushumna, R.K. Gupta, and E. Ruckenstein; **7** (10), 2884–2893.

Susman, Sherman–The purification of elemental sulfur.–Sherman Susman, S. Clark Rowland, and Kenneth J. Volin; **7** (6), 1526–1533.

Suzuki, K.–Morphological and structural evolutions of nonequilibrium titanium-nitride alloy powders produced by reactive ball milling.–M. Sherif El-Eskandarany, K. Sumiyama, K. Aoki, and K. Suzuki; **7** (4), 888–893.

Suzuki, Takayuki–Fiber pullout processes and mechanisms of a carbon fiber reinforced silicon nitride ceramic composite.–Takayuki Suzuki, Masahiro Sato, and Mototsugu Sakai; **7** (10), 2869–2875.

Swanson, D. G.–Copper vanadates as candidate materials for phase change optical memory.–D. P. Birnie, III, J. D. Weinberg, and D. G. Swanson; **7** (3), 741–744.

T

Tabutsidze, M. L.–Hydrogen, nitrogen, and oxygen behavior in boron.–P. J. Kervalishvili, K. A. Oganezov, M. L. Tabutsidze, and I. A. Andriasova; **7** (7), 1822–1828.

Taftø, J.–Laser processed Al_3Ti-based intermetallics: $Al_{5\pm x}Ti_{2\pm y}$(Fe, Ni, or Cu)$_{1\pm z}$.–Y. Ma, T. Arnesen, J. Gjønnes, and J. Taftø; **7** (7), 1722–1734.

Tai, Lone-Wen–Modified resin–intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors.–Lone-Wen Tai and Paul A. Lessing; **7** (2), 502–510.

–Modified resin–intermediate processing of perovskite powders: Part II. Processing for fine, nonagglomerated Sr-doped lanthanum chromite powders.–Lone-Wen Tai and Paul A. Lessing; **7** (2), 511–519.

Taijing, Lu–Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; **7** (8), 2182–2185.

–*In situ* observation of subcritical crystalline particles and their behavior on growth of KDP crystals from aqueous solution by light-scattering technique.–Li Lian, Lu Taijing, Kazufumi Sakai, and Tomoya Ogawa; **7** (12), 3275–3279.

Takagi, Hiroyoshi–Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method.–Yasumasa Takao, Masanobu Awano, and Hiroyoshi Takagi; **7** (11), 2942–2947.

–Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; **7** (12), 3185–3193.

Takahashi, H.–Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, H. Takahashi, S. Okayama, T. Morishita, and S. Tanaka; **7** (4), 813–818.

–TEM studies on the crystal structure of $YBa_2Cu_3O_{7-x}$ thin films prepared by pulsed laser deposition.–H. Takahashi, K. Ohata, and T. Morishita; **7** (9), 2333–2336.

Takai, Hiroshi–Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide.–Koji Sugioka, Jia-Fa Fan, Koichi Toyoda, Hiromichi Waki, and Hiroshi Takai; **7** (1), 185–191.

Takamuku, Kenshi–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

–Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212.–Kazuto Ikeda, Kenshi Takamuku, Koji Yamaguchi, Rittaporn Itti, and Naoki Koshizuka; **7** (5), 1060–1062.

Takao, Yasumasa–Synthesis of $YBa_2Cu_3O_{7-x}$ composite superconductor by the spray drying method.–Yasumasa Takao, Masanobu Awano, and Hiroyoshi Takagi; **7** (11), 2942–2947.

–Mechanochemical effects on synthesis and pulverization of $Ba_2YCu_3O_{7-y}$ superconductor and $Ba_2YCu_3O_{7-y}$–Ag composite.–Masanobu Awano, Keiko Kani, Yasumasa Takao, Yoshitaka Kuwahara, and Hiroyoshi Takagi; **7** (12), 3185–3193.

Takasugi, T.–Environmental embrittlement of γ titanium aluminide.–T. Takasugi, S. Hanada, and M. Yoshida; **7** (10), 2739–2746.

Takata, Tsutomu–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

Taleff, Eric M.–Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature.–Eric M. Taleff, Oscar A. Ruano, Jeff Wolfenstine, and Oleg D. Sherby; **7** (8), 2131–2135.

Tamor, M. A.–Investigation of growth rates and morphology for diamond growth by chemical vapor deposition.–M. P. Everson and M. A. Tamor; **7** (6), 1438–1444.

Tan, Hua–Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; **7** (6), 1501–1518.

Tan, S. H.–Space-charge-limited-current conduction in heteroepitaxial 3C–SiC (111) on TiC (111).–S. H. Tan, C. P. Beetz, Jr., J. M. Carulli, Jr., B. Y. Lin, and D. F. Cummings; **7** (7), 1816–1821.

Tan, Z. Q.–Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process.–Yuan-Liang Wang, Z. Q. Tan, Yimei Zhu, A. R. Moodenbaugh, and M. Suenaga; **7** (12), 3175–3184.

Tanaka, S.–Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$.–T. Kawano, F. Munakata, H. Yamauchi, and S. Tanaka; **7** (2), 299–302.

–Excitation frequency effects on rf magnetron sputtering of $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, H. Takahashi, S. Okayama, T. Morishita, and S. Tanaka; **7** (4), 813–818.

Tanaka, Shoji–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

Tandon, Rajan–The effect of crack growth stability induced by residual compressive stresses on strength variability.–Rajan Tandon and David J. Green; **7** (3), 765–771.

Tani, B. S.–Epitaxial growth of $YbBa_2Cu_3O_{7-\delta}$ films on (100)-oriented MgO and $SrTiO_3$ substrates by oxidation of a liquid alloy precursor.–N. Merchant, J. S. Luo, V. A. Maroni, D. M. Gruen, B. S. Tani, S. Sinha, K. H. Sandhage, and C. A. Craven; **7** (10), 2680–2688.

Tani, Kouichi–Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition.–Satoshi Nishikawa, Kouichi Tani, and Tetsuo Yamaji; **7** (2), 345–351.

Tankala, K.–Diamond growth with locally supplied methane and acetylene.–W. A. Yarbrough, K. Tankala, and T. DebRoy; **7** (2), 379–383.

Tateishi, T.–Preparation of Bi based high-T_c superconductors containing Pb and Sb by the sol-gel method.–Y. Masuda, R. Ogawa, Y. Kawate, T. Tateishi, and N. Hara; **7** (2), 292–298.

Tateishi, Tsuyoshi–Microstructures of Bi-based oxide superconductors doped with Sb.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Naohiro Hara, and Tsuyoshi Tateishi; **7** (10), 2667–2672.

Tateishi, Tuyoshi–Preparation of $YBa_2Cu_3O_{7-x}$ superconducting films through the sol-gel method using metal alkoxides as starting materials.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tuyoshi Tateishi, and Sumio Sakka; **7** (4), 819–826.

Taylor, C. A., II–Ion-assisted pulsed laser deposition of cubic BN films on Si (001) substrates.–A. K. Ballal, L. Salamanca-Riba, G. L. Doll, C. A. Taylor, II, and R. Clarke; **7** (7), 1618–1620(L).

Terashima, K.–Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation.–S. Yuhya, K. Kikuchi, Y. Shiohara, K. Terashima, and T. Yoshida; **7** (10), 2673–2679.

Terranova, M. L.–Uncoupling crystal growth and nucleation in the deposition of diamond from the gas phase.–E. Molinari, R. Polini, M. L. Terranova, P. Ascarelli, and S. Fontana; **7** (7), 1778–1787.

Tewary, V. K.–Lattice statics of interfaces and interfacial cracks in bimaterial solids.–V. K. Tewary and Robb Thomson; 7 (4), 1018–1028.

Thadhani, N. N.–Shock-induced reaction synthesis (SRS) of nickel aluminides.–N. N. Thadhani, S. Work, R. A. Graham, and W. F. Hammetter; 7 (5), 1063–1075.

Thevenard, P.–Structure, mechanical, and tribological properties of titanium implanted alumina.–S. M. M. Ramos, B. Canut, L. Gea, P. Thevenard, M. Bauer, Y. Maheo, Ph. Kapsa, and J. L. Loubet; 7 (1), 178–184.

Thompson, C. V.–On the role of diffusion in phase selection during reactions at interfaces.–C. V. Thompson; 7 (2), 367–373.

–Nucleation of an intermetallic at thin-film interfaces: VSi_2 contrasted with Al_3Ni.–E. Ma, L. A. Clevenger, and C. V. Thompson; 7 (6), 1350–1355.

Thompson, J. R., Jr.–Role of interfacial thermal resistance and laser energy density during laser processing of copper-sapphire couples.–M. J. Godbole, A. J. Pedraza, D. H. Lowndes, and J. R. Thompson, Jr.; 7 (4), 1004–1010.

Thompson, L. T.–Preparation of molybdenum nitride thin films by N^+ ion implantation.–J-G. Choi, D. Choi, and L. T. Thompson; 7 (2), 374–378.

Thomson, Robb–Lattice statics of interfaces and interfacial cracks in bimaterial solids.–V. K. Tewary and Robb Thomson; 7 (4), 1018–1028.

–Cracks and dislocations in face-centered cubic metallic multilayers.–David S. Lashmore and Robb Thomson; 7 (9), 2379–2386.

Thorpe, A. N.–Bulk $YBa_2Cu_3O_x$ superconductors through pressurized partial melt growth processing.–S. Hu, H. Hojaji, A. Barkatt, M. Boroomand, M. Hung, A. C. Buechele, A. N. Thorpe, D. D. Davis, and S. Alterescu; 7 (4), 808–812.

Tiefel, T. H.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; 7 (10), 2650–2657.

–Growth and characterization of $Ba_2YCu_3O_{7-\delta}$ films in reduced oxygen partial pressures using the BaF_2 post-annealing process.–M. P. Siegal, S. Y. Hou, Julia M. Phillips, T. H. Tiefel, and J. H. Marshall; 7 (10), 2658–2666.

Tiller, W. A.–On controlled solidification studies of some TiO_2 binary alloys.–C. T. Yen, D. O. Nason, and W. A. Tiller; 7 (4), 980–991.

Tilley, R. J. D.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R. J. D. Tilley; 7 (7), 1829–1838.

Timmer, U.–Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition.–P. B. Barna, A. Csanády, U. Timmer, and K. Urban; 7 (5), 1115–1125.

Ting, S-J.–Spectroscopic studies of the structure of amorphous and microcrystalline SiC prepared by the polymer route.–S-J. Ting, C-J. Chu, and J. D. Mackenzie; 7 (1), 164–169.

Tissot, R. J.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; 7 (7), 1876–1882.

Tiwari, P.–Fabrication of Ni–Al thin films by the pulsed laser deposition technique.–R. K. Singh, Deepika Bhattacharya, S. Sharan, P. Tiwari, and J. Narayan; 7 (10), 2639–2642(L).

Tiwari, R. S.–Coherent orientation relationship among various quasicrystalline and crystalline phases in rapidly solidified $Al_{78}Mn_{20}Ge_2$ alloy.–N. P. Lalla, R. S. Tiwari, and O. N. Srivastava; 7 (1), 53–61.

Tkaczyk, J. E.–Critical current and microstructure of uniaxially aligned, polycrystalline $YBa_2Cu_3O_{7-\delta}$.–J. E. Tkaczyk, C. L. Briant, J. A. DeLuca, E. L. Hall, P. L. Karas, K. W. Lay, E. Narumi, and D. T. Shaw; 7 (6), 1317–1327.

Tomandl, Gerhard–Sol-gel processing of varistor powders.–Gert Hohenberger and Gerhard Tomandl; 7 (3), 546–548(L).

Tomioka, T.–Preferred orientation of pitch precursor fibers and carbon fibers prepared from isotropic pitch.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (5), 1178–1188.

–Preferred orientation of high performance carbon fibers.–T. Hamada, M. Furuyama, T. Tomioka, and M. Endo; 7 (9), 2612–2620.

Torrisi, Alberto–Fatigue failure in Pb–Sn–Ag alloy during plastic deformation: A 3D-SIMS imaging study.–Antonino Scandurra, Antonino Licciardello, Alberto Torrisi, Antonio La Mantia, and Orazio Puglisi; 7 (9), 2395–2402.

Tortorelli, F.–A study of pest oxidation in polycrystalline $MoSi_2$.–C. G. McKamey, F. Tortorelli, J. H. DeVan, and C. A. Carmichael; 7 (10), 2747–2755.

Toyoda, K.–Photochemical modification of polytetrafluoroethylene into oleophilic property using an ArF excimer laser.–M. Okoshi, M. Murahara, and K. Toyoda; 7 (7), 1912–1916.

Toyoda, Koichi–Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide.–Koji Sugioka, Jia-Fa Fan, Koichi Toyoda, Hiromichi Waki, and Hiroshi Takai; 7 (1), 185–191.

–Characterization of extremely thin epitaxial layers and films by new interference fringes.–Lu Taijing, Koichi Toyoda, Li Lian, Nobuhito Nango, and Tomoya Ogawa; 7 (8), 2182–2185.

Tributsch, H.–The microstructure and stoichiometry of pyrite FeS_{2-x}.–S. Fiechter, M. Birkholz, A. Hartmann, P. Dulski, M. Giersig, H. Tributsch, and R. J. D. Tilley; 7 (7), 1829–1838.

Trudeau, M. L.–The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system.–A. Van Neste, A. Lamarre, M. L. Trudeau, and R. Schulz; 7 (9), 2412–2417.

–Interfacial reactions between $Y_1Ba_2Cu_3O_{7-x}$ and Ag–Pd alloys during high temperature heat treatments.–R. Allem, F. Lavallée, G. L'Espérance, R. Schulz, and M. L. Trudeau; 7 (11), 2936–2941.

Trybula, Z.–Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R. S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; 7 (4), 837–843.

Tsai, A. P.–NMR studies on amorphous, icosahedral, and crystalline phases.–T. Shinohara, A. P. Tsai, and T. Masumoto; 7 (1), 62–67.

–^{27}Al- and ^{63}Cu-NMR in quasicrystal $Al_{65}Cu_{20}T_{M15}$ alloy (T_M : Fe, Ru, and Os).–T. Shinohara, A. P. Tsai, T. Sato, and T. Masumoto; 7 (8), 1970–1972(L).

Tsai, C.–Metal reinforced thermal plasma diamond coatings.–C. Tsai, J. Nelson, W. W. Gerberich, J. Heberlein, and E. Pfender; 7 (8), 1967–1969(L).

Tsai, M-H.–InP under high pressures.–M-H. Tsai, John D. Dow, and R. V. Kasowski; 7 (8), 2205–2210.

Tsai, Yu-Zen–Evolution of hardness and transmittance in irradiated LiF single crystals at elevated temperatures.–Hung-Ye Lin, Yu-Zen Tsai, and Sanboh Lee; 7 (10), 2833–2839.

Tsuda, H.–Processing of TiAl–Ti_2AlN composites and their compressive properties.–H. Mabuchi, H. Tsuda, Y. Nakayama, and E. Sukedai; 7 (4), 894–900.

Tsui, T. Y.–Mechanical properties and microstructures of metal/ceramic microlaminates: Part I. Nb/$MoSi_2$ systems.–T. C. Chou, T. G. Nieh, T. Y. Tsui, G. M. Pharr, and W. C. Oliver; 7 (10), 2765–2773.

Tuttle, B. A.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; 7 (7), 1876–1882.

Tzeng, S. Y.–Hydrotalcite formation on aluminum sheet and powder.–A. J. Perrotta, S. Y. Tzeng, W. D. Imbrogno, R. Rolles, and M. S. Weather; 7 (12), 3306–3313.

U

Uchida, K.–Tribological characteristics of polycrystalline diamond films produced by chemical vapor deposition.–M. Kohzaki, K. Higuchi, S. Noda, and K. Uchida; **7** (7), 1769–1777.

Unal, O.–CVD Si_3N_4 on single crystal SiC: Part I. Characterization and orientation relationship at the interface.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **7** (1), 136–147.

–CVD Si_3N_4 on single crystal SiC: Part II. High resolution electron microscopy and atomic models of the interface.–O. Unal and T. E. Mitchell; **7** (6), 1445–1454.

Unruh, K. M.–Melting behavior of $Sn_x(SiO_2)_{100-x}$ granular metal films.–K. M. Unruh, B. M. Patterson, and S. I. Shah; **7** (1), 214–218.

Urban, K.–Nucleation, growth, and structure of Al–Mn quasicrystalline thin films prepared by high-temperature vapor deposition.–P. B. Barna, A. Csanády, U. Timmer, and K. Urban; **7** (5), 1115–1125.

–On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys.–B. Grushko, R. Wittmann, and K. Urban; **7** (10), 2713–2723.

V

Van Buskirk, Peter C.–Reduced-pressure MOCVD of highly crystalline $BaTiO_3$ thin films.–Peter C. Van Buskirk, Robin Gardiner, Peter S. Kirlin, and Steven Nutt; **7** (3), 542–545(L).

Vandenbulcke, L.–Diamond film nucleation and interface characterization.–P. Bou, L. Vandenbulcke, R. Herbin, and F. Hillion; **7** (8), 2151–2159.

van der Pers, N. M.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

van Dover, R. B.–Comparison of $Ba_2YCu_3O_{7-\delta}$ thin films grown on various perovskite substrates by coevaporation.–Julia M. Phillips, M. P. Siegal, R. B. van Dover, T. H. Tiefel, J. H. Marshall, C. D. Brandle, G. Berkstresser, A. J. Strauss, R. E. Fahey, S. Sengupta, A. Cassanho, and H. P. Jenssen; **7** (10), 2650–2657.

Van Neste, A.–The fcc to hcp transition induced by mechanical deformations in the Ni–Ru system.–A. Van Neste, A. Lamarre, M. L. Trudeau, and R. Schulz; **7** (9), 2412–2417.

Varner, J. R.–Data from recording microhardness testers.–W. Mason, P. F. Johnson, and J. R. Varner; **7** (11), 3112–3119.

Veitch, L. C.–Prediction of chemical vapor deposition rates on monofilaments and its implications for fiber properties.–S. A. Gökoğlu, M. Kuczmarski, and L. C. Veitch; **7** (11), 3023–3031.

Venezia, A. M.–The relationship between mass transport and oxide chemistry in oxidation of Ni_3Al alloys.–R. T. Haasch, A. M. Venezia, and C. M. Loxton; **7** (6), 1341–1349.

Venkataraman, S.–Microscratch analysis of the work of adhesion for Pt thin films on NiO.–S. Venkataraman, D. L. Kohlstedt, and W. W. Gerberich; **7** (5), 1126–1132.

Venkatasubramanian, R.–MBE growth of compound semiconductors: Part I. Stochastic modeling.–R. Venkatasubramanian; **7** (5), 1221–1234.

–MBE growth of compound semiconductors: Part II. Applications of the stochastic model.–R. Venkatasubramanian; **7** (5), 1235–1242.

Venkatraman, Ramnath–Separation of film thickness and grain boundary strengthening effects in Al thin films on Si.–Ramnath Venkatraman and John C. Bravman; **7** (8), 2040–2048.

Verelst, M.–Investigations of the reduction behavior of iron-impregnated alumina gels (Fe/AlOOH) and the formation of Fe^0–Al_2O_3 metal-ceramic composites.–M. Verelst, K. R. Kannan, G. N. Subbanna, C. N. R. Rao, Ch. Laurent, and A. Rousset; **7** (11), 3072–3079.

Viggiano, J.–Base electrodes for high dielectric constant oxide materials in silicon technology.–A. Grill, W. Kane, J. Viggiano, M. Brady, and R. Laibowitz; **7** (12), 3260–3265.

Viljoen, Hendrik J.–Modeling of a–Si:H deposition in a dc glow discharge reactor.–Dariusz Orlicki, Vladimir Hlavacek, and Hendrik J. Viljoen; **7** (8), 2160–2181.

Vispute, R. D.–The study of pulsed laser deposited films from a pressed, sintered, W–C mixture at two different fluences.–Smita Ghaisas, R. D. Vispute, S. B. Ogale, S. M. Choudhari, S. M. Kanetkar, S. K. Kulkarni, S. Mahamuni, S. Badrinarayan, and S. V. Ghaisas; **7** (12), 3250–3254.

Vlassak, J. J.–A new bulge test technique for the determination of Young's modulus and Poisson's ratio of thin films.–J. J. Vlassak and W. D. Nix; **7** (12), 3242–3249.

Voiles, E. T.–Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$.–Ming Xu, E. T. Voiles, L. S. Chumbley, A. I. Goldman, and D. K. Finnemore; **7** (5), 1283–1285.

Volin, Kenneth J.–The purification of elemental sulfur.–Sherman Susman, S. Clark Rowland, and Kenneth J. Volin; **7** (6), 1526–1533.

von Windheim, Jesko A.–Improved uniformity and selected area deposition of diamond by the oxy-acetylene flame method.–Jesko A. von Windheim and Jeffrey T. Glass; **7** (8), 2144–2150.

Vredenberg, A. M.–Ion beam synthesis of nitride layers in iron.–A. M. Vredenberg, C. M. Pérez-Martin, J. S. Custer, D. O. Boerma, L. de Wit, F. W. Saris, N. M. van der Pers, Th. H. de Keijser, and E. J. Mittemeijer; **7** (10), 2689–2712.

W

Wada, H.–Synthesis and characterization of SiC whiskers.–L. Wang, H. Wada, and L. F. Allard; **7** (1), 148–163.

Wada, Takahiro–X-ray photoelectron spectroscopy of Cu–In–Se–N and Cu–In–Se thin films.–Shigemi Kohiki, Mikihiko Nishitani, Takayuki Negami, and Takahiro Wada; **7** (8), 1984–1986(L).

Wagner, H. Daniel–Fracture behavior of short-fiber reinforced materials.–Michael Murat, Micha Anholt, and H. Daniel Wagner; **7** (11), 3120–3131.

Wagner, H. J.–A new class of composite materials: Matrix autoreinforced organic material–MARIOM.–A. Wyler, R. T. Markus, H. J. Wagner, and B. de Castro; **7** (8), 1990–1992(L).

Wakai, Fumihiro–Mechanical strength of hot-pressed Bi–Pb–Sr–Ca–Cu–O superconductor.–Norimitsu Murayama, Yasuharu Kodama, Shuji Sakaguchi, and Fumihiro Wakai; **7** (1), 34–37.

Waki, Hiromichi–Anticorrosion coating of the walls of metal pipes by digital growth of aluminum oxide.–Koji Sugioka, Jia-Fa Fan, Koichi Toyoda, Hiromichi Waki, and Hiroshi Takai; **7** (1), 185–191.

Walker, F. J.–The determination of film hardness from the composite response of film and substrate to nanometer scale indentations.–B. D. Fabes, W. C. Oliver, R. A. McKee, and F. J. Walker; **7** (11), 3056–3064.

Wallenberg, L. Reine–TEM study of the early stages of the precipitation process in strip-cast Al3003 alloys.–Y. F. Cheng, V. Hansen, J. Gjønnes, and L. Reine Wallenberg; **7** (12), 3235–3241.

Wan, Kai-tak–Repulsive interaction between coplanar cracks in the double-cantilever geometry.–Kai-tak Wan, Brian R. Lawn, and Roger G. Horn; **7** (6), 1584–1588.

Wang, J.–Crystal chemistry of the texture formation in superconductive $YBa_2Cu_3O_{7-\delta}$ ceramics.–I. Monot, J. Wang, G. Desgardin, and B. Raveau; **7** (2), 273–282.

Wang, L.–Synthesis and characterization of SiC whiskers.–L. Wang, H. Wada, and L. F. Allard; **7** (1), 148–163.

Wang, M.–Characterization of metal-containing amorphous hydrogenated carbon films.–M. Wang, K. Schmidt, K. Reichelt, H. Dimigen, and H. Hübsch; **7** (3), 667–676.

–The properties of W–C:H films deposited by reactive rf sputtering.–M. Wang, K. Schmidt, K. Reichelt, X. Jiang, H. Hübsch, and H. Dimigen; **7** (6), 1465–1472.

Wang, T.–Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R.

Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; 7 (1), 29–33.

Wang, W. H.–Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H. Y. Bai, W. H. Wang, Y. Zhang, H. Chen, and W. K. Wang; 7 (6), 1423–1426.

Wang, W. K.–Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H. Y. Bai, W. H. Wang, Y. Zhang, H. Chen, and W. K. Wang; 7 (6), 1423–1426.

Wang, X. Q.–Identification of a growth defect in solid C_{60} by electron diffraction.–D. E. Luzzi, J. E. Fischer, X. Q. Wang, D. A. Ricketts-Foot, A. R. McGhie, and W. J. Romanow; 7 (2), 335–340.

Wang, Yuan-Liang–Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process.–Yuan-Liang Wang, Z. Q. Tan, Yimei Zhu, A. R. Moodenbaugh, and M. Suenaga; 7 (12), 3175–3184.

Waplak, S.–Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R. S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; 7 (4), 837–843.

Ward, Timothy L.–Powder characteristics and sintering behavior of Ag-doped $YBa_2Cu_3O_{7-x}$ produced by aerosol decomposition.–Timothy L. Ward, Toivo T. Kodas, Altaf H. Carim, Donald M. Kroeger, and Huey Hsu; 7 (4), 827–836.

–Role of particle evaporation during synthesis of lead oxide by aerosol decomposition.–Shirley W. Lyons, Yun Xiong, Timothy L. Ward, Toivo T. Kodas, and Sotiris E. Pratsinis; 7 (12), 3333–3341.

Watanabe, Yoshihisa–Exoelectron emission from unexcited metallic glasses $Fe_{78}B_{13}Si_9$ during heat treatment.–Yoshihisa Watanabe, Tadayoshi Kubozoe, and Yoshikazu Nakamura; 7 (6), 1396–1399.

–Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films.–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; 7 (7), 1805–1808.

–AFM observations of the surface morphology of metallic glasses $Fe_{78}B_{13}Si_9$ in the early stage of crystallization.–Yoshihisa Watanabe and Yoshikazu Nakamura; 7 (8), 2126–2130.

–Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. 7, 1805 (1992)].–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; 7 (11), 3160(E).

Watt, F.–Determination of size and distribution of second phases using nuclear microscopy.–M. B. H. Breese, L. T. Romano, C. J. Salter, G. W. Grime, and F. Watt; 7 (9), 2373–2378.

Wayman, C. M.–Initial stage Fe-clustering in the Au–Fe spin-glass system.–Chen-Chia Chou and C. M. Wayman; 7 (2), 321–328.

Weather, M. S.–Hydrotalcite formation on aluminum sheet and powder.–A. J. Perrotta, S. Y. Tzeng, W. D. Imbrogno, R. Rolles, and M. S. Weather; 7 (12), 3306–3313.

Webb, J. S.–Crystallization behavior in a low temperature acetate process for perovskite $PbTiO_3$, $Pb(Zr, Ti)O_3$, and $(Pb_{1-x}, La_x)(Zr_y, Ti_{1-y})_{1-x/4}O_3$ bulk powders.–C. T. Lin, B. W. Scanlan, J. D. McNeill, J. S. Webb, Li Li, R. A. Lipeles, P. M. Adams, and M. S. Leung; 7 (9), 2546–2554.

Weimer, W. A.–Diamond growth using carbon monoxide as a carbon source.–F. M. Cerio, W. A. Weimer, and C. E. Johnson; 7 (5), 1195–1203.

Weimer, Wayne A.–Efficiency of methane and acetylene in forming diamond by microwave plasma assisted chemical vapor deposition.–Curtis E. Johnson, Wayne A. Weimer, and Frank M. Cerio; 7 (6), 1427–1431.

Weinberg, J. D.–Copper vanadates as candidate materials for phase change optical memory.–D. P. Birnie, III, J. D. Weinberg, and D. G. Swanson; 7 (3), 741–744.

Wenk, H-R.–Textures of laser ablated superconducting thin films of $YBa_2Cu_3O_{7-\delta}$ as a function of deposition temperature.–F. Heidelbach, H-R. Wenk, R. E. Muenchausen, S. Foltyn, N. Nogar, and A. D. Rollett; 7 (3), 549–557.

Wert, John A.–Modeling of crack tip dislocation emission in B2 intermetallic alloys.–Michael F. Bartholomeusz and John A. Wert; 7 (4), 919–925.

West, A. R.–Characterization of Pb- and Ca-doped $Bi_{2+x}Sr_{2-x}CuO_{6+\delta}$.–D. C. Sinclair, J. T. S. Irvine, and A. R. West; 7 (1), 43–47.

White, C. W.–Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces.–T. P. Ong, Fulin Xiong, R. P. H. Chang, and C. W. White; 7 (9), 2429–2439.

White, H. S.–Imaging of stacking faults in highly oriented pyrolytic graphite using scanning tunneling microscopy.–S. R. Snyder, T. Foecke, H. S. White, and W. W. Gerberich; 7 (2), 341–344.

White, Kenneth W.–The development of high fracture toughness $YBa_2Cu_3O_{7-x}$/Ag composites.–Long S. Yeou and Kenneth W. White; 7 (1), 1–4(L).

–The influence of an oxidation inhibitor on the elevated temperature fracture resistance of carbon/carbon composites.–Arthur J. Lucchesi, Jack C. Hay, and Kenneth W. White; 7 (7), 1795–1804.

White, T. J.–Crystallographic changes in $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites: XPS and XAES investigations.–S. Myhra, J. C. Rivière, K. Hawkins, and T. J. White; 7 (2), 482–489.

Whittenberger, J. D.–Interdiffusion between the $L1_2$ trialuminides $Al_{66}Ti_{25}Mn_9$ and $Al_{67}Ti_{25}Cr_8$.–K. S. Kumar and J. D. Whittenberger; 7 (5), 1043–1045(L).

Whittenberger, J. Daniel–Elevated temperature compressive properties of reaction milled NiAl–AlN and Zr-doped NiAl–AlN composites.–J. Daniel Whittenberger and Michael J. Luton; 7 (10), 2724–2732.

Wilcox, W. R.–Continuous precipitation of monodispersed yttrium basic carbonate powders: Part III. Kinetics.–Y-S. Her, E. Matijević, and W. R. Wilcox; 7 (8), 2269–2272.

Williams, B. E.–*In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond.–B. R. Stoner, B. E. Williams, S. D. Wolter, K. Nishimura, and J. T. Glass; 7 (2), 257–260(L).

Wilson, Patricia M.–Dislocation mediated lattice bending in 1,6-di (N-carbazolyl)-2,4 hexadiyne (DCHD) polydiacetylene droplets.–Patricia M. Wilson and David C. Martin; 7 (11), 3150–3158.

Wittmann, R.–On the solidification of $Al_{62}Cu_{20}Co_{15}Si_3$ and $Al_{61}Cu_{19.5}Co_{14.5}Si_5$ alloys.–B. Grushko, R. Wittmann, and K. Urban; 7 (10), 2713–2723.

Wolbach, W.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; 7 (3), 572–579.

Wolfenstine, Jeff–Superplastic behavior of a fine-grained Mg–9Li material at low homologous temperature.–Eric M. Taleff, Oscar A. Ruano, Jeff Wolfenstine, and Oleg D. Sherby; 7 (8), 2131–2135.

Wolter, S. D.–*In situ* growth rate measurement and nucleation enhancement for microwave plasma CVD of diamond.–B. R. Stoner, B. E. Williams, S. D. Wolter, K. Nishimura, and J. T. Glass; 7 (2), 257–260(L).

Won, Dong-Yeon–Microstructure, microhardness, and superconductivity of CeO_2-added Y–Ba–Cu–O superconductors.–Chan-Joong Kim, Ki-Baik Kim, Gye-Won Hong, Dong-Yeon Won, Byoung-Hwan Kim, Chun-Taik Kim, Hong-Chul Moon, and Dong-Soo Suhr; 7 (9), 2349–2354.

Woodward, C.–Electronic structure of planar faults in TiAl.–C. Woodward, J. M. MacLaren, and S. Rao; 7 (7), 1735–1750.

Work, S.–Shock-induced reaction synthesis (SRS) of nickel aluminides.–N. N. Thadhani, S. Work, R. A. Graham, and W. F. Hammetter; 7 (5), 1063–1075.

Wright, R. N.–Combustion synthesis of cubic Al_3Ti alloys.–R. N. Wright, B. H. Rabin, and W. H. McFerran; 7 (10), 2733–2738.

Wu, Ruqian–On the electronic basis of the phosphorus intergranular embrittlement of iron.–Ruqian Wu, A. J. Freeman, and G. B. Olson; 7 (9), 2403–2411.

Wu, X. D.–Thermal regrowth of ion-damaged $YBa_2Cu_3O_{7-\delta}$ superconducting thin films.–X. D. Wu, L. Luo, R. E. Muenchausen, and S. R. Foltyn; **7** (3), 531–534(L).

Wuttig, M.–Photoluminescence and optical absorption in CaS : Eu^{2+} : Sm^{3+} thin films.–J-G. Zhang, P. C. Eklund, Z. L. Hua, L. G. Salamanca-Riba, M. Wuttig, P. K. Soltani, and G. M. Storti; **7** (2), 411–417.

Wyler, A.–A new class of composite materials: Matrix autoreinforced organic material–MARIOM.–A. Wyler, R. T. Markus, H. J. Wagner, and B. de Castro; **7** (8), 1990–1992(L).

X

Xiao, S-Q.–On diamond-hexagonal germanium.–S-Q. Xiao and P. Pirouz; **7** (6), 1406–1412.

Xiao, Z. G.–Partial agglomeration during Co silicide film formation.–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; **7** (2), 269–272(L).

–Addendum: "Partial agglomeration during Co silicide film formation" [J. Mater. Res. **7**, 269 (1992)].–Z. G. Xiao, G. A. Rozgonyi, C. A. Canovai, and C. M. Osburn; **7** (11), 3159(A).

Xiaofu, Chen–Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

Xiaohua, Wu–Reply to comments of D. H. Zeuch.–Hu Gengxiang, Chen Shipu, Wu Xiaohua, and Chen Xiaofu; **7** (7), 1959–1960.

Xiong, Fulin–Nucleation and growth of diamond on carbon-implanted single crystal copper surfaces.–T. P. Ong, Fulin Xiong, R. P. H. Chang, and C. W. White; **7** (9), 2429–2439.

Xiong, Yun–Role of particle evaporation during synthesis of lead oxide by aerosol decomposition.–Shirley W. Lyons, Yun Xiong, Timothy L. Ward, Toivo T. Kodas, and Sotiris E. Pratsinis; **7** (12), 3333–3341.

Xu, D.–Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide.–D. Xu, X. L. Xu, and S. C. Zou; **7** (1), 229–234.

Xu, H. K.–Aerosol synthesis of gadolinium iron garnet particles.–H. K. Xu, C. M. Sorensen, K. J. Klabunde, and G. C. Hadjipanayis; **7** (3), 712–716.

Xu, Jian-hua–Cohesive properties, electronic structure, and bonding characteristics of RuAl—A comparison to NiAl.–W. Lin, Jian-hua Xu, and A. J. Freeman; **7** (3), 592–604.

Xu, Ming–Modulated microwave absorption in single crystal Bi–Sr–Ca–Cu–O.–R. S. Rubins, Z. Trybula, S. Waplak, John E. Drumheller, Donglu Shi, and Ming Xu; **7** (4), 837–843.

–Synthesis and characterization of ceramic $(Sr_{1-x}Ca_x)_2CuO_3$.–Ming Xu, E. T. Voiles, L. S. Chumbley, A. I. Goldman, and D. K. Finnemore; **7** (5), 1283–1285.

Xu, X. L.–Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide.–D. Xu, X. L. Xu, and S. C. Zou; **7** (1), 229–234.

Y

Yamaguchi, Koji–Ultrahigh vacuum STM studies of the Bi–O surface of Bi2212.–Kazuto Ikeda, Kenshi Takamuku, Koji Yamaguchi, Rittaporn Itti, and Naoki Koshizuka; **7** (5), 1060–1062.

Yamaguchi, M.–Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S. R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; **7** (3), 725–733.

Yamaguchi, Yoshimasa–Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films.–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (7), 1805–1808.

–Erratum: "Thermally stimulated exoelectron emission from hydrogenated amorphous carbon films" [J. Mater. Res. **7**, 1805 (1992)].–Yoshihisa Watanabe, Yoshikazu Nakamura, Shigekazu Hirayama, and Yoshimasa Yamaguchi; **7** (11), 3160(E).

Yamaguhi, Koji–Crystal growth of $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$ under high oxygen pressure.–Takayuki Miyatake, Tsutomu Takata, Koji Yamaguhi, Kenshi Takamuku, Naoki Koshizuka, Shoji Tanaka, Kazuyuki Shibutani, Seiji Hayashi, Rikuro Ogawa, and Yoshio Kawate; **7** (1), 5–10.

Yamaji, Tetsuo–Temperature dependence of epitaxial growth of Al on Si(111) by chemical vapor deposition.–Satoshi Nishikawa, Kouichi Tani, and Tetsuo Yamaji; **7** (2), 345–351.

Yamamoto, Osamu–Indium tin oxide thin films prepared by thermal decomposition of ethylene glycol solution.–Osamu Yamamoto, Tadashi Sasamoto, and Michio Inagaki; **7** (9), 2488–2491.

Yamamoto, Shuji–Effects of intrinsic properties of TiN coatings on acoustic emission behavior at scratch test.–Shuji Yamamoto and Hiroshi Ichimura; **7** (8), 2240–2247.

Yamamoto, Takakazu–Chemical stability of CVD source materials for high-T_c superconducting films.–Takuya Hashimoto, Hideomi Koinuma, Masaaki Nakabayashi, Tadashi Shiraishi, Youichi Suemune, and Takakazu Yamamoto; **7** (6), 1336–1340.

Yamauchi, H.–Correlation of Bi and Cu valencies with structural modulation in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_y$.–T. Kawano, F. Munakata, H. Yamauchi, and S. Tanaka; **7** (2), 299–302.

Yamaya, K.–Effects of the self-bias voltage on crystallinity and superconductivity of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films.–N. Homma, W. Ito, S. Okayama, T. Morishita, T. Haga, and K. Yamaya; **7** (11), 2916–2919.

Yamazaki, Kazuo–Plasma activated sintering of additive-free AlN powders to near-theoretical density in 5 minutes.–Joanna R. Groza, Subhash H. Risbud, and Kazuo Yamazaki; **7** (10), 2643–2645(L).

Yan, X.–On the atomic interdiffusion in Co/Pt superlattices.–X. Yan, T. Egami, E. E. Marinero, R. F. C. Farrow, and C. H. Lee; **7** (6), 1309–1312(L).

Yang, E-L.–Effect of crystalline and amorphous phases on the transfer of polytetrafluoroethylene (PTFE) onto metallic substrates.–E-L. Yang; **7** (11), 3139–3149.

Yang, Wenbo–Dynamic consolidation of superhard materials.–Wenbo Yang, G. M. Bond, Hua Tan, Thomas J. Ahrens, and G. Liu; **7** (6), 1501–1518.

Yao, Gong-Da–Synchrotron x-ray topography studies of twin structures in lanthanum aluminate single crystals.–Gong-Da Yao, Shang Yun Hou, Michael Dudley, and Julia M. Phillips; **7** (7), 1847–1855.

Yarbrough, W. A.–Diamond growth with locally supplied methane and acetylene.–W. A. Yarbrough, K. Tankala, and T. DebRoy; **7** (2), 379–383.

Yates, Brian W.–Radiation degradation of poly(butene-1 sulfone) and poly(1,4-phenylene ether sulfone) in the soft x-ray region.–Brian W. Yates and Douglas M. Shinozaki; **7** (2), 520–524.

Yavari, A. R.–Disordering and amorphization of $L1_2$-type alloys by mechanical attrition.–T. Benameur and A. R. Yavari; **7** (11), 2971–2977.

Yegnasubramanian, S.–TEM studies of microstructure and composition of low-firing lead-magnesium-niobate ceramics.–S. Yegnasubramanian and H. C. Ling; **7** (1), 197–202.

Yen, C. T.–On controlled solidification studies of some TiO_2 binary alloys.–C. T. Yen, D. O. Nason, and W. A. Tiller; **7** (4), 980–991.

Yeou, Long S.–The development of high fracture toughness $YBa_2Cu_3O_{7-x}$/Ag composites.–Long S. Yeou and Kenneth W. White; **7** (1), 1–4(L).

Yin, E.–Sputtered YBCO films on metal substrates.–E. Yin, M. Rubin, and M. Dixon; **7** (7), 1636–1640.

Yoko, Toshinobu–Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method.–Shinobu Fujihara, Haoren Zhuang, Toshinobu Yoko, Hiromitsu Kozuka, and Sumio Sakka; **7** (9), 2355–2359.

Yokota, Katsuhiro–Effusion of hydrogen from proton implanted ceramic $YBa_2Cu_3O_{7-x}$ during annealing in oxygen atmosphere.–Katsuhiro Yokota, Kazuhiro Hatanaka, Takeshi Kura, Saichi Katayama, Mitsukazu Ochi, Mitsuaki Murakami, Akiyoshi Chayahara, and Mamoru Satho; **7** (7), 1652–1657.

Yoon, Sharon M.–Thermal effects of scanning speed and constitutional supercooling during zone-melting recrystallization of

silicon-on-insulator structures.–Sharon M. Yoon and Ioannis N. Miaoulis; 7 (1), 124–129.

Yoshida, Akira–Electron channeling effect on highly oriented graphites–Size evaluation and oriented mapping of crystals.–Akira Yoshida and Yoshihiro Hishiyama; 7 (6), 1400–1405.

Yoshida, M.–Environmental embrittlement of γ titanium aluminide.–T. Takasugi, S. Hanada, and M. Yoshida; 7 (10), 2739–2746.

Yoshida, T.–Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation.–S. Yuhya, K. Kikuchi, Y. Shiohara, K. Terashima, and T. Yoshida; 7 (10), 2673–2679.

Yoshimura, S.–Deposition of nitrides and oxides of aluminum and titanium by pulse laser irradiation.–S. R. Nishitani, S. Yoshimura, H. Kawata, and M. Yamaguchi; 7 (3), 725–733.

You, H.–Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; 7 (9), 2495–2506.

Youchison, D. L.–Deposition of diamond onto aluminum by electron cyclotron resonance microwave plasma-assisted CVD.–C. R. Eddy, Jr., D. L. Youchison, B. D. Sartwell, and K. S. Grabowski; 7 (12), 3255–3259.

Youngman, R. A.–Erratum: "High dose neutron irradiation damage in alpha alumina" [J. Mater. Res. **6**, 2178 (1991)].–R. A. Youngman, T. E. Mitchell, F. W. Clinard, Jr., and G. F. Hurley; 7 (3), 772(E).

Yuhya, S.–Superconducting $YBa_2Cu_3O_x$ films prepared by rf plasma flash evaporation.–S. Yuhya, K. Kikuchi, Y. Shiohara, K. Terashima, and T. Yoshida; 7 (10), 2673–2679.

Z

Zaldivar, Rafael J.–Mechanisms of orientation and graphitization of hard-carbon matrices in carbon/carbon composites.–Gerald S. Rellick, Dick J. Chang, and Rafael J. Zaldivar; 7 (10), 2798–2809.

Zaluska, A.–Bi-based high T_c superconducting fibers by melt extraction.–J. J. Chang, G. Rudkowska, A. Zaluska, P. Rudkowski, J. O. Ström-Olsen, and J. Cave; 7 (9), 2365–2372.

Zender, T. J.–Microstructural evolution of $Pb(Zr, Ti)O_3$ thin films prepared by hybrid metallo-organic decomposition.–B. A. Tuttle, T. J. Headley, B. C. Bunker, R. W. Schwartz, T. J. Zender, C. L. Hernandez, D. C. Goodnow, R. J. Tissot, J. Michael, and A. H. Carim; 7 (7), 1876–1882.

Zeuch, David H.–Comment on "Plastic deformation and fracture behavior of a Fe-modified Al_3Ti-base $L1_2$ intermetallic alloy" [J. Mater. Res. **6**, 957 (1991)]: The importance of specimen length-to-width ratios and end constraints in compression testing of brittle and semibrittle materials.–David H. Zeuch; 7 (7), 1956–1959.

–Hydrostatic and triaxial compression experiments on unpoled PZT 95/5–2Nb ceramic: The effects of shear stress on the $F_{R1} \longrightarrow A_O$ polymorphic phase transformation.–David H. Zeuch, Stephen T. Montgomery, and Jeffrey D. Keck; 7 (12), 3314–3332.

Zhang, C.–Effect of CO_2 on the processing of Y–Ba–Cu–O superconductors.–G. Selvaduray, C. Zhang, U. Balachandran, Y. Gao, K. L. Merkle, H. Shi, and R. B. Poeppel; 7 (2), 283–291.

Zhang, Hong–Transmission electron microscopy of C_{70} single crystals at room temperature.–Vinayak P. Dravid, Xiwei Lin, Hong Zhang, Shengzhong Liu, and Manfred M. Kappes; 7 (9), 2440–2446.

Zhang, J-G.–Photoluminescence and optical absorption in CaS: Eu^{2+} : Sm^{3+} thin films.–J. G. Zhang, P. C. Eklund, Z. L. Hua, L. G. Salamanca-Riba, M. Wuttig, P. K. Soltani, and G. M. Storti; 7 (2), 411–417.

Zhang, J. P.–Microstructure and properties of Cu-rich 123. Part I: Copper at the grain boundaries.–J. P. Zhang, D. J. Li, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; 7 (3), 572–579.

Zhang, T. J.–Structural properties of epitaxial TiO_2 films grown on sapphire $(11\bar{2}0)$ by MOCVD.–H. L. M. Chang, H. You, Y. Gao, J. Guo, C. M. Foster, R. P. Chiarello, T. J. Zhang, and D. J. Lam; 7 (9), 2495–2506.

Zhang, Y.–Relationship between characteristics of modulation peaks and modulation wavelength, average composition, and interdiffusion tendency of multilayers.–H. Y. Bai, W. H. Wang, Y. Zhang, H. Chen, and W. K. Wang; 7 (6), 1423–1426.

Zhang, Y. J.–Heteroepitaxial growth of $DyBa_2Cu_3O_{7-x}/Dy_2O_3$ multilayers analyzed by TEM.–Y. J. Zhang, K. M. Beauchamp, B. R. Johnson, T. Wang, A. M. Goldman, and M. L. Mecartney; 7 (1), 29–33.

Zhao, J.–Effects of composition on the microstructure of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma-enhanced metalorganic chemical vapor deposition.–P. Lu, J. Zhao, C. S. Chern, Y. Q. Li, G. A. Kulesha, B. Gallois, P. Norris, B. Kear, and F. Cosandey; 7 (8), 1993–2002.

Zhao, Jianmin–Determination of particle size distribution in an Fe_2O_3-based catalyst using magnetometry and x-ray diffraction.–Manjula M. Ibrahim, Jianmin Zhao, and Mohindar S. Seehra; 7 (7), 1856–1860.

Zhou, Zhigang–Thermochemistry of the Y_2O_3–BaO–Cu–O system.–Zhigang Zhou and Alexandra Navrotsky; 7 (11), 2920–2935.

Zhu, Wen–The effect of oxygen partial pressure on the formation of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10-x}$.–Wen Zhu and Patrick S. Nicholson; 7 (1), 38–42.

Zhu, Yimei–Synthesis of $YBa_2Cu_3O_{7-\delta}$ with clean grain boundaries by a modified aerosol decomposition process.–Yuan-Liang Wang, Z. Q. Tan, Yimei Zhu, A. R. Moodenbaugh, and M. Suenaga; 7 (12), 3175–3184.

Zhuang, Haoren–Preparation of superconducting $YBa_2Cu_4O_8$ by the sol-gel method.–Shinobu Fujihara, Haoren Zhuang, Toshinobu Yoko, Hiromitsu Kozuka, and Sumio Sakka; 7 (9), 2355–2359.

Zou, S. C.–Spectroscopic investigation of disorder and crystallite formation in conductive films synthesized from aromatic polyimide.–D. Xu, X. L. Xu, and S. C. Zou; 7 (1), 229–234.